



British Heart Journal

Rapid mobilisation after acute myocardial infarction. First step in rehabilitation and secondary prevention *P. E. Thornley and R. W. D. Turner* 471

Transmural myocardial infarction in young women taking oral contraceptives. Evidence of reduced regional coronary flow in spite of normal coronary arteries *H.-J. Engel, H. Hundeshagen, and P. Lichtlen* 477

Evaluation of evolution of myocardial infarction by serial determinations of serum creatine kinase activity *M. Inoue, M. Hori, S. Fukui, H. Abe, T. Minamino, K. Kodama, and N. Ohgitani* 485

Praecordial ST segment elevation. New technique for continuous recording and analysis *M. R. Luxton, D. C. Russell, A. Murray, D. Williamson, J. M. M. Neilson, and M. F. Oliver* 493

Primary ST changes. Diagnostic aid in paced patients with acute myocardial infarction *V. Niremberg, S. Amikam, N. Roguin, B. Pelleg, and E. Riss* 502

Atrial pacing at multiple sites in the Wolff-Parkinson-White syndrome *P. Denes, C. R. Wyndham, F. Amat-y-Leon, D. Wu, R. C. Dhingra, R. H. Miller, and K. M. Rosen* 515

Endocardial pacing electrode design and rate of displacement *R. G. Charles, L. M. Clarke, M. Drysdale, and R. F. Sequeira* 517

Non-invasive recording of mitral valve flow velocity patterns using pulsed Doppler echocardiography. Application to diagnosis and evaluation of mitral valve disease *D. Kalmanson, Colette Veyrat, F. Bouchareine, and A. Degroote* 529

Potential pitfalls in quantification of pericardial effusions by echocardiography *I. D'Cruz, R. Prabhu, H. C. Cohen, and G. Glick* 586

Comparison of dobutamine and dopamine in treatment of severe heart failure *J. D. Stoner, III, J. L. Bolen, and D. C. Harrison* 536

Comparison of lidoflazine and quinidine in prophylactic treatment of arrhythmias *Brian M. Kennelly* 540

Pulmonary embolism secondary to anomalies of deep venous system of the leg *J. Federman, S. T. Anderson, D. S. Rosengarten, and A. Pitt* 547

Recurrent pulmonary embolism due to hydatid disease of heart. Study of 3 cases, one with intermittent tricuspid valve obstruction (atrial pseudomyxoma) *V. Gilsanz, C. Campo, R. Cue, J. Estella, R. V. Estrada, C. Perez-Oteiza, G. Rabago, J. L. Rebollar, and P. Zarco* 553

Physiological responses to prompt and sustained squatting. Measurement by systolic time intervals *Veronica Q. Lance and D. H. Spodick* 559

Left ventricular endomyocardial fibrosis in India *G. Vijayaraghavan, G. Cherian, S. Krishnaswami, and I. P. Sukumar* 563

Symmetrical peripheral gangrene *R. C. M. McGouran and G. A. Emmerson* 569

Case reports
Pulmonary atresia with intact ventricular septum. Open heart surgical correction at 32 hours *M. L. Rigby, E. D. Silove, R. Astley, and L. D. Abrams* 573

Prolapsing right atrial myxoma. Clinical and haemodynamic considerations *N. Roguin, S. Amikam, and E. Riss* 577

Homograft replacement of aortic valve and ascending aorta in a patient with non-specific giant cell aortitis *G. Gula, Ariela Pomerance, M. Bennet, and M. H. Yacoub* 581

Notices 586