

MARS


CAPTURING LIFE'S UPS AND DOWNS

THE FINAL ANSWER TO CONTINUOUS TWO CHANNEL
ECG HOLTER MONITORING AND RECORDING

OXFORD 
MEDICAL SYSTEMS

OXFORD MEDICAL SYSTEMS LIMITED

1, KIMBER ROAD, ABINGDON, OXON OX14 1BZ, ENGLAND. TELEPHONE (0235) 33433. TELEX 837340



...the power of frusemide -- now combined with the power
of amiloride. Frumil minimises potassium losses so that you can act
... congestive cardiac failure and oedema without the need for potassium supplements.
... for conventional

FRUMIL™

Frusemide BP 40mg/Amiloride Hydrochloride BP 5mg


... congestive cardiac failure and oedema
... potassium

Briefed Prescribing Information. Presentation Orange tablets with a breakline, marked FRUMIL, each containing 40mg Frusemide B.P. and 5mg Amiloride Hydrochloride B.P. Frumil is a potassium sparing diuretic indicated for oedema associated with the following conditions: congestive cardiac failure, nephrosis, corticosteroid therapy, oestrogen therapy, cirrhosis associated with cirrhosis. **Dosage Adults:** One tablet each morning, increasing to two if necessary. **Contra-Indications** Hyperkalaemia, concomitant potassium supplements, electrolyte deficiency, severe progressive renal disease, anuria, acute renal failure, premenstrual states associated with cirrhosis, known sensitivity to frusemide or amiloride. Safety in pregnancy, or during pregnancy and lactation has not been established. **Precautions, Warnings** Diabetes, gout, renal or hepatic insufficiency, impairment of micturition, concomitant cardiac glycosides or cephaloridine therapy. Plasma potassium monitoring is recommended. The activity of antihypertensive agents may be potentiated. Hyponatraemia, hypochloraemia and reduced blood urea nitrogen may occur during vigorous diuresis. **Side-Effects** Malaise, gastric upset, nausea, vomiting, diarrhoea and constipation may occur. Skin reactions necessitate withdrawal. Rare complications may include bone marrow depression, minor psychiatric disturbances, disturbances in liver function tests and reversible deafness. **Pharmaceutical Precautions** Store in a cool, dry place, protect from light. **Legal Category POM Package Quantities** Cartons of 28 tablets consisting of 2 calendar foils of 14 tablets. **Product Licence Number** 0152/0183 BNHS Cost Per Day 13.5p-27p

BERK
Pharmaceuticals Ltd.
Eastbourne, England.
Glasnevin, Dublin 11.

TM Trade Mark J8697 July 1983

FRUMIL - A logical improvement



Swann-Morton Surgical Blades

The fine quality of Swann-Morton blades with their maximum uniformity, initial sharpness and durability is the result of years of experience and research. These superb surgical blades are the choice of the World's leading Surgeons.

All the 9 universally accepted scalpel blade shapes are included in the Swann-Morton range and are available either in stainless or carbon steel.

Swann-Morton

Swann-Morton Ltd., Penn Works, Owlerton Green, Sheffield S6 2BJ, England. Tel: 0742 344231



WORLD CONGRESS OF CARDIOLOGY

Washington, D.C., U.S.A.
September 13-20, 1986

- Diversified Scientific Meetings
- Special Activities for Family Members
- Attractive Post-Conference Tours

**For further information
contact:**

X World Congress of Cardiology
7320 Greenville Avenue
Dallas, Texas 75231
Cable Tencard
Telephone: 214-750-5429

The Royal College of Surgeons of Edinburgh

SPECIALTY FELLOWSHIP IN CARDIOTHORACIC SURGERY— FRCSed (C/Th)


A diet of the Specialty Fellowship Examination in Cardiothoracic Surgery will be held on 1 May 1984.

Candidates who should normally hold a Diploma of Fellowship of a Surgical College or an equivalent Diploma are required to have three years' post-Fellowship experience in Cardiothoracic Surgery of which one year must have been completed in an approved centre in the United Kingdom. Candidates must submit written evidence of their experience in the specialty including their operative experience.

The application form, examination calendar and Regulations are available on request from the Examinations Secretary, The Royal College of Surgeons of Edinburgh, Nicolson Street, Edinburgh EH8 9DW.

Applications for entry must be received by
16 March 1984.

Fee: £135




... a different approach to Patient Monitoring

Electronic monitoring is now an accepted part of patient care. ECG is the most regularly monitored signal and the table below approximates to the percentage of patients monitored electronically for the more common parameters.

Today the cost of quality medical instrumentation does not allow there to be equipment in the intensive or

Coronary Care Unit which is not fully used or is unavailable for use on one patient because it is locked into a system on another. The S&W 8000 System allows total flexibility to match the instrumentation to the patient's need with the added advantages of: ■ Progressive expansion of the monitoring system as new modules for new parameters are developed ■ Modules may be used with a low cost power supply as monitors in their own right; for example, pressure, temperature, respiration ■ May be used in any department in the hospital; C.C.U., I.T.U., Operating Theatres, Neo-natal units ■ Ease of servicing in event of unsatisfactory performances.



S&W