
With long-acting nitrates, non-compliance can be a pain in the chest



For out-patients. Transider M-Nitro the <u>only</u> one a day long-acting nitrate

Presentation
Transiderm-Nitro 5 and 10 are transdermal drug
delivery systems, comprising respectively 10cm² and
20cm² self-adhesive, pink-coloured patches,
containing a drug reservoir of glyceryl trinitrate.

containing a drug reservoir or grycery unnu arc. Indication
Prophylactic treatment of attacks of angina pectoris.

Dosage
One Transiderm-Nitro 5 patch is to be applied every
24 hours. If a higher dose is required, a Transiderm-Nitro 10 patch may be substituted. If acute attacks of

preparations may be required.
Side effects
Headache, usually transient; reflex tachycardia. Postural hypotension, nausea and dizziness occur rarely. A local mild itching or burning sensation may occasionally occur.

Precautions

Pregnancy and lactation; recent myocardial infarction, heart failure. Withdraw gradually. The system should be removed before cardioversion or DC defibrillation is attempted.

Contra indications
Hypersensitivity to nitrates, severe hypotension, marked anaemia, increased intraocular or

Packs
Boxes of 30 patches. Transiderm-Nitro 5 (PL0001/
0094) basic NHS price 64.4p per day; TransidermNitro 10 (PL0001/0095) basic NHS price 70.9p per
day. **denotes registered trademark.
Full prescribing information is available on request
from Geigy Pharmaceuticals,
Horsham, West Sussex.

Average absorption rates from Transiderm-Nitro 5 and 10: 5mg/24 hours, 10mg/24 hours.

For the long run...



Prolong protection against angina with

CEDOCARD® Retard-20

isosorbide dinitrate, sustained release 10-12 hours of protection on a single dose; easier compliance

b.d. dosage for all-day, all-night protection

Steady release rate; no peaking, less headaches



Complete prescribing information is available upon request from Tillotts Laboratories, Henlow Trading Estate, Henlow, Beds.