

Author index

- Abdel-Massih T** see Acar P et al
Abildstrom SZ et al. Impact of age and sex on sudden cardiovascular death following myocardial infarction, 573
Acar P et al. Thrombus after transcatheter closure of ASD with an Amplatzer septal occluder assessed by three dimensional echocardiographic reconstruction, 52
Addington-Hall JM see Gibbs JSR et al
Adler M et al. Ventricular tachycardia as a presenting feature of dermatomyositis, 443
Aggoun Y see Acar P et al
Agostoni PG et al. Does lung diffusion impairment affect exercise capacity in patients with heart failure?, 453
Akcar E see Yilmaz MB et al
Akasaki T see Miyake Y et al
 see Ueda Y et al
 see Watanabe N et al
Akin Y see Atak R et al
Akita H see Takai E et al
Aliaga S see Jouven X et al
Al-Mohammad A see English KM et al
Alouani S see Mallat Z et al
Alter DA see Khaykin Y et al
Altweig SC see Netzer ROM et al
Amar J et al. Hypertension control at hospital discharge after acute coronary event: influence on cardiovascular prognosis—the PREVENIR study, 587
Anan R et al. Epsilon waves in a patient with arrhythmogenic right ventricular cardiomyopathy, 444
Andersen PK see Abildstrom SZ et al
Anderson DR see Andrews RE et al
Anderson RH et al. Development and structure of the atrial septum, 104
Anderson RH see Sánchez-Quintana D et al
Andrews RE et al. Coil occlusion of systemic venous collaterals in hypoplastic left heart syndrome, 167
Añes E see Bernardi L et al
Antonini-Canterin F see Ascione L et al
Arbusstini E et al. Plaque composition in plexogenic and thromboembolic pulmonary hypertension: the critical role of thrombotic material in pultaceous core formation, 177
Arnold N see Gunn J et al
Aroca A see Oliver JM et al
Arrigoni GA see Bassi C et al
Ascione L et al. Relation between early mitral regurgitation and left ventricular thrombus formation after acute myocardial infarction: results of the GISSI-3 echo substudy, 131
Ashrafiyan H, Swan L. The mechanism of formation of pulmonary arteriovenous malformations associated with the classic Glenn shunt (superior cavopulmonary anastomosis), 639
Atak R et al. Intercorony communication between the circumflex and right coronary arteries: distinct from coronary collaterals, 29
Athanasiadis A, Sechtem U. Torsades de pointes in Prinzmetal's variant angina, 494
Austin PC see Khaykin Y et al
Azúa-Romeo J et al. Right atrial lithomyxoma with extramedullary hematopoiesis, 10
Bachli EB see Walter RB and Bachli EB
Badano L see Ascione L et al
 see di Chiara A and Badano L
Baker CSR et al. Spontaneous right coronary artery dissection, 130
Balachandran KP et al. Resolution of renal artery thrombus with direct administration of tissue plasminogen activator, 558
Banerjee S see Adler M et al
Banning AP see Ferguson JD et al
 see Niccoli G and Banning AP
 see Niccoli G et al
Barold SS, Hayes DL. Non-paroxysmal junctional tachycardia with type I exit block, 288
Barrett J see McIntyre HF et al
Basante P see Varela-Roman A et al
Bassi C et al. Fatal cardiac tamponade in a child due to rupture of a mycotic aneurysm, 89
Battler A see Rimar D et al
Bauer F see Kim YJ et al
Baumbach A see Martin RM et al
Bax JJ see Schinkel AFL et al
Baxter AJ et al. β Blockers in older persons with heart failure: tolerability and impact on quality of life, 611
Beaufils P see Mallat Z et al
Beckett GJ see Ferguson JL et al
Behar S see Rimar D et al
Bellocci F see Pelargonio G et al
Benjacholomas V see Lertsapcharoen P et al
Berger T et al. Diagnosis of a rare cause of arrhythmicogenic syncope by means of an implantable loop recorder, 10
Bernardi G see Morocutti G et al
Bernardi L et al. Widespread cardiovascular autonomic dysfunction in primary amyloidosis: does spontaneous hyperventilation have a compensatory role against postural hypotension?, 615
Bethge M see Uebing A et al
Böhm M see de Boer RA et al
Bilinska ZT see Grzybowski J et al
Blaauw Y et al. Treatment of atrial fibrillation, 432
Black E see Catarino PA et al
 see Ghosh S et al
Blackman DJ see Ferguson JD et al
Bleasdale RA, Frenneaux MP. Prognostic importance of right ventricular dysfunction, 323
Bloemendaal K see Konings TC et al
Boccanello A see Burzotta F et al
Bock M see Fink C et al
Boersma E see Schinkel AFL et al
Boomsma F see Meinardi MT et al
Boon NA see Harding SA et al
Boramandal N see Cate FUT et al
Bosimini E see Ascione L et al
Bosker HA see Lindeboom J-E et al
Bouhuys JB see Jouven X et al
Boyko V see Rimar D et al
Bradshaw PJ et al. Mortality and recurrent cardiac events after coronary artery bypass graft: long term outcomes in a population study, 488
Brander L et al. Continuous left hemidiaphragm sign revisited: a case of spontaneous pneumoperitoneum and literature review, e5
Brecker S see Pellerin D et al
Breithardt OA et al. Acute effects of resynchronisation treatment on functional mitral regurgitation in dilated cardiomyopathy, 440
Brenner J see Cate FUT et al
Breuer J see Cate FUT et al
Briguori C see Stankovic G et al
Broadley AJM et al. Arterial endothelial function is impaired in treated depression, 521
Broqvist M see Wallby L et al
Brossmann J see Uebing A et al
Brouwer RMHJ see de Boer RA et al
Brown NA see Anderson RH et al
Budde U see Rauch R et al
Burch M. Heart failure in the young, 198
Burri H et al. Papillary fibroelastoma as a cause of cardioembolic stroke, 216
Bury RW see Kumar S et al
Burzotta F et al. Large intracoronary thrombi with good TIMI flow during acute myocardial infarction: four cases of successful aggressive medical management in patients without angiographically detectable coronary atherosclerosis, e6
Bussotti M see Agostoni PG et al
Cabrera JA see Sánchez-Quintana D et al
Calabò MP see Carerj S et al
Calabò R see Sarubbi B et al
Califf RM see Wong C-K et al
Camargo EE see Ueti OM et al
Cambou J-P see Amar J et al
 see Danchin N et al
Camici PG. Imaging of cardiac adrenergic innervation, 209
Campbell S see Carvalho JS et al
Cantet C see Amar J et al
 see Danchin N et al
Carballo D see Sarasin FP et al
Cardon LA see Kim YJ et al
Carerj S et al. Atrio-auricular mechanical dissociation following electrical cardioversion for atrial fibrillation, 626
Carlsson J see Miketic S et al
Carre V see Zaman MJS et al
Carrel T see Netzer ROM et al
Carrier L see Jouven X et al
Carvalho JS et al. Improving the effectiveness of routine prenatal screening for major congenital heart defects, 387
Catarino PA et al. Why do UK cardiac surgeons not perform their first choice operation for coronary artery bypass graft?, 643
Cate FUT et al. Endocardial and epicardial steroid lead pacing in the neonatal and paediatric age group, 392
Cavallaro C see Sarubbi B et al

- Celermajer DS, Greaves K.** Survivors of coarctation repair: fixed but not cured, 113
- Cervesato E** see Ascione L et al
- Chamontin B** see Amar J et al
- Chan C** see Hsu LF et al
- Chan KH** see Gunn J et al
- Channon KM** see Ferguson JD et al
- Charron P** see Jouven X et al
- Chatterjee S** see Ghosh S et al
- Chiarella F** see Ascione L et al
- Chieffo A** see Stankovic G et al
- Chivite D** see Formiga F et al
- Chotinaiwatarakul C** see Krittayaphong R et al
- Chottivittayarakorn P** see Lertsapcharoen P et al
- Chrysostomakis SI** see Marketou ME et al
- Chuah SC** see Hsu LF et al
- Chung M** see Takagaki M et al
- Chung W-S** see Youn H-J et al
- Chvatchko Y** see Mallat Z et al
- Cicoria M** see Shamim W et al
- Cilliers AM, Gewillig M.** Rheology of discrete subaortic stenosis, 335
- Cleland JGF.** Contemporary management of heart failure in clinical practice, ii5
- Climent V** see Sánchez-Quintana D et al
- Coats AJS** see Shamim W et al
- Cocco G** et al. Effects of combined treatment with enalapril and losartan on myocardial function in heart failure, 185
- Cokkinos D** see Steg PG et al
- Colombo A** see Stankovic G et al
- Connolly DL** see Hamaad A et al
- Connor J** see Takagaki M et al
- Cook DG** see Reid FDA et al
- Cooper J** see Wilkinson J et al
- Corvaja N** see Stankovic G et al
- Cosío FG.** The right atrium as an anatomic set-up for re-entry: electrophysiology goes back to anatomy, 325
- Cotton JM** et al. Nitric oxide and myocardial function in heart failure: friend or foe?, 564
- Coussement P** see Desmet WJR et al
- Cowie MR.** Best practice: evidence from the clinical trials, ii2
- Cramer JA.** Effect of partial compliance on cardiovascular medication effectiveness, 203
- Crea F** see Lanza GA and Crea F
- Crespo G** et al. Imaginary aortic leaflets, 136
- Criger DA** see Wong C-K et al
- Crijns HJGM** see Blaauw Y et al
- Crombie IK** see Hutcheon SD et al
- Crossman DC** see Gunn J et al
- Crosson J** see Cate FUT et al
- Crumbley AJ** see Wood DE et al
- Crystal E** see Rimar D et al
- Cumberland DC** see Gunn J et al
- Czarnecki W** see Lee C and Czarnecki W
- Dalby M, Montalescot G.** Transfer for primary angioplasty: who and how?, 570
- Danchin N** et al. Use of secondary preventive drugs in patients with acute coronary syndromes treated medically or with coronary angioplasty: results from the nationwide French PREVENIR survey, 159
- Danchin N** see Amar J et al
- Daniel WG** see Giesler T et al
- Dargie H.** Myocardial infarction: redefined or reinvented?, 1
- D'Armini AM** see Arbustini E et al
- Darnell R** see O'Sullivan JJ et al
- Davies MK, Hollman A.** Atropa belladonna, 215
Quinine, 118
The opium poppy, morphine, and verapamil, 3
- Davis RC** see Hamaad A et al
- de A Ueti A** see Ueti OM et al
- de Beer F** see van Dam M et al
- de Boer MJ** see Elsman P et al
- de Boer RA** et al. Identification of a specific pattern of downregulation in expression of isoforms of vascular endothelial growth factor in dilated cardiomyopathy, 412
- de Feyter PJ** see Nieman K et al
- de Jaegere PPT, Suyker WJJ.** Off-pump coronary artery bypass surgery, 313
- de Lima-Filho EC** see Ueti OM et al
- de Martino G** see Pelargonio G et al
- de Roos A** see Helbing WA et al
- de Voogt WG** see Nijland F et al
- de Vries EGE** see Meinardi MT et al
- Dean JCS.** Management of Marfan syndrome, 97
- Deane A** see Baker CSR et al
- Deckers J** see Steg PG et al
- Dens J** see Desmet WJR et al
- Denvir MA** see Pell JP and Denvir MA
- Derrick G** see O'Sullivan JJ et al
- Desmet WJR** et al. Does adenosine prevent myocardial necrosis following percutaneous coronary intervention? The ADELIN pilot trial, 293
- Desnos M** see Jouven X et al
- Dessoffy R** see Takagaki M et al
- di Chiara A, Badano L.** ST segment monitoring of coronary reperfusion, 334
- di Maria C** see Stankovic G et al
- di Rosa S** see Carerj S et al
- Dick JBC** see Patterson D et al
- Ding ZP** see Hsu LF et al
- Diverse Populations Collaborative Group.** Prediction of mortality from coronary heart disease among diverse populations: is there a common predictive function?, 222
- Djonlagic H** see Wedekind H et al
- Dodge-Khatami A** see Neffke JGJ et al
- Doi K** see Takagaki M et al
- Doi T** see Shimoyama M et al
- Dominguez FJ** see Oliver JM et al
- Dong J** et al. Existence of muscles surrounding the persistent left superior vena cava demonstrated by electroanatomic mapping, 4
- D'Onofrio A** see Sarubbi B et al
- Doshi SN** et al. Successful use of the Guardwire Plus distal embolisation protection device in a native left anterior descending coronary artery, 648
- Dounis G** see Karabinis A et al
- Dreier D** see Brander L et al
- Dubourg O** see Jouven X et al
- Ducceschi V** see Sarubbi B et al
- Durand L-G** see Xu J et al
- Duveneck K** see Schneider MBE et al
- Edner M** see Meijhert M et al
- Edwards RJ** et al. Antiarrhythmic and anti-ischaemic effects of angina in patients with and without coronary collaterals, 604
- Eek M** see Herlitz J et al
- Eichhorn J** see Fink C et al
- Elhendy A** see Schinkel AFL et al
- Elkington AG** et al. Saphenous vein graft aneurysm presenting as an anterior mediastinal mass, 86
- Elsman P** et al. Coronary occlusion caused by embolisation from a mass in the sinus of Valsalva, 614
- Emerson JR** see Whincup PH et al
- Engdahl J** see Herlitz J et al
- English KM** et al. Effect of coronary angioplasty on "stunned" myocardium, 142
- Enriquez-Sarano M, Tribouilloy C.** Quantitation of mitral regurgitation: rationale, approach, and interpretation in clinical practice, iv1
- Espel E** see Formiga F et al
- Everman D** see Siwik ES et al
- Farquharson CAJ, Struthers AD.** Increasing plasma potassium with amiloride shortens the QT interval and reduces ventricular extrasystoles but does not change endothelial function or heart rate variability in chronic heart failure, 475
- Farré J** see Sánchez-Quintana D et al
- Favero L** see Vecchia LL et al
- Feldman LJ** see Steg PG et al
- Ferguson JD** et al. Percutaneous coronary intervention in octogenarians with refractory angina, 85
- Ferguson JL** et al. Myocardial infarction redefined: the new ACC/ESC definition, based on cardiac troponin, increases the apparent incidence of infarction, 343
- Ferrières J** see Amar J et al
see Danchin N et al
- Figulla HR** see Reinhardt D et al
- Finci L** see Stankovic G et al
- Fineschi M** et al. Angiographic evidence of aberrant right subclavian artery associated with common carotid trunk, 158
- Fink C** et al. Pulmonary arteriovenous malformation and aortopulmonary collateral imaged by time resolved contrast enhanced magnetic resonance angiography, 292
- Firmin RK** see Ghosh S et al
- Fischer G** see Uebing A et al
- Fisk NM** see Karatzas AA et al
- Flachskampf FA** see Giesler T et al
- Flapan AD** see Harding SA et al
- Fontanelli A** see Vecchia LL et al
- Foo K** see Wilkinson J et al
- Forfar JC** see Ferguson JD et al
- Formiga F** et al. Dying from heart failure in hospital: palliative decision making analysis, 187
- Fox KAA** see Ferguson JL et al
see Steg PG et al
- Francis J** see Sajeev CG et al
- Frankel S** see Martin RM et al
- Freimark D** see Rimar D et al
- Frenneaux MP** see Bleasdale RA and Frenneaux MP
see Broadley AJM et al
- Fressonnet R** see Mallat Z et al

- Friedman A** see Cate FUT et al
Fujiioka Y see Naito Y et al
Fujita T see Ueno Y et al
Fukamachi K see Takagaki M et al
Fukuda S et al. Changes in transmural distribution of myocardial perfusion assessed by quantitative intravenous myocardial contrast echocardiography in humans, 368
Fukuda S see Teragaki M et al
Ga W see Khan Z et al
Gallardo P see Oliver JM et al
Garcia-Seara J see Varela-Roman A et al
Gardiner HM see Karatzas AA et al
Gaspardone A see Versaci F et al
Güray Ü see Yilmaz MB et al
Gelsomino S see Morocutti G et al
Gentile F see Ascione L et al
George C. Heart failure: aetiology, diagnosis, and treatment, 567
Gewillig M see Cilliers AM and Gewillig M
Ghosh S et al. Surgical closure of atrial septal defects in adults: effect of age at operation on outcome, 485
Gianuzzi P see Ascione L et al
Gibbs JSR et al. Living with and dying from heart failure: the role of palliative care, ii36
Gibbs LME see Gibbs JSR et al
Gibson DG see Shamim W et al
Giesler T et al. Long term follow up after deferral of revascularisation in patients with intermediate coronary stenoses and negative dobutamine stress echocardiography, 645
Gietema JA see Meinardi MT et al
Giffillan I see Bradshaw PJ et al
Gillespie ND see Hutcheon SD et al
Gimelli G see Stankovic G et al
Girsch M see Rauch R et al
Goh TH see Hughes ML et al
Goldberger AL see Mietus JE et al
Goldsmith RL see Mietus JE et al
Gomollón JP see Azúa-Romeo J et al
Gonzalez A see Oliver JM et al
Gonzalez-Juanatey JR see Varela-Roman A et al
Gottlieb S see Rimar D et al
Goudevenos JA et al. Coarctation of the aorta with lower blood pressure at the right upper extremity, 498
Graeni R see Brander L et al
Gray A see Liu JLY et al
Gray CS see Baxter AJ et al
Gray D see Packham C et al
Güray Ü see Atak R et al
Greaves K see Celermajer DS and Greaves K
Greaves SC. Role of echocardiography in acute coronary syndromes, 419
Grenier O see Amar J et al
 see Danchin N et al
Green JG see Taylor AD et al
Groh WJ et al. What's bad for the gender . . . Women and sudden cardiac death, 553
Grollier G see Burzotta F et al
Grzybowski J et al. Plasma concentrations of N-terminal atrial natriuretic peptide are raised in asymptomatic relatives of dilated cardiomyopathy patients with left ventricular enlargement, 191
Guazzi M see Agostoni PG et al
Gude F see Varela-Roman A et al
Gunn J et al. Coronary artery stretch versus deep injury in the development of in-stent neointima, 401
Gunnell D see Martin RM et al
Gunning MG et al. Coronary artery perforation during percutaneous intervention: incidence and outcome, 495
Haaksma J see Meinardi MT et al
Haenen N et al. Imaging of massive pulmonary embolism, 111
Haenen N et al. Lipomatous hypertrophy of the interatrial septum, 111
Hagege A see Jouven X et al
Hall RJC see Elkington AG et al
Haller C. Arteriosclerotic renal artery stenosis: conservative versus interventional management, 193
Hamada A et al. Regression of HTLV1 associated intracardiac lymphoma following chemotherapy, 621
Hamon M see Burzotta F et al
Hampton J see Packham C et al
Hanaka T see Tomita T et al
Hansen T see Otto M et al
Harding SA et al. Antiplatelet treatment in unstable angina: aspirin, clopidogrel, glycoprotein IIb/IIIa antagonist, or all three?, 11
Hardman SMC. Heart failure: across the interface and beyond, ii28
Hardman SMC see James PR et al
Hardy R see Wallace SM et al
Harrison SJ, Mayet J. Physician administered sedation for DC cardioversion, 117
Havekes LM see van Dam M et al
Haworth SG. Pulmonary hypertension in the young, 658
Hayes DL see Barold SS and Hayes DL
Hazekamp MG see Helbing WA et al
Heck P see Niccoli G et al
Heijmen R see Haenen N et al
Helbing WA et al. ECG predictors of ventricular arrhythmias and biventricular size and wall mass in tetralogy of Fallot with pulmonary regurgitation, 515
Hemingway H see Martin RM et al
Henein MY see Shamim W et al
Henße J see Reinhardt D et al
Henning RH see de Boer RA et al
Henry I see Mietus JE et al
Henry P see Mallat Z et al
Herlitz J et al. Characteristics and outcome among patients having out of hospital cardiac arrest at home compared with elsewhere, 579
Häusler H-J see Rotsch C et al
Hildreth A see Baxter AJ et al
Hintringer F see Berger T et al
Ho SY. Anatomy of the mitral valve, iv5
Ho SY see Sánchez-Quintana D et al
Hobbs FDR. Unmet need for diagnosis of heart failure: the view from primary care, ii9
Hochman JS see Menon V and Hochman JS
Hod H see Rimar D et al
Hofbeck M see Rauch R et al
Hollman A see Davies MK and Hollman A
Holmberg M see Herlitz J et al
Holmberg S see Herlitz J et al
Homma S see Miyake Y et al
 see Ueda Y et al
Hong S-J see Youn H-J et al
Hosomi N see Ohyama H et al
Howard M see Takagaki M et al
Howes LG see Ryan JM and Howes LG
Hozumi T see Fukuda S et al
 see Miyake Y et al
 see Ueda Y et al
Hsu LF et al. Clinical outcomes of patients with diabetes mellitus and acute myocardial infarction treated with primary angioplasty or fibrinolysis, 260
Hughes ML et al. Prospective comparison of costs and short term health outcomes of surgical versus device closure of atrial septal defect in children, 67
Hutcheon SD et al. Perindopril improves six minute walking distance in older patients with left ventricular systolic dysfunction: a randomised double blind placebo controlled trial, 373
Hutter D see Seiler C et al
Iacobellis G et al. Worm-shaped thrombus mimicking Chiari's network in a cocaine user, 4
Iadanza A see Fineschi M et al
Irvine T et al. Assessment of mitral regurgitation, iv11
Irvine T see Pemberton J et al
 see Pemberton J et al
Isles CG. Patients with acute coronary syndrome should start a statin while still in hospital, 5
Jung B see Steg PG et al
Iwai C see Takai E et al
Iwasaki T see Naito Y et al
Izumi T see Yoshida T et al
Jaarsma W see Haenen N et al
Jackson PR see Wallis EJ et al
Jacobs LE see Crespo G et al
Jacobs ML see Madan N et al
James PR et al. Physiological changes in ventricular filling alter cardiac electrophysiology in patients with abnormal ventricular function, 149
Jamrozik K see Bradshaw PJ et al
Janas J see Grzybowski J et al
Janerot-Sjöberg B see Wallby L et al
Jenni R see Kobza R et al
 see Ritter M et al
Jerie P see Cocco G et al
Jewitt DE see Gunning MG et al
Jia G-L see Wang X-M et al
Jiang XJ et al. Quantification of glyceryl trinitrate effect through analysis of the synthesised ascending aortic pressure waveform, 143
Jin WQL see Jiang XJ et al
Jolly L. The role of the specialist nurse, ii33
Jones CJH see Broadley AJM et al
Jones M see Kim YJ et al
Jouven X et al. Relation between QT duration and maximal wall thickness in familial hypertrophic cardiomyopathy, 153
Junod A-F see Sarasin FP et al

- Kabus M** see Rotzsch C et al
Kahan T see Meijhert M et al
Kakuchi H see Kanna M et al
Kam R see Hsu LF et al
Kamakura S see Shimizu W et al
Kamp O see Niljland F et al
Kamran M see Doshi SN et al
Kanazawa K see Takai E et al
Kanna M et al. Giant left ventricular pseudoaneurysm following left ventricular rupture caused by myocardial infarction, 446
Karabinis A et al. Unusual echocardiographic appearance of traumatic aortic dissection, 444
Karatza AA et al. Influence of twin-twin transfusion syndrome on fetal cardiovascular structure and function: prospective case-control study of 136 monochorionic twin pregnancies, 271
Karimova G see Baxter AJ et al
Karkavitsas NS see Marketou ME et al
Karsch KR see Martin RM et al
Kaski J-C see Sidhu JS et al
Kastelein JJP see van Dam M et al
Kawai H see Takai E et al
Kaymaz C see Ozdemir N et al
Kearney MT see Cotton JM et al
Keil U see Steg PG et al
Kenny A see Irvine T et al
 see Pemberton J et al
Kharbanda RK see Wallace SM et al
Khaykin Y et al. Utilisation of coronary angiography after acute myocardial infarction in Ontario over time: have referral patterns changed?, 460
Kühl HP see Breithardt OA et al
Kim YJ et al. Effect of load alterations on the effective regurgitant orifice area in chronic aortic regurgitation, 397
Kinoshita M see Ueno Y et al
Klues HG see Reith S et al
Knight C see Baker CSR et al
Köber L see Abildstrom SZ et al
Kobza R et al. Variable seasonal peaks for different types of aortic dissection?, 640
Koch A see Rauch R et al
Kochiadakis GE et al. Coronary-pulmonary artery fistulae: blood flow pattern and effect on myocardial perfusion, 400
Koh TH see Hsu LF et al
Kohn S see Cocco G et al
Kohno M see Noma T et al
Komajda M see Jouven X et al
Konings TC et al. Separation of coronary ostium caused by pseudoaneurysm formation after composite valve graft replacement for acute dissection of the ascending aorta, 265
Kopack M see Takagaki M et al
Korszun A see Broadley AJM et al
Kramer HH see Uebing A et al
Krestin GP see Nieman K et al
Kriegsmann J see Otto M et al
Krishnamoorthy KM, Patle A. Imaging in aortoarteritis, 591
Krittayaphong R et al. Exercise induced ST elevation and T wave alternans associated with critical disease of left anterior descending coronary artery, 438
Kumar S et al. Difficult haemostasis following diagnostic transfemoral angiogram caused by inadvertent puncture of the arteria profunda femoris, 215
Kwan J see Kim YJ et al
Lainchbury JG, Richards AM. Exercise testing in the assessment of chronic congestive heart failure, 538
Lambiasi PD see Edwards RJ et al
Lamprecht S see Giesler T et al
Lane DA et al. Quality of life in adults with congenital heart disease, 71
Lange PE see Schneider MBE et al
Langlard JM see Jouven X et al
Lansberg PJ see van Dam M et al
Lanza GA, Crea F. The complex link between brain and heart in cardiac syndrome X, 328
Large A see Packham C et al
Lau KW see Hsu LF et al
Lawrence DR see Nair KS et al
Lazaros G see Karabinis A et al
Le M see Bradshaw PJ et al
Lee C, Czarnecki W. Pronounced PR depression, 638
Lee SW see Mercader MA et al
Lennon L see Whincup PH et al
Leor J see Rimar D et al
Lertsapcharoen P et al. Mycotic aneurysms of the pulmonary arteries, 524
Levi F et al. Trends in mortality from cardiovascular and cerebrovascular diseases in Europe and other areas of the world, 119
Lewis CT see Taylor AD et al
Li CW see Jiang XJ et al
Li H-F see Wang X-M et al
Li XK see Irvine T et al
Li Y see Wang X-M et al
Liistro F see Stankovic G et al
Lim YL see Hsu LF et al
Lindeboom J-E et al. Myocardial infarction and coronary thrombosis, 60
Linder-Klingsell E see Meijhert M et al
Lip GH see Lane DA et al
Lipp E see Seiler C et al
Liu F see Wang X-M et al
Liu JLY et al. The economic burden of coronary heart disease in the UK, 597
Liu LS see Jiang XJ et al
Liu SZ see Jiang XJ et al
Louis-Simonet M see Sarasin FP et al
Lucchini F see Levi F et al
Lucci D see Ascione L et al
Ludman PF. Percutaneous coronary intervention in diabetics: time to consider "intimal remodelling therapy?", 213
Ludman PF see Ment J and Ludman PF
Ludwig J see Giesler T et al
MacDonald TM see Wei L et al
MacIntyre CR see Weerasinghe DP et al
Macor F see Ascione L et al
Madan N et al. Thrombosis in the proximal pulmonary artery stump in a Fontan patient, 396
Maggioni AP see Ascione L et al
 see Steg PG et al
Mak KH see Hsu LF et al
Makiyama T see Sato Y et al
Malik I see Haenen N et al
 see Krittayaphong R et al
 see Pelargonia G et al
Mallat Z et al. Increased plasma concentrations of interleukin-18 in acute coronary syndromes, 467
Mandelzweig L see Rimar D et al
Maniadakis N see Liu JLY et al
Maraj S see Crespo G et al
Marber MS see Edwards RJ et al
Marketou ME et al. Assessment of myocardial adrenergic innervation in patients with sick sinus syndrome: effect of asynchronous ventricular activation from ventricular apical stimulation, 255
Marmur JD see Doshi SN et al
Marshall AJ see Morgan-Hughes G et al
 see Morgan-Hughes G et al
 see Taylor AD et al
Marshall P see Wright DJ et al
Martin R see Sánchez-Quintana D et al
Martin RM et al. Population need for coronary revascularisation: are national targets for England credible?, 627
Martinez-Sande JL see Varela-Roman A et al
Maskell G see Hughes ML et al
Matsuda Y see Takai E et al
Matsumori A see Sato Y et al
Mavrides E see Carvalho JS et al
Mayet J see Harrison SJ and Mayet J
Mazgalev TN see Takagaki M et al
McCarthy PM see Takagaki M et al
McCoy ASM see Gibbs JSR et al
McDonagh TA. Screening for left ventricular dysfunction: a step too far?, ii12
McIntyre HF et al. Across the interface: the Hastings Heart Function Clinic, ii23
McKenna CJ see Ferguson JD et al
McMahon AD see Singh RK et al
McMahon CJ et al. Use of the transseptal puncture in transcatheter closure of long tunnel-type patent foramen ovale, e3
McMurdo MET see Hutcheon SD et al
McMurray JJV. Heart failure in 10 years time: focus on pharmacological treatment, ii40
Meier B see Seiler C et al
Meijboom E see Cate FUT et al
Meinardi MT et al. Evaluation of long term cardiotoxicity after epirubicin containing adjuvant chemotherapy and locoregional radiotherapy for breast cancer using various detection techniques, 81
Meijhert M et al. Ventilatory variables are strong prognostic markers in elderly patients with heart failure, 239
Menon V, Hochman JS. Management of cardiogenic shock complicating acute myocardial infarction, 531
Ment J, Ludman PF. Coronary thrombus in a 23 year old anabolic steroid user, 342
Mercader MA et al. New insights into the mechanism of neurally mediated syncope, 217
Merlini G see Bernardi L et al
Mesa JM see Oliver JM et al
Michałak E see Grzybowski J et al
Michalis LK see Goudevenos JA et al

- Mietus JE** et al. The pNNx files: re-examining a widely used heart rate variability measure, **378**
- Miketic S** et al. Clinical and angiographic outcome after conventional angioplasty with optional stent implantation compared with direct stenting without predilatation, **622**
- Millane TA** see Lane DA et al
- Minzioni G** see Arbustini E et al
- Miyake Y** et al. Automated quantification of aortic regurgitant volume and regurgitant fraction using the digital colour Doppler velocity profile integration method in patients with aortic regurgitation, **481**
- Miyamoto Y** see Takai E et al
- Mizushige K** see Noma T et al
see Ohyama H et al
- Mohiaddin RH** see Elkington AG et al
- Montalescot G** see Dalby M and Montalescot G
- Montorfano M** see Stankovic G et al
- Moon JCC** et al. Microvascular obstruction and missed infarction, **330**
- Morbini P** see Arbustini E et al
- Moreno E** see Azúa-Romeo J et al
- Morgan JM**. Patients with ventricular arrhythmias: who should be referred to an electrophysiologist?, **544**
- Morgan-Hughes G** et al. Computed tomography of the aortic valve, **176**
- Morgan-Hughes G** et al. Right coronary artery aneurysm diagnosed with multislice computed tomographic angiography, **327**
- Mori I** see Miyake Y et al
- Morocutti G** et al. Prosthetic valve dysfunction presenting as intermittent acute aortic regurgitation, **3**
- Morrison S** see Siwik ES et al
- Morschuis W** see Haenen N et al
- Moshiri S** see Stankovic G et al
- Mulder BJM** see Neffke JGJ et al
- Mullins CE**. Vessel restenosis versus "streamlining", **445**
- Muro T** see Fukuda S et al
- Murphy S** see McIntyre HF et al
- Musto B** see Sarubbi B et al
- Musto C** see Sarubbi B et al
- Myers WO**. A standard from the classical period, **449**
- Nagai K** see Sato Y et al
- Nair KS** et al. An unusual cause of mixed mitral valve disease, **560**
- Naito Y** et al. Increased circulating interleukin-18 in patients with congestive heart failure, **296**
- Nakamura Y** see Ueno Y et al
- Nassiri DK** see Sidhu JS et al
- Neffke JGJ** et al. ECG determinants in adult patients with chronic right ventricular pressure overload caused by congenital heart disease: relation with plasma neurohormones and MRI parameters, **266**
- Negri E** see Levi F et al
- Netzer ROM** et al. Infective endocarditis: determinants of long term outcome, **61**
- Newey VR** see Sidhu JS et al
- Niccoli G**, **Banning AP**. Heparin dose during percutaneous coronary intervention: how low dare we go?, **331**
- Niccoli G** et al. Cyanosis, cor triatriatum, and primum atrial septal defect in an adult, **136**
- Nicolosi GL** see Ascione L et al
- Nieman K** et al. Non-invasive coronary angiography with multislice spiral computed tomography: impact of heart rate, **470**
- Niezen RA** see Helbing WA et al
- Nijland F** et al. Early prediction of improvement in ejection fraction after acute myocardial infarction using low dose dobutamine echocardiography, **592**
- Niroomand F**. Supernormal conduction mimicking a supraventricular capture beat during wide complex tachycardia, **295**
- Nissen S** see Schoenhagen P and Nissen S
- Niwano S** see Yoshida T et al
- Nixdorff U** see Giesler T et al
- Nogueira EA** see Ueti OM et al
- Noma T** et al. Constrictive pericarditis caused by infiltration of non-Hodgkin's lymphoma, **148**
- Nonogi H** see Kanna M et al
- Oakley GD** see English KM et al
- Ochiai Y** see Takagaki M et al
- O'Connell JE** see Baxter AJ et al
- Odekerken D** see Haenen N et al
- Oechslin E** see Ritter M et al
- Ohman EM** see Wong C-K et al
- Ohyama H** et al. Magnetic resonance imaging of left atrial thrombus, **233**
- Ohyanagi M** see Naito Y et al
- Okada H** see Sato Y et al
- Okamura H** see Naito Y et al
see Ueno Y et al
- Oldershaw PJ** see Moon JCC et al
- Oldroyd KG** see Balachandran KP et al
- Oliver JM** et al. Sinus venosus syndrome: atrial septal defect or anomalous venous connection? A multiplane transoesophageal approach, **634**
- Ormerod O** see Ferguson JD et al
- O'Rourke MF** see Jiang XJ et al
- Orr WP** see Ferguson JD et al
- O'Sullivan JJ** et al. Prevalence of hypertension in children after early repair of coarctation of the aorta: a cohort study using casual and 24 hour blood pressure measurement, **163**
- Ottenkamp J** see Helbing WA et al
- Otterstad JE**. Measuring left ventricular volume and ejection fraction with the biplane Simpson's method, **559**
- Ottesen MM** see Abildstrom SZ et al
- Otto CM**. Calcification of bicuspid aortic valves, **321**
- Otto M** et al. Intracellular cardiac amyloidosis in familial amyloid polyneuropathy of the Portuguese type, **90**
- Owa M** see Tomita T et al
- Özdemir N** et al. An unusual image within the left atrium with UFO-like appearance on transoesophageal echocardiography, **633**
- Özkan M** see Özdemir N et al
- Packard CJ** see Singh RK et al
- Packham C** et al. Changing the diagnostic criteria for myocardial infarction in patients with a suspected heart attack affects the measurement of 30 day mortality but not long term survival, **337**
- Palermo P** see Agostoni PG et al
- Palladini G** see Bernardi L et al
- Papacosta O** see Whincup PH et al
- Papatheanasiou A** see Goudevenos JA et al
- Parvin S** see Zaman MJS et al
- Passino C** see Bernardi L et al
- Pasterkamp G**, **Virmani R**. The erythrocyte: a new player in atheromatous core formation, **115**
- Patel H** see Singh RK et al
- Patle A** see Krishnamoorthy KM and Patle A
- Patterson D** et al. Intensive statin treatment improves baroreflex sensitivity: another cardioprotective mechanism for statins?, **415**
- Pattynama PMT** see Nieman K et al
- Pavan D** see Ascione L et al
- Pelargonio G** et al. Myotonic dystrophy and the heart, **665**
- Pell ACH** see Balachandran KP et al
- Pell JP**, **Denvir MA**. Angioplasty, bypass surgery or medical treatment: how should we decide?, **451**
- Pellerin D** et al. Degenerative mitral valve disease with emphasis on mitral valve prolapse, **iv20**
- Pemberton J** et al. Perforated mitral valve leaflet, **iv3**
- Pemberton J** et al. Stuck mitral valve replacement, **iv4**
- Peng C-K** see Mietus JE et al
- Pennell DJ** see Moon JCC et al
- Pereira NL** see Wood DE et al
- Persson H** see Mejhert M et al
- Peter M** see Brander L et al
- Piazza R** see Ascione L et al
- Pibarot P** see Xu J et al
- Pierli C** see Fineschi M et al
- Pinto YM** see de Boer RA et al
- Piovella F** see Arbustini E et al
- Ploeg RJ** see de Boer RA et al
- Pohl T** see Seiler C et al
- Pohle K** see Giesler T et al
- Poldermans D** see Schinkel AFL et al
- Porta C** see Bernardi L et al
- Potolicchio SJ** see Mercader MA et al
- Prassopoulos VK** see Marketou ME et al
- Prati F** see Burzotta F et al
- Prins MH** see van Dam M et al
- Proietti I** see Versaci F et al
- Pujol R** see Formiga F et al
- Puletti M** see Iacobellis G et al
- Qin JX** see Kim YJ et al
- Radvan J** see Zaman MJS et al
- Rakhit RD** see Edwards RJ et al
- Ramsay D** see Brander L et al
- Ramsay LE** see Wallis EJ et al
- Ranjadayalan K** see Wilkinson J et al
- Rask-Madsen C** see Abildstrom SZ et al
- Rathbone BJ** see Singh RK et al
- Rauch R** et al. Acquired von Willebrand syndrome in children with patent ductus arteriosus, **87**
- Rayner M** see Liu JLY et al
- Redwood SR** see Edwards RJ et al
- Reid FDA** et al. Use of statins in the secondary prevention of coronary heart disease: is treatment equitable?, **15**
- Reinhardt D** et al. Cardiac remodelling in end stage heart failure: upregulation of matrix metalloproteinase (MMP) irrespective of the underlying disease, and evidence for a direct inhibitory effect of ACE inhibitors on MMP, **525**

- Reith S** *et al.* Use of intravascular ultrasound in evaluating coronary artery aneurysm, 466
Rensing BJ *see* Nieman K *et al*
Rentoukas E *see* Karabinis A *et al*
Repetto A *see* Arbustini E *et al*
Ribichini F, Wijs W. Acute myocardial infarction: reperfusion treatment, 298
Richards AM *see* Lainchbury JG and Richards AM
Riley R *see* Wright DJ *et al*
Rimar D *et al.* Improved prognosis of patients presenting with clinical markers of spontaneous reperfusion during acute myocardial infarction, 352
Ritter M *et al.* Giant congenital aneurysm of the non-coronary sinus of Valsalva, 243
Ritter M *see* Kobza R *et al*
Roberts DH *see* Kumar S *et al*
Robinson BW *see* Madan N *et al*
Roelandt JRTC *see* Schinkel AFL *et al*
Roest AAW *see* Helbing WA *et al*
Rogers AE *see* Gibbs JSR *et al*
Roithinger FX *see* Berger T *et al*
Roman KS, Vettukattil JJ. Congenital bilateral coronary fistulae, 75
Roobottom CA *see* Morgan-Hughes G *et al*
Ropers D *see* Giesler T *et al*
Roseth S *see* Abildstrom SZ *et al*
Rotzsch C *et al.* A rare congenital coronary anomaly: anomalous origin of the right coronary artery from the pulmonary artery, 141
Roy TNS *see* Sajeev CG *et al*
Rubin GL *see* Weerasinghe DP *et al*
Russo AD *see* Pelargonio G *et al*
Ruzyllo W *see* Grzybowski J *et al*
Ryan JM, Howes LG. Relations between alcohol consumption, heart rate, and heart rate variability in men, 641
Sabatier R *see* Burzotta F *et al*
Sahn DJ *see* Irvine T *et al*
Said HGE *see* McMahon CJ *et al*
Sajeev CG *et al.* Autocapture stimulus simulating atrioventricular sequential pacing, 158
Sajeev CG *et al.* Common atrium in a child with Ellis-Van Creveld syndrome, 142
Sakamoto T *see* Ueno Y *et al*
Sanna T *see* Pelargonio G *et al*
Sarasin FP *et al.* Role of echocardiography in the evaluation of syncope: a prospective study, 363
Sarubbi B *et al.* Congenital junctional ectopic tachycardia in children and adolescents: a 20 year experience based study, 188
Sato Y *et al.* Serum cardiac troponin T and plasma brain natriuretic peptide in patients with cardiac decompensation, 647
Satomaki K *see* Shimizu W *et al*
Schanzenbächer P, Strotmann J. Bilateral origin of a split left anterior descending coronary artery combined with atypical branching of the left circumflex coronary artery, 70
Scheewe J *see* Uebing A *et al*
Schinkel AFL *et al.* Prevalence of myocardial viability assessed by single photon emission computed tomography in patients with chronic ischaemic left ventricular dysfunction, 125
Schmiel F *see* Uebing A *et al*
Schmitt C *see* Dong J *et al*
Schneider MBE *et al.* Various reasons for repeat dilatation of stented pulmonary arteries in paediatric patients, 505
Schoenhagen P, Nissen S. Understanding coronary artery disease: tomographic imaging with intravascular ultrasound, 91
Schulze-Bahr E *see* Wedekind H *et al*
Schwartz K *see* Jouven X *et al*
Scoazec A *see* Mallat Z *et al*
Sechtem U *see* Athanasiadis A and Sechtem U
Seifert B *see* Kobza R *et al*
Seiler C *et al.* Regional left ventricular function during transient coronary occlusion: relation with coronary collateral flow, 35
Seiler C *see* Netzer ROM *et al*
Sekhri N *see* Wilkinson J *et al*
Serruys PW *see* Nieman K *et al*
Sánchez-Quintana D *et al.* The terminal crest: morphological features relevant to electrophysiology, 406
Shah AM *see* Cotton JM *et al*
see Gunning MG *et al*
Shahin GMM *see* Lindeboom J-E *et al*
Shamim W *et al.* Incremental changes in QRS duration in serial ECGs over time identify high risk elderly patients with heart failure, 47
Shaw TRD. Displacement of the heart caused by pulmonary agenesis, 277
Shepherd D *see* Zaman MJS *et al*
Shepherd L *see* Gunn J *et al*
Shiga N *see* Takai E *et al*
Shimada K *see* Fukuda S *et al*
- Shimizu W** *et al.* Visualisation of activation and repolarisation in congenital long QT syndrome, 190
Shimoyama M *et al.* Narrowing of the thoraco-abdominal aorta, 192
Shinebourne EA *see* Carvalho JS *et al*
Shiota T. Automated cardiac flow measurement by digital colour Doppler echocardiography, 211
Shiota T *see* Kim YJ *et al*
Sidhu JS *et al.* A rapid and reproducible on line automated technique to determine endothelial function, 289
Sierra J *see* Burri H *et al*
Sigusch HH *see* Reinhardt D *et al*
Silcock P *see* Packham C *et al*
Sim LL *see* Hsu LF *et al*
Simantirakis EN *see* Marketou ME *et al*
Singh RK *et al.* Prospective analysis of the association of infection with CagA bearing strains of *Helicobacter pylori* and coronary heart disease, 43
Sinicropi G *see* Fineschi M *et al*
Sitges M *see* Kim YJ *et al*
Siwik ES *et al.* Crossed pulmonary arteries, ventricular septal defect, and chromosome 22q11 deletion, 88
Slama S *see* Sarasin FP *et al*
Sleijfer DT *see* Meinardi MT *et al*
Smelt AHM *see* van Dam M *et al*
Smith PLC *see* Nair KS *et al*
Somerville J. Grown-up congenital heart (GUCH) disease: current needs and provision of service for adolescents and adults with congenital heart disease in the UK, i1
Sozzi FB *see* Schinkel AFL *et al*
Spanos V *see* Stankovic G *et al*
Spensley A *see* Baxter AJ *et al*
Sreeram N *see* Cate FUT *et al*
Stankovic G *et al.* Carotid artery stenting in the first 100 consecutive patients: results and follow up, 381
Stefanadis CI *see* Tsiofiris CP *et al*
Steffensen T *see* Wallby L *et al*
Steg PG *et al.* Impact of availability and use of coronary interventions on the prescription of aspirin and lipid lowering treatment after acute coronary syndromes, 20
Stellbrink C *see* Breithardt OA *et al*
Steptoe A *see* Strike PC and Steptoe A
Stieh J *see* Uebing A *et al*
Stoddart M *see* Ferguson JL *et al*
Stoian I *see* Ascione L *et al*
Stratton R *see* Adler M *et al*
Strike PC, Steptoe A. Depression, stress, and the heart, 441
Strotmann J *see* Schanzenbächer P and Strotmann J
Struthers AD *see* Farquharson CAJ and Struthers AD
see Hutchison SD *et al*
see Patterson D *et al*
see Wei L *et al*
Sugioka K *see* Miyake Y *et al*
Suliman A *see* Wilkinson J *et al*
Sutcliffe SJ *see* McIntyre HF *et al*
Suyker WJL *see* de Jaegere PPT and Suyker WJL
Swan L *see* Ashrafiyan H and Swan L
Swanton RH *see* Wallace SM *et al*
- Taggart DP.** Bilateral internal mammary artery grafting: are BIMA better?, 7
Taggart DP *see* Catarino PA *et al*
Taggart P *see* James PR *et al*
Tai PC *see* Jiang XJ *et al*
Takagaki M *et al.* Preload-adjusted maximal power: a novel index of left ventricular contractility in atrial fibrillation, 170
Takagi M *see* Teragaki M *et al*
Takagi T *see* Ueda Y *et al*
Takai E *et al.* Association between aldosterone synthase (CYP11B2) gene polymorphism and left ventricular volume in patients with dilated cardiomyopathy, 649
Takarada A *see* Takai E *et al*
Takatsu Y *see* Sato Y *et al*
Takenaka T *see* Anan R *et al*
Takeuchi K *see* Fukuda S *et al*
see Teragaki M *et al*
Tan JL, Teo WS. Atrial flutter with 1:1 conduction, 414
Tan LB *see* Wright DJ *et al*
Taniguchi R *see* Sato Y *et al*
Tavazzi L *see* Arbustini E *et al*
see Ascione L *et al*
Taylor AD *et al.* New insights into onset mechanisms of atrial fibrillation and flutter after coronary artery bypass graft surgery, 499
Taylor MJO *see* Karatzas AA *et al*
Tebbe U *see* Miketic S *et al*
Tedgui A *see* Mallat Z *et al*
Tei C *see* Anan R *et al*
Temporelli PL *see* Ascione L *et al*
Teo WS *see* Hsu LF *et al*
see Tan JL and Teo WS

- Teragaki M** *et al.* New applications of intracardiac echocardiography: assessment of coronary blood flow by colour and pulsed Doppler imaging in dogs, **283**
- Terashima M** *see* Takai E *et al*
- Täuber M** *see* Netzer ROM *et al*
- Thiene G** *see* Bassi C *et al*
- Thilaganathan B** *see* Carvalho JS *et al*
- Thomas JD**. Doppler echocardiographic assessment of valvar regurgitation, **651**
- Thomas JD** *see* Kim YJ *et al*
- Thomas MR** *see* Gunning MG *et al*
- Thompson P** *see* Wei L *et al*
- Thompson PL** *see* Bradshaw PJ *et al*
- Thomson A** *see* Whincup PH *et al*
- Thorn SL** *see* Taylor AD *et al*
- Timmis AD** *see* Wilkinson J *et al*
- Tio RA** *see* de Boer RA *et al*
- Toda I** *see* Teragaki M *et al*
- Tomita T** *et al.* Unruptured aneurysm of the sinus of Valsalva obstructing the right ventricular outflow tract: magnetic resonance imaging findings, **42**
- Tomset E** *see* Edwards RJ *et al*
- Topol EJ** *see* Wong C-K *et al*
- Torp-Pedersen C** *see* Abildstrom SZ *et al*
- Toutouzis PK** *see* Tsoufis CP *et al*
- Tribouilloy C** *see* Enriquez-Sarano M and Tribouilloy C
- Trillo R** *see* Varela-Roman A *et al*
- Trip MD** *see* van Dam M *et al*
- Tsioufis CP** *et al.* Preoperative treatment with phenoxybenzamine restores ECG to normal in a woman with pheochromocytoma, **186**
- Tsuji H** *see* Kim YJ *et al*
- Tsuji T** *see* Naito Y *et al*
- Tu JV** *see* Khaykin Y *et al*
- Tulevski II** *see* Neffke JGJ *et al*
- Tulloh RMR** *see* Andrews RE *et al*
- Tyagi SC** *see* Reinhardt D *et al*
- Uchida K** *see* Shimoyama M *et al*
- Uebing A** *et al.* Influence of the pulmonary annulus diameter on pulmonary regurgitation and right ventricular pressure load after repair of tetralogy of Fallot, **510**
- Ueda Y** *et al.* Non-invasive automated assessment of the ratio of pulmonary to systemic flow in patients with atrial septal defects by the colour Doppler velocity profile integration method, **278**
- Ueno Y** *et al.* Can coronary flow velocity reserve determined by transthoracic Doppler echocardiography predict the recovery of regional left ventricular function in patients with acute myocardial infarction?, **137**
- Ueti OM** *et al.* Assessment of right ventricular function with Doppler echocardiographic indices derived from tricuspid annular motion: comparison with radionuclide angiography, **244**
- Ujino K** *see* Teragaki M *et al*
- Unger P-F** *see* Sarasin FP *et al*
- Valkema R** *see* Schinkel AFL *et al*
- van Dam M** *et al.* Long term efficacy and safety of atorvastatin in the treatment of severe type III and combined dyslipidaemia, **234**
- van de Werf F** *see* Desmet WJR *et al*
- van den Berg MP** *see* Meinardi MT *et al*
- van der Graaf WTA** *see* Meinardi MT *et al*
- van der Wall EE** *see* Helbing WA *et al*
see also Neffke JGJ *et al*
- van der Wouw PA** *see* Konings TC *et al*
- van Doorn C**. The unnatural history of tetralogy of Fallot: surgical repair is not as definitive as previously thought, **447**
- van Gelder IC** *see* Blaauw Y *et al*
- van Geuns R-JM** *see* Nieman K *et al*
- van Gilst WH** *see* de Boer RA *et al*
- van 't Hof A** *see* Elsman P *et al*
- van Veldhuisen DJ** *see* de Boer RA *et al*
see also Meinardi MT *et al*
see also Neffke JGJ *et al*
- Vardakas KE** *see* Kochiadakis GE *et al*
- Vardas PE** *see* Kochiadakis GE *et al*
see also Marketou ME *et al*
- Varela-Roman A** *et al.* Clinical characteristics and prognosis of hospitalised inpatients with heart failure and preserved or reduced left ventricular ejection fraction, **249**
- Varghese PJ** *see* Mercader MA *et al*
- Vecchia CL** *see* Levi F *et al*
- Vecchia LL** *et al.* Anomalous origin of left anterior descending and circumflex coronary artery from two separate ostia in the right aortic sinus, **322**
- Vecchione F** *see* Sarubbi B *et al*
- Velidaki AA** *see* Marketou ME *et al*
- Venkatraman GK** *see* Mercader MA *et al*
- Venugopal K** *see* Sajeev CG *et al*
- Verhorst PMJ** *see* Nijland F *et al*
- Versaci F** *et al.* Left anterior descending and circumflex coronary artery spasm after right coronary artery stent implantation, **520**
- Vettukattil JJ**. Pathogenesis of pulmonary arteriovenous malformations: role of hepatopulmonary interactions, **561**
- Vettukattil JJ** *see* Roman KS
- Veyrat C** *see* Pellerin D *et al*
- Viganò M** *see* Arbusstini E *et al*
- Virmani R** *see* Pasterkamp G and Virmani R
- Visser CA** *see* Nijland F *et al*
- Vitarelli A** *see* Iacobellis G *et al*
- Vliegen HW** *see* Helbing WA *et al*
- Voigt J-U** *see* Giesler T *et al*
- Volk O** *see* Reith S *et al*
- von der Lohe E** *see* Groh WJ *et al*
- Vos J** *see* Nieman K *et al*
- Vuille C** *see* Burri H *et al*
- Wainwright RJ** *see* Gunning MG *et al*
- Walker DM** *see* McIntyre HF *et al*
- Walker M** *see* Whincup PH *et al*
- Walker SW** *see* Ferguson JL *et al*
- Wallace SM** *et al.* Mortality from infective endocarditis: clinical predictors of outcome, **53**
- Wallby L** *et al.* T lymphocyte infiltration in non-rheumatic aortic stenosis: a comparative descriptive study between tricuspid and bicuspid aortic valves, **348**
- Wallis EJ** *et al.* Cardiovascular and coronary risk estimation in hypertension management, **306**
- Walter RB, Bachli EB**. Near-fatal arrhythmia caused by hyperkalaemia, **578**
- Walton BI** *see* Wallace SM *et al*
- Wang J** *see* Wei L *et al*
- Wang X-M** *et al.* Effects of perindopril on soluble intercellular adhesion molecule-1 in patients with congestive heart failure, **417**
- Watanabe H** *see* Fukuda S *et al*
see also Ueda Y *et al*
- Watanabe N** *et al.* Large thrombus entrapped in a patent foramen ovale of the atrial septum, which apparently "disappeared" without embolic events, **474**
- Webb S** *see* Anderson RH *et al*
- Wedeckind H** *et al.* Postextrasystolic "T wave hump" augmentation as a marker of increased arrhythmogenic risk in the long QT syndrome, **633**
- Wee L** *see* Karatzas AA *et al*
- Weerasinghe DP** *et al.* Seasonality of coronary artery deaths in New South Wales, Australia, **30**
- Wei L** *et al.* Adherence to statin treatment and readmission of patients after myocardial infarction: a six year follow up study, **229**
- Weston C** *see* Packham C *et al*
- Whincup PH** *et al.* Low prevalence of lipid lowering drug use in older men with established coronary heart disease, **25**
- Whincup PH** *see* Reid FDA *et al*
- White HD** *see* Wong C-K and White HD
see also Wong C-K *et al*
- Wijns W** *see* Ribichini F and Wijns W
- Wilcox RG** *see* Wong C-K *et al*
- Wilde AAM** *see* Neffke JGJ *et al*
- Wilkinson J** *et al.* Interaction between arrival time and thrombolytic treatment in determining early outcome of acute myocardial infarction, **583**
- Wilkinson JL** *see* Hughes ML *et al*
- Williams IL** *see* Gunning MG *et al*
- Williams SG** *see* Wright DJ *et al*
- Wilson AP** *see* Wallace SM *et al*
- Wolfenden JL** *see* Karatzas AA *et al*
- Wong C-K, White HD**. Relation between blood pressure after an acute coronary event and subsequent cardiovascular risk, **555**
- Wong C-K** *et al.* Management and outcome of patients with atrial fibrillation during acute myocardial infarction: the GUSTO-III experience, **357**
- Wong S** *see* Wei L *et al*
- Wood DA**. Preventing clinical heart failure: the rationale and scientific evidence, **ii15**
- Wood DE** *et al.* Reversible left ventricular dysfunction simulating a myocardial infarction after pericardectomy, **183**
- Wray R** *see* McIntyre HF *et al*
- Wren C**. Sudden death in children and adolescents, **426**
- Wright DJ** *et al.* Is early, low level, short term exercise cardiac rehabilitation following coronary bypass surgery beneficial? A randomised controlled trial, **83**
- Xu J** *et al.* A new, simple, and accurate method for non-invasive estimation of pulmonary arterial pressure, **76**
- Yamada T** *see* Sato Y *et al*
- Yamamoto A** *see* Miyake Y *et al*
see also Ueda Y *et al*
- Yilmaz MB** *et al.* Subaortic stenosis caused by two discrete membranes, **459**
- Yokoyama M** *see* Takai E *et al*
- Yoshida K** *see* Miyake Y *et al*
see also Watanabe N *et al*

- Yoshida T** *et al.* Arrhythmogenic giant submitral left ventricular diverticulum, 52
- Yoshikawa J** *see* Fukuda S *et al*
see Miyake Y *et al*
see Teragaki M *et al*
see Ueda Y *et al*
- Yoshiyama M** *see* Fukuda S *et al*
- Youn H-J** *et al.* Demonstration of supravalvar aortic stenosis by different cardiac imaging modalities in Williams syndrome, 438
- Youn H-J** *et al.* Tumour feeding vessel in metastatic intracardiac mass demonstrated by transthoracic Doppler echocardiography, 216

Yousufuddin M *see* Shamim W *et al*

- Zaman MJS** *et al.* Endovascular stent repair for a dissecting thoracoabdominal aneurysm is feasible in the setting of a district general hospital: a multidisciplinary approach, e4
- Zartner P** *see* Schneider MBE *et al*
- Zetts AD** *see* Kim YJ *et al*
- Zhang XC** *see* Jiang XJ *et al*
- Zipes DP** *see* Groh WJ *et al*
- Zollinger E** *see* Netzer ROM *et al*
- Zrenner B** *see* Dong J *et al*
- Zwart M** *see* van Dam M *et al*