

Kjerpeseth LJ, Igland J, Selmer R, et al. *Heart* 2020**Supplementary Table 7.** Average yearly change in incidence rates of inpatient admission with a primary or secondary diagnosis of atrial fibrillation (AF) in Norway 2004-2014 by sex and age group.

	AF primary diagnosis			AF secondary diagnosis		
	Incident cases	Incidence rate ratio (95% CI)	P-value	Incident cases	Incidence rate ratio (95% CI)	P-value
<b>Men</b>						
18-44 years	2389	1.036 (1.023-1.049)	<0.001	868	0.993 (0.972-1.014)	0.497
45-64 years	11 209	1.005 (0.999-1.011)	0.123	10 507	0.986 (0.980-0.992)	<0.001
65-84 years	14 688	1.015 (1.010-1.020)	<0.001	40 515	0.992 (0.989-0.995)	<0.001
≥85 years	2352	1.028 (1.015-1.041)	<0.001	14 194	0.995 (0.990-1.001)	0.083
All ages	30 638	1.016 (1.013-1.020)	<0.001	66 084	0.992 (0.989-0.994)	<0.001
<b>Women</b>						
18-44 years	514	1.037 (1.009-1.066)	0.010	332	0.997 (0.963-1.031)	0.848
45-64 years	3862	1.009 (0.999-1.020)	0.067	3743	0.973 (0.963-0.983)	<0.001
65-84 years	12 552	1.021 (1.015-1.026)	<0.001	29 149	0.990 (0.986-0.993)	<0.001
≥85 years	5249	1.033 (1.024-1.042)	<0.001	22 812	0.987 (0.983-0.991)	<0.001
All ages	22 177	1.021 (1.017-1.026)	<0.001	56 036	0.984 (0.981-0.987)	<0.001
<b>Total</b>						
18-44 years	2903	1.037 (1.025-1.049)	<0.001	1200	0.994 (0.977-1.012)	0.531
45-64 years	15 071	1.006 (1.001-1.011)	0.016	14 250	0.983 (0.978-0.988)	<0.001
65-84 years	27 240	1.018 (1.015-1.022)	<0.001	69 664	0.992 (0.990-0.995)	<0.001
≥85 years	7601	1.032 (1.025-1.039)	<0.001	37 006	0.991 (0.988-0.995)	<0.001
All ages	52 815	1.019 (1.017-1.022)	<0.001	122 120	0.989 (0.988-0.991)	<0.001

95% CI is 95% confidence intervals.