

Kjerpeseth LJ, Igland J, Selmer R, et al. *Heart* 2020**Supplementary Table 3.** Mean age and age-standardized incidence rates of atrial fibrillation (AF) per 100 000 person years in adults (≥ 18 years) from 2004 to 2014 in Norway by type of AF diagnosis, year and sex.

	AF primary diagnosis ¹			AF secondary diagnosis ²			All AF diagnoses ³			AF-free population, personyears
	Age, mean (SD)	Cases (%) ⁴	IR (95% CI) ⁵	Age, mean (SD)	Cases (%) ⁴	IR (95% CI) ⁵	Age, mean (SD)	Cases (%) ⁴	IR (95% CI) ⁵	
Men										
2004	65.6 (13.7)	2297 (0.14)	152 (146-158)	75.3 (11.0)	5557 (0.33)	421 (410-432)	72.5 (12.7)	7887 (0.47)	576 (564-589)	1 676 432
2005	65.7 (14.0)	2477 (0.15)	163 (156-169)	75.5 (11.1)	6008 (0.36)	455 (443-466)	72.7 (12.8)	8508 (0.50)	620 (606-633)	1 685 944
2006	65.7 (13.9)	2573 (0.15)	167 (161-174)	75.2 (11.3)	6073 (0.36)	454 (442-465)	72.4 (12.9)	8682 (0.51)	624 (611-637)	1 698 451
2007	65.3 (14.0)	2560 (0.15)	163 (157-170)	75.0 (11.3)	6083 (0.35)	448 (436-459)	72.2 (13.0)	8681 (0.51)	614 (601-627)	1 717 627
2008	65.5 (14.2)	2647 (0.15)	167 (160-173)	74.9 (11.8)	6044 (0.35)	442 (431-453)	72.0 (13.3)	8721 (0.50)	612 (599-625)	1 749 325
2009	66.0 (13.7)	2741 (0.15)	171 (164-177)	75.0 (11.7)	5642 (0.32)	408 (397-419)	72.1 (13.1)	8426 (0.47)	582 (570-595)	1 780 031
2010	65.7 (13.7)	2932 (0.16)	178 (172-185)	75.3 (11.5)	6082 (0.34)	436 (425-447)	72.2 (13.0)	9049 (0.50)	617 (604-630)	1 806 296
2011	65.4 (14.3)	2932 (0.16)	176 (170-183)	74.9 (11.8)	6001 (0.33)	423 (412-434)	71.8 (13.4)	8967 (0.49)	602 (589-615)	1 835 254
2012	65.4 (14.2)	3182 (0.17)	186 (179-193)	75.0 (11.4)	6270 (0.34)	431 (420-442)	71.8 (13.2)	9483 (0.51)	620 (607-633)	1 869 053
2013	64.9 (14.0)	3142 (0.17)	179 (172-185)	74.9 (11.6)	6215 (0.33)	421 (410-432)	71.6 (13.3)	9385 (0.49)	602 (590-615)	1 901 493
2014	65.9 (14.4)	3155 (0.16)	180 (173-186)	75.1 (11.5)	6109 (0.32)	407 (396-417)	72.0 (13.3)	9300 (0.48)	589 (577-601)	1 930 179
Women										
2004	74.6 (12.1)	1702 (0.10)	85 (81-89)	80.6 (9.7)	5188 (0.30)	240 (234-247)	79.2 (10.6)	6957 (0.40)	327 (320-335)	1 751 033
2005	74.6 (12.2)	1841 (0.10)	91 (87-95)	80.6 (9.9)	5304 (0.30)	245 (238-251)	79.1 (10.9)	7208 (0.41)	338 (331-346)	1 759 839
2006	75.7 (12.1)	1886 (0.11)	92 (88-96)	80.8 (9.9)	5387 (0.30)	246 (240-253)	79.6 (10.7)	7344 (0.41)	341 (333-349)	1 771 271
2007	74.9 (12.4)	1886 (0.11)	92 (88-96)	80.7 (10.1)	5252 (0.29)	240 (234-247)	79.3 (11.1)	7200 (0.40)	335 (327-342)	1 785 048
2008	74.4 (12.7)	1930 (0.11)	94 (90-99)	80.5 (10.3)	5242 (0.29)	239 (233-246)	79.0 (11.3)	7235 (0.40)	336 (328-344)	1 806 143
2009	74.1 (13.0)	2003 (0.11)	97 (93-102)	81.1 (10.0)	4905 (0.27)	223 (216-229)	79.1 (11.4)	6977 (0.38)	323 (315-330)	1 829 423
2010	74.9 (12.8)	2033 (0.11)	97 (93-101)	80.7 (10.4)	4927 (0.27)	223 (217-229)	79.1 (11.4)	7014 (0.38)	322 (314-330)	1 853 360
2011	74.5 (12.9)	2055 (0.11)	98 (94-102)	80.7 (10.4)	4988 (0.27)	224 (218-231)	79.0 (11.5)	7108 (0.38)	325 (317-332)	1 877 500
2012	74.5 (12.9)	2260 (0.12)	106 (102-110)	80.5 (10.8)	5050 (0.27)	227 (221-233)	78.7 (11.8)	7365 (0.39)	335 (327-343)	1 902 496
2013	74.7 (12.6)	2224 (0.12)	103 (99-108)	80.7 (10.6)	4933 (0.26)	220 (214-226)	78.9 (11.6)	7212 (0.37)	325 (318-333)	1 927 528
2014	74.7 (13.1)	2357 (0.12)	108 (104-113)	80.6 (10.4)	4860 (0.25)	216 (210-222)	78.8 (11.7)	7270 (0.37)	326 (318-334)	1 951 772

Kjerpeseth LJ, Igland J, Selmer R, et al. *Heart* 2020

Total										
2004	69.4 (13.8)	3999 (0.12)	117 (113-120)	77.9 (10.7)	10 745 (0.31)	313 (308-319)	75.7 (12.2)	14 844 (0.43)	433 (426-440)	3 427 465
2005	69.5 (14.0)	4318 (0.13)	125 (121-129)	77.9 (10.8)	11 312 (0.33)	329 (323-335)	75.6 (12.4)	15 716 (0.46)	456 (449-463)	3 445 783
2006	69.9 (14.1)	4459 (0.13)	128 (124-132)	77.8 (11.0)	11 460 (0.33)	330 (324-336)	75.7 (12.5)	16 026 (0.46)	462 (455-469)	3 469 722
2007	69.3 (14.2)	4446 (0.13)	126 (123-130)	77.6 (11.1)	11 335 (0.32)	325 (320-331)	75.4 (12.6)	15 881 (0.45)	455 (448-462)	3 502 675
2008	69.2 (14.3)	4577 (0.13)	129 (125-132)	77.5 (11.4)	11 286 (0.32)	321 (315-327)	75.2 (12.9)	15 956 (0.45)	453 (446-459)	3 555 468
2009	69.4 (14.0)	4744 (0.13)	132 (128-136)	77.8 (11.3)	10 547 (0.29)	298 (293-304)	75.3 (12.8)	15 403 (0.43)	433 (426-440)	3 609 454
2010	69.5 (14.0)	4965 (0.14)	136 (132-140)	77.7 (11.3)	11 009 (0.30)	309 (303-315)	75.2 (12.8)	16 063 (0.44)	447 (440-454)	3 659 656
2011	69.1 (14.5)	4987 (0.13)	135 (131-139)	77.5 (11.5)	10 989 (0.30)	306 (300-311)	75.0 (13.1)	16 075 (0.43)	443 (437-450)	3 712 754
2012	69.2 (14.4)	5442 (0.14)	145 (141-149)	77.5 (11.4)	11 320 (0.30)	311 (305-317)	74.8 (13.1)	16 848 (0.45)	458 (451-465)	3 771 549
2013	68.9 (14.3)	5366 (0.14)	140 (137-144)	77.4 (11.5)	11 148 (0.29)	304 (298-309)	74.7 (13.1)	16 597 (0.43)	446 (439-453)	3 829 021
2014	69.6 (14.5)	5512 (0.14)	142 (139-146)	77.6 (11.3)	10 969 (0.28)	295 (290-301)	75.0 (13.1)	16 570 (0.43)	440 (433-447)	3 881 951

1: Incident cases with a primary AF diagnosis at inpatient admission.

2: Incident cases with a secondary AF diagnosis at inpatient admission.

3: Incident cases with a primary or secondary AF diagnosis at inpatient admission or out-of-hospital death from AF

4: Percent of population free of atrial fibrillation.

5: Age-standardized incidence rate (95% confidence interval) per 100 000 years