

Supplemental References

51. Blanke P, Weir-McCall JR, Achenbach S, Delgado V, Hausleiter J, Jilaihawi H, et al. Computed Tomography Imaging in the Context of Transcatheter Aortic Valve Implantation (TAVI)/Transcatheter Aortic Valve Replacement (TAVR). *JACC: Cardiovascular Imaging*. 2019; 12: 1-24.
52. Williams MC, Moss AJ, Dweck M, Adamson PD, Alam S, Hunter A, et al. Coronary Artery Plaque Characteristics Associated With Adverse Outcomes in the SCOT-HEART Study. *Journal of the American College of Cardiology*. 2019; 73: 291-301.
53. Oikonomou EK, Marwan M, Desai MY, Mancio J, Alashi A, Hutt Centeno E, et al. Non-invasive detection of coronary inflammation using computed tomography and prediction of residual cardiovascular risk (the CRISP CT study): a post-hoc analysis of prospective outcome data. *The Lancet*. 2018; 392(10151): 929-939.
54. Arnold JR, McCann GP. Cardiovascular magnetic resonance: applications and practical considerations for the general cardiologist. *Heart*. 2020; 106: 174-181.
55. Petersen SE, Aung N, Sanghvi MM, Zemrak F, Fung K, Paiva JM, et al. Reference ranges for cardiac structure and function using cardiovascular magnetic resonance (CMR) in Caucasians from the UK Biobank population cohort. *Journal of Cardiovascular Magnetic Resonance*. 2017; 19: 18.
56. Myerson SG, d'Arcy J, Mohiaddin R, Greenwood JP, Karamitsos TD, Francis JM, et al. Aortic Regurgitation Quantification Using Cardiovascular Magnetic Resonance. *Circulation*. 2012; 126: 1452-1460.
57. Peterzan MA, Clarke WT, Lygate CA, Lake HA, Lau JYC, Miller JJ, et al. Cardiac Energetics in Patients With Aortic Stenosis and Preserved Versus Reduced Ejection Fraction. *Circulation*. 2020; 141: 1971-1985.
58. Greenwood JP, Ripley DP, Berry C, McCann GP, Plein S, Bucciarelli-Ducci C, et al. Effect of Care Guided by Cardiovascular Magnetic Resonance, Myocardial Perfusion Scintigraphy, or NICE Guidelines on Subsequent Unnecessary Angiography Rates. *JAMA*. 2016; 316: 1051-1060.
59. O'Hanlon R, Grasso A, Roughton M, Moon JC, Clark S, Wage R, et al. Prognostic Significance of Myocardial Fibrosis in Hypertrophic Cardiomyopathy. *Journal of the American College of Cardiology*. 2010; 56: 867-874.
60. Gulati A, Jabbour A, Ismail TF, Guha K, Khwaja J, Raza S, et al. Association of Fibrosis With Mortality and Sudden Cardiac Death in Patients With Nonischemic Dilated Cardiomyopathy. *JAMA*. 2013; 309: 896-908.
61. Musa TA, Treibel TA, Vassiliou VS, Captur G, Singh A, Chin C, et al. Myocardial Scar and Mortality in Severe Aortic Stenosis. *Circulation*. 2018; 138: 1935-1947.
62. Sen-Chowdhry S, Prasad SK, Syrris P, Wage R, Ward D, Merrifield R, et al. Cardiovascular Magnetic Resonance in Arrhythmogenic Right Ventricular Cardiomyopathy Revisited. *Journal of the American College of Cardiology*. 2006; 48: 2132-2140..
63. Bing R, Everett RJ, Tuck C, Semple S, Lewis S, Harkess R, et al. Rationale and design of the randomized, controlled Early Valve Replacement Guided by Biomarkers of Left Ventricular

- Decompensation in Asymptomatic Patients with Severe Aortic Stenosis (EVOLVED) trial. *American Heart Journal*. 2019; 212: 91-100.
64. Moon JC, Messroghli DR, Kellman P, Piechnik SK, Robson MD, Ugander M, et al. Myocardial T1 mapping and extracellular volume quantification: a Society for Cardiovascular Magnetic Resonance (SCMR) and CMR Working Group of the European Society of Cardiology consensus statement. *Journal of Cardiovascular Magnetic Resonance*. 2013; 15: 92.
 65. Everett RJ, Treibel TA, Fukui M, Lee H, Rigolli M, Singh A, et al. Extracellular Myocardial Volume in Patients With Aortic Stenosis. *Journal of the American College of Cardiology*. 2020; 75: 304-316.
 66. Nordin S, Dancy L, Moon JC, Sado DM. Clinical applications of multiparametric CMR in left ventricular hypertrophy. *The International Journal of Cardiovascular Imaging*. 2018; 34: 577-585.
 67. Martinez-Naharro A, Treibel TA, Abdel-Gadir A, Bulluck H, Zumbo G, Knight DS, et al. Magnetic Resonance in Transthyretin Cardiac Amyloidosis. *Journal of the American College of Cardiology*. 2017; 70: 466-477.
 68. Carpenter J-P, He T, Kirk P, Roughton M, Anderson LJ, de Noronha S v., et al. On T2* Magnetic Resonance and Cardiac Iron. *Circulation*. 2011; 123: 1519-1528.
 69. Lamata P, Pitcher A, Krittian S, Nordsletten D, Bissell MM, Cassar T, et al. Aortic relative pressure components derived from four-dimensional flow cardiovascular magnetic resonance. *Magnetic Resonance in Medicine*. 2014; 72: 1162-1169.
 70. Nielles-Vallespin S, Khalique Z, Ferreira PF, de Silva R, Scott AD, Kilner P, et al. Assessment of Myocardial Microstructural Dynamics by In Vivo Diffusion Tensor Cardiac Magnetic Resonance. *Journal of the American College of Cardiology*. 2017; 69: 661-676.
 71. Spath NB, Singh T, Papanastasiou G, Kershaw L, Baker AH, Janiczek RL, et al. Manganese-enhanced magnetic resonance imaging in dilated cardiomyopathy and hypertrophic cardiomyopathy. *European Heart Journal - Cardiovascular Imaging*. 2020; jeaa273.
 72. Menacho Medina K, Seraphim A, Katekaru D, Abdel-Gadir A, Han Y, Westwood M, et al. Noninvasive rapid cardiac magnetic resonance for the assessment of cardiomyopathies in low-middle income countries. *Expert Review of Cardiovascular Therapy*. 2021; 19: 387-398.
 73. Kotecha T, Knight DS, Razvi Y, Kumar K, Vimalasvaran K, Thornton G, et al. Patterns of myocardial injury in recovered troponin-positive COVID-19 patients assessed by cardiovascular magnetic resonance. *European Heart Journal*. 2021; 42: 1866-1878.
 74. Education and Training Subcommittee of the British Society of Echocardiography. Training in echocardiography. *Heart*. 1994; 71: 2–5.
 75. Sarah R, Stephanie B, Marcus P, Tom E I, Jane A, Laura D, et al. British Society of Echocardiography Departmental Accreditation Standards 2019 with input from the Intensive Care Society. *Echo Research and Practice*. 2020; 7: G43–9.
 76. Popescu BA, Stefanidis A, Nihoyannopoulos P, Fox KF, Ray S, Cardim N, et al. Updated standards and processes for accreditation of echocardiographic laboratories from The European Association of Cardiovascular Imaging. *European Heart Journal - Cardiovascular Imaging*. 2014; 15: 717-727.

77. Henderson AH, Petch MC. New guidelines for training in adult cardiovascular disease. 1985; 84: 335–6.
78. Fox K, Achenbach S, Bax J, Cosyns B, Delgado V, Dweck MR, et al. Multimodality imaging in cardiology: a statement on behalf of the Task Force on Multimodality Imaging of the European Association of Cardiovascular Imaging. *European Heart Journal*. 2019; 40: 553-558.
79. Treibel T et. al. National Clinical Standards for Non-invasive Cardiac Imaging: Recommendations from the Imaging Council of the British Cardiovascular Society. 2022; In press.
80. Feizi O, Symons C, Yacoub M. Echocardiography of the aortic valve. I. Studies of normal aortic valve, aortic stenosis, aortic regurgitation, and mixed aortic valve disease. *Heart*. 1974; 36: 341-351.
81. Houston AB, Gregory NL, Shaw A, Wheatley2 DJ, Coleman EN. Two-dimensional echocardiography with a wide angle (600) sector scanner'. *British Heart Journal*. 1977; 39: 1071-1075.
82. Chun PKC, Sheehan MW. Myxomatous degeneration of mitral valve. M-mode and two dimensional echocardiographic findings. *British Heart Journal*. 1982; 47: 404–408.
83. Foale R, Nihoyannopoulos P, Mckenna W, Klienebenne A, Nadazdin A, Rowland E, et al. Echocardiographic measurement of the normal adult right ventricle. *Br Heart J*. 1986; 56: 33-44.
84. Shapiro LM, Gibsont DG. Patterns of diastolic dysfunction in left ventricular hypertrophy. *Heart*. 1988; 59: 438–445.
85. Monaghan MJ, Mills P. Doppler colour flow mapping: Technology in search of an application? *British Heart Journal*. 1989; 61: 133–138.
86. Roelandt JRTC. Three-dimensional echocardiography: New views from old Windows. *Heart*. 1995; 74: 4–6.
87. Eskandari M, Aldalati O, Byrne J, Dworakowski R, Wendler O, Alcock E, et al. Zero Contrast Transfemoral Transcatheter Aortic Valve Replacement Using Fluoroscopy-Echocardiography Fusion Imaging. *The American Journal of Cardiology*. 2016; 117: 1861-1832.
88. 3D echocardiography: benefits and steps to wider implementation. *British Journal of Cardiology*. 2018; 25: 63-68.