

the ball and strike it to the point of an audible sound.

References

Hultgren, H. N., and Hubis, H. (1965). A phonocardiographic study of patients with the Starr-Edwards mitral valve prosthesis. *American Heart Journal*, **69**, 306.

Leachman, R. D., and Cokkinos, D. V. P. (1969). Absence of opening click in dehiscence of mitral-valve prosthesis. *New England Journal of Medicine*, **281**, 461.

Starr, A., Herr, R. H., and Wood, J. A. (1967). Mitral

replacement; review of six years experience. *Journal of Thoracic and Cardiovascular Surgery*, **54**, 333.

Starr, A., Pierie, W. R., Raible, D. A., Edwards, M. L., Siposs, G. G., and Hancock, W. D. (1966). Cardiac valve replacement. *Circulation*, **33** and **34**, Suppl. 1, 1-115.

Yacoub, M. H., and Keeling, D. H. (1968). Chronic haemolysis following insertion of ball-valve prostheses. *British Heart Journal*, **30**, 676.

Zitnik, R. S., and Burchell, H. B. (1963). A phonocardiographic study of patients with total prosthetic mitral valve replacement. *Diseases of the Chest*, **44**, 11.

Requests for reprints to Dr. Christ Aravanis, 47 Vasilissis Sophias Ave., Athens 140, Greece.

Erratum

The article, *The early detection of congenital malformations*, by H. Watson, which appeared in the January issue of this journal (vol. **34**, pages 37-40) contains a fairly major error. Page 38, lines 39-40, left-hand column, should read—'had almost 4 times this number, 27.5/1000, in 1334 stillbirths'.