

# British Heart Journal

Monthly journal of cardiology  
 Published in association with  
 British Cardiac Society

History of atrial fibrillation 1628-1819. Harvey - de Senac - Laënnec <i>John McMichael</i>	193	Routine radionuclide techniques in evaluation of patients with suspected coronary heart disease <i>E Thaulow, K Rootwelt, J Erikssen,          S Nitter-Hauge</i>	255
Cardiac arrhythmias in hypertrophic cardiomyopathy <i>I Bjarnason, T Hardarson,          S Jonsson</i>	198	Reversible ischaemia of right ventricle detected by exercise thallium-201 scintigraphy <i>A Lahiri,          G P Carboni, J W Crawley, E B Raftery</i>	260
Non-invasive assessment of diastolic function in hypertrophic cardiomyopathy on and off beta adrenergic blocking drugs <i>R F Alvares,          J F Goodwin</i>	204	Coronary artery narrowing without irreversible myocardial damage or development of collaterals. Assessment of "critical" stenosis in a human model <i>Erling Falk</i>	265
"Torsade de pointes" tachycardia. Re-entry or focal activity? <i>C Naumann D'Alnoncourt,          W Zierhut, B Lüderitz</i>	213	Captopril as treatment for patients with pulmonary hypertension. Problem of variability in assessing chronic drug treatment <i>S Rich,          J Martinez, W Lam, K M Rosen</i>	272
Significance of complete right bundle-branch block when an isolated finding. An echocardiographic study <i>M Dancy, G Leech,          A Leatham</i>	217	Left ventricular function in hypothyroidism. Responses to exercise and beta adrenoceptor blockade <i>J C Forfar, A L Muir, A D Toft</i>	278
M-mode echocardiographic features of endomyocardial fibrosis <i>B O George,          F E Gaba, A I Täläbi</i>	222	A trial of prophylactic mexiletine in home coronary care <i>J A Bell, J M Thomas,          J R Isaacson, N J C Snell, D W Holt</i>	285
Cross-sectional echocardiographic recognition of interruption of aortic arch between left carotid and subclavian arteries <i>J F Smallhorn,          R H Anderson, F J Macartney</i>	229	Case reports	
Complete congenital heart block. Report of 35 cases. <i>J M Reid, E N Coleman, W Doig</i>	236	Rupture of a papillary muscle of the tricuspid valve. Echocardiographic diagnosis <i>R M Donaldson, M Ballester, A F Rickards</i>	291
Absent left atrioventricular connection with right atrium connected to morphologically left ventricular chamber, rudimentary right ventricular chamber, and ventriculoarterial discordance. Problem of mitral versus tricuspid atresia <i>A Restivo, S Y Ho, R H Anderson,          H Cameron, J L Wilkinson</i>	240	Valve replacement for severe tricuspid regurgitation caused by Libman-Sacks endocarditis <i>J Laufer, M Frand, S Milo</i>	294
Total anomalous pulmonary venous connection. Repair using deep hypothermia and circulatory arrest in 44 consecutive infants <i>D F Dickinson, K M Parimelazhagan,          M C K Tweedie, C R West, G P Piccoli,          F Musumeci, D I Hamilton</i>	249	Congenital atresia of left coronary ostium <i>L G Van der Hauwaert, M Dumoulin,          P Moerman</i>	298
		Correspondence	301
		Notices	308
		British Medical Association	