

# British Heart Journal

Monthly journal of cardiology  
 Published in association with  
 British Cardiac Society

|  |     |   |     |
|--|-----|---|-----|
| Editorial: stroke distance—an improved measure of cardiovascular function? <i>D G Gibson</i>   | 121 | Predictive value of early maximal exercise test and thallium scintigraphy after successful percutaneous transluminal coronary angioplasty <i>W Wijns, P W Serruys, M L Simoons, M van den Brand, P J de Feijter, J H C Reiber, P G Hugenholtz</i> | 194 |
| Assessment of cardiac output by the Doppler ultrasound technique alone <i>N E Haites, F M McLennan, D H R Mowat, J M Rawles</i>  | 123 | Randomised placebo controlled trial of aspirin and dipyridamole in the prevention of coronary vein graft occlusion <i>N Brooks, J Wright, M Sturridge, J Pepper, P Magee, R Walesby, C Layton, M Honey, R Balcon</i>                              | 201 |
| Doppler echocardiographic measurement of cardiac output using the mitral orifice method <i>Y Zhang, S Nitter-Hauge, H Ihlen, E Myhre</i>   | 130 | Are the clinical benefits of oral prenalterol in ischaemic heart failure due to beta blockade?: a six month randomised double blind comparison with placebo <i>D R Glover, C G Wathen, R G Murray, M C Petch, A L Muir, W A Littler</i>           | 208 |
| Non-invasive estimation by cross sectional echocardiography of myocardial damage in cardiomyopathy <i>M Tanaka, S Nittā, K Nitta, Y Sogo, A Yamamoto, Y Katahira, N Sato, H Ohkawai, F Tezuka</i>                                  | 137 | Left ventricular volume and ejection fraction determined by gated blood pool emission tomography <i>S R Underwood, S Walton, P J Laming, P H Jarritt, P J Ell, R W Emanuel, R H Swanton</i>   | 216 |
| Somatostatin in the human heart and comparison with guinea pig and rat heart <i>S M Day, J Gu, J M Polak, S R Bloom</i>  | 153 | Case reports  |     |
| Conduction system defects in three perinatal patients with arrhythmia <i>S Y Ho, G Mortimer, R H Anderson, A Pomerance, J W Keeling</i>  | 158 | Reactive pulmonary hypertension after a switch operation: successful treatment with glyceryl trinitrate <i>J Damen, J F Hitchcock</i>   | 223 |
| Successful treatment of atrial tachycardias with flecainide acetate <i>J E Creamer, A W Nathan, A J Camm</i>   | 164 | Unruptured right coronary sinus to left ventricle aneurysm diagnosed by cross sectional echocardiography <i>C K Mok, K L Cheung, R Y C Wang</i>   | 226 |
| Tetralogy of Fallot with major aortopulmonary collateral arteries <i>J M Ramsay, F J Macartney, S G Haworth</i>  | 167 | Myocardial infarction with normal coronary arteries and factor XII deficiency <i>W J Penny, B T Colvin, N Brooks</i>  | 230 |
| Prostacyclin infusion in patients with acute myocardial infarction <i>P Henriksson, O Edhag, Å Wennmalm</i>  | 173 | Correspondence  | 235 |
| Submaximal exercise testing early after myocardial infarction: difficulty of predicting coronary anatomy and left ventricular performance <i>I D Sullivan, D W Davies, E Sowton</i>  | 180 | Notices   | 236 |
| Morphology of ambulatory ST segment changes in patients with varying severity of coronary artery disease: investigation of the frequency of nocturnal ischaemia and coronary spasm <i>A A Quyyumi, L Mockus, C Wright, K M Fox</i> | 186 | <b>British Medical Association</b>  |     |