

A pre-programmed transdermal nitrate for once daily reliable control in angina



PRESCRIBING INFORMATION: Presentation: Deponit 5 and Deponit 10 are transdermal drug delivery systems in the form of self-adhesive patches containing 16mg and 32mg respectively of ntroglycerin. Each patch is designed to release nitroglycerin at an average rate of either 5mg or 10mg per 24 hours. Indications: The prophylaxis of angina pectoris. Dosage and administration: One patch to be applied to the lateral chest wall daily. The treatment should be started with Deponit 5. If patient response is considered inadequate, the larger. Deponit 10 patch should be substituted. Remove the patch after no longer than 24 hours. Subsequent applications should be made to a new area of skin. Safety, efficacy and tolerability beyond 28 days therapy have vet to be established.

tolerability beyond 28 days therapy have yet to be established.

Contra-indications: Sensitivity to nitrates, marked anaemia, acute circulatory failure, severe hypotension, increased intracranial pressure. Side-effects: Transient headaches, reflex tachycardia, postural hypotension, nausea and dizziness. Skin reactions may occur in sensitive patients. Precautions: Pregnancy or lactation, recent myocardial infarction, acute.

heart failure, closed angle glaucoma, gradual withdrawal of treatment. Deponit is not suitable for acute anginal attacks. Deponit should be removed prior to electrical defibriliation. Packs and prices: Cartons of 30 patches. Deponit 5 (PL 4438/0014), basic NHS price 64.2p per day. Deponit 10 (PL 4438/0016), basic NHS price 70 6p per day. Reprence: 1. Rezakovic, E., 1985, Herz Kreislauf, Supplement, The Value of Transdermal Depot Nitrates in the Management of Coronary Heart Disease, 19-23.

Registered trademark



Full prescribing information is available on request from: Schwarz Pharmaceuticals Limited, East Street, Chesham, Bucks HP5 1DG. Telephone (0494) 772071.

ABC OF AIDS

EDITED BY MICHAEL W ADLER


Today's most widely known and perhaps most generally feared disease, AIDS presents particular problems for non-specialist doctors. So far treatment of patients with AIDS has been largely confined to specialist centres so that, although the disease will inevitably spread, few doctors have had much experience of managing it. The ABC of AIDS provides essential details on the development of the epidemic, management of early HIV infection, tumours, and the respiratory, neurological, and gastrointestinal manifestations. It discusses the treatment of infections and the prospects for vaccines and prevention as well as outlining programmes for counselling, nursing, and the control of infection. Edited by Michael Adler, a leading authority on the topic, the ABC of AIDS is a vital guide that no medical practitioner can afford to be without.

The facts and the future

Price: Inland £9.95 Abroad £12.50/USA\$21.00 BMA members: Inland £8.95 Abroad £11.50/USA\$19.00 including postage, by air

Payment must be enclosed with order

Order from British Medical Journal P.O. Box 295 London WC1H 9TE or any leading bookseller



The established efficacy of verapamil in a new sustainedrelease presentation, providing 24-hour plasma levels from a once-daily dose.¹

A new development in the treatment of hypertension and angina



www.www.verapamil hydrochloride www.www.sustained release capsules

Prescribing Information ▼

Presentation Capsules marked 'Univer' containing sustained-release verapamil hydrochloride BP in doses of 120mg (yellow/dark blue), 180mg (yellow) and 240mg (yellow/dark blue). Uses Univer is a calcium channel antagonist indicated for the long-term treatment of mild to moderate hypertension and angina pectoris. Dosage Adults – In hypertension, 120mg daily increasing to maintenance dose of 240mg. Maximum 480mg daily. In angina, 360mg daily. Maximum 480mg daily. Elderly – Lower doses may be required due to enhanced bioavailability of verapamil in the elderly. Children – Not recommended. Contraindications Significant bradycardia, second or third degree heart block, sick sinus syndrome,




uncontrolled heart failure. Precautions First degree heart block, poor ventricular function, poor hepatic function. Concomitant use of beta-blockers or digitalis. Avoid in first trimester of pregnancy. Side Effects Constipation and flushing may occur. Rare complications include headache, nausea, vomiting and allergic reactions. Reversible impairment of liver function has been reported. Pharmaceutical Precautions Store in a cool, dry place. PL Numbers Univer 120mg capsules 0152/0241. Univer 180mg capsules 0152/0241. Univer 180mg capsules 0152/0242. Legal Category POM. Package Quantities For 120mg and 240mg presentations: blister strips of 14 capsules, two strips per carton of 28 capsules. For 180mg presentation: blister strips of 14 capsules, four strips per carton of 56 capsules. BNHS Cost Per Day 25p-82p based on minimum and maximum dosage recommendations.

Reference


1. Norris RJ, Muirhead DC, Christie RB, Devane JG, Bottini PB. The bioavailability of a slow-release verapamil formulation. Br J Clin Pract 1985; 39 (Suppl 42): 9-16.



Flora's guide to what makes you tick.







If you're involved in health care and education, then naturally you'll want to pass the word about the role of fats in health and diet.

With the help of specialists, the Flora Project for Heart Disease Prevention has produced a range of leaflets on this vital subject, which are available for free distribution to your patients.

So, to help your patients understand what makes them tick, put a few seconds aside to fill in the coupon.

ļ	Post to: The Flora Project for Heart Disease
	Prevention, 24-28 Bloomsbury Way, London WC1A 2PX. Tel: 01-831 6262.
	WC1A 2PX. Tel: 01-831 6262.
	Diagga gamed was your from not of hearth and he

Please send me my free set of heart health risk factor leaflets. (Allow up to 28 days for delivery.)

| delivery.) BHJ11
| Name_______
| Address_______

Van Den Berghs & Jurgens Ltd. Registered in London No. 43520C. Registered office: Sussex House, Burgess Hill, West Sussex RH159AW.



You make a clinical diagnosis. Do you ever consider the thought processes by which you arrived at it? Medical students and practitioners are often concerned with examples of diagnostic logic, but seldom consider them in the context of a general philosophy. Is diagnostic logic out on a limb, or is it based on

general?

Think about it

In Logic in Medicine doctors and philosophers combine to provide a coherent system of diagnostic logic with a broader view of the science and art of reasoning.

the same principles as logic in

The abstract theory of theories has highly practical applications, and the authors explore the uses of computer technology and artificial intelligence systems as well as "fuzzy logic," "relevant logic," and the logic of economics and ethics. A book for all who wish to clear their minds of cant.

Just published

Price: Inland £5.95; Abroad £7.50; USA \$11.50 BMA members: Inland £5.45; Abroad £7.00; USA \$10.50 (including postage, by air abroad) Payment must be enclosed with order

ORDER YOUR COPY NOW FROM British Medical Journal, PO Box 295 London WC1H 9TE or any leading medical bookseller

