

# BRITISH HEART JOURNAL

*In association with the British Cardiac Society*

## Editorials

- 1 British Heart Journal: content ... and style *D M Krikler, J Dawson*
- 3 Electrophysiological basis for the use of adenosine in the diagnosis and treatment of cardiac arrhythmias *L Belardinelli, B B Lerman*
- 5 Haemodynamic effects of eating *G D G Oakley*

## Original articles

- 7 Evaluation of exercise electrocardiography and thallium tomographic imaging in detecting asymptomatic coronary artery disease in diabetic patients *M J Koistinen, H V Huikuri, H Pirttaho, M K Linnaluoto, J T Takkenen*
- 12 Diagnostic significance of gadolinium-DTPA (diethylenetriamine penta-acetic acid) enhanced magnetic resonance imaging in thrombolytic treatment for acute myocardial infarction: its potential in assessing reperfusion *E E van der Wall, P R M van Dijkman, A de Roos, J Doornbos, A van der Laarse, V Manger Cats, A E van Voorthuisen, N A A Matheijssen, A V G Brusckhe*
- 18 Monitoring the effect of heparin by measurement of activated clotting time during and after percutaneous transluminal coronary angioplasty *B Rath, D H Bennett*
- 22 Effects of food on the central and peripheral haemodynamic response to upright exercise in normal volunteers *J J Yi, L Fullwood, K Stainer, A J Cowley, J R Hampton*
- 26 Short term haemodynamic effects of converting enzyme inhibition before and after eating in patients with moderate heart failure caused by dilated cardiomyopathy: a double blind study *B Herrlin, C Sylven, O Nyquist, O Edhag*
- 32 Left ventricular function during balloon dilatation of the aortic valve in elderly patients: a blind study of echocardiograms *H Egeblad, A Wennevold*
- 37 Open valvotomy for critical aortic stenosis in infancy *M Burch, A N Redington, J S Carvalho, P Rusconi, E A Shinebourne, M L Rigby, M Paneth, C Lincoln*
- 41 Doppler echocardiographic characteristics of normal and dysfunctioning prosthetic valves in the tricuspid and mitral position *M Pye, N Weerasana, W H Bain, I Hutton, S M Cobbe*
- 45 Changes in the pressure-volume relation of the right ventricle when its loading conditions are modified *A N Redington, M L Rigby, E A Shinebourne, P J Oldershaw*
- 50 Anomalous origin of the left coronary artery from the pulmonary trunk: elucidation with colour Doppler flow mapping *A B Houston, J C S Pollock, W B Doig, J Gnanapragasam, M P G Jamieson, S Lilley, E P Murtagh*

## Case reports

- 55 Treatment of a malignant bronchial carcinoid affecting the mediastinum and left atrium by radical two stage resection with cardiopulmonary bypass and somatostatin infusion *C Darby, M Sinclair, S Westaby*
  - 58 Reversible impairment of myocardial function in hypoparathyroidism causing hypocalcaemia *M Csanády, T Forster, J Julesz*
  - 61 Intrapericardial bleomycin for the management of cardiac tamponade secondary to malignant pericardial effusion *M C Cormican, C R Nyman*
  - 63 Arterial microembolisation: an unusual presentation of dilated cardiomyopathy *R L Gillespie, G M Mullen, M R Costanzo-Nordin*
  - 66 Pulmonary arterial occlusions and aneurysms: a forme fruste of Behçet's or Hughes-Stovin syndrome *S Bowman, M Honey*
- 68-71 **Views from the past · Letters to the editor · Book review · Notices · Authors' checklist for manuscripts**

## VOLUME 63 · CONTENTS

No 1 JANUARY 1990	Page	<b>Editorials</b>
	1	British Heart Journal: content ... and style <i>D M Krikler, J Dawson</i>
	3	Electrophysiological basis for the use of adenosine in the diagnosis and treatment of cardiac arrhythmias <i>L Belardinelli, B B Lerman</i>
	5	Haemodynamic effects of eating <i>G D G Oakley</i>
		<b>Original articles</b>
	7	Evaluation of exercise electrocardiography and thallium tomographic imaging in detecting asymptomatic coronary artery disease in diabetic patients <i>M J Koistinen, H V Huikuri, H Pirttiaho, M K Linnaluoto, J T Takkenen</i>
	12	Diagnostic significance of gadolinium-DTPA (diethylenetriamine penta-acetic acid) enhanced magnetic resonance imaging in thrombolytic treatment for acute myocardial infarction: its potential in assessing reperfusion <i>E E van der Wall, P R M van Dijkman, A de Roos, J Doornbos, A van der Laarse, V Manger Cats, A E van Voorthuisen, N A A Matheijssen, A V G Brusckhe</i>
	18	Monitoring the effect of heparin by measurement of activated clotting time during and after percutaneous transluminal coronary angioplasty <i>B Rath, D H Bennett</i>
	22	Effects of food on the central and peripheral haemodynamic response to upright exercise in normal volunteers <i>J J Yi, L Fullwood, K Stainer, A J Cowley, J R Hampton</i>
	26	Short term haemodynamic effects of converting enzyme inhibition before and after eating in patients with moderate heart failure caused by dilated cardiomyopathy: a double blind study <i>B Herrlin, C Sylvén, O Nyquist, O Edhag</i>
	32	Left ventricular function during balloon dilatation of the aortic valve in elderly patients: a blind study of echocardiograms <i>H Egeblad, A Wennevold</i>
	37	Open valvotomy for critical aortic stenosis in infancy <i>M Burch, A N Redington, J S Carvalho, P Rusconi, E A Shinebourne, M L Rigby, M Paneth, C Lincoln</i>
	41	Doppler echocardiographic characteristics of normal and dysfunctioning prosthetic valves in the tricuspid and mitral position <i>M Pye, N Weerasana, W H Bain, I Hutton, S M Cobbe</i>
	45	Changes in the pressure-volume relation of the right ventricle when its loading conditions are modified <i>A N Redington, M L Rigby, E A Shinebourne, P J Oldershaw</i>
	50	Anomalous origin of the left coronary artery from the pulmonary trunk: elucidation with colour Doppler flow mapping <i>A B Houston, J C S Pollock, W B Doig, J Gnanaprasagam, M P G Jamieson, S Lilley, E P Murtagh</i>
		<b>Case reports</b>
	55	Treatment of a malignant bronchial carcinoid affecting the mediastinum and left atrium by radical two stage resection with cardiopulmonary bypass and somatostatin infusion <i>C Darby, M Sinclair, S Westaby</i>
	58	Reversible impairment of myocardial function in hypoparathyroidism causing hypocalcaemia <i>M Csanády, T Forster, J Julesz</i>
	61	Intrapericardial bleomycin for the management of cardiac tamponade secondary to malignant pericardial effusion <i>M C Cormican, C R Nyman</i>
	63	Arterial microembolisation: an unusual presentation of dilated cardiomyopathy <i>R L Gillespie, G M Mullen, M R Costanzo-Nordin</i>
	66	Pulmonary arterial occlusions and aneurysms: a forme fruste of Behçet's or Hughes-Stovin syndrome <i>S Bowman, M Honey</i>
	68	<b>Views from the past · Letters to the editor · Book review · Notices · Authors' checklist for manuscripts</b>
No 2 FEBRUARY 1990		<b>Editorial</b>
	73	Should coronary angiography be performed in district hospitals? <i>P Mills</i>
		<b>Original articles</b>
	74	Major complications of coronary arteriography: the place of cardiac surgery <i>J T Stewart, H H Gray, D E Ward, C W Pumphrey, D R Redwood, D J Parker</i>
	78	High density lipoprotein cholesterol and triglycerides as markers of angiographically assessed coronary artery disease <i>M Nikkilä, T Koivula, K Niemelä, T Sisto</i>
	82	Inflammatory response, neutrophil activation, and free radical production after acute myocardial infarction: effect of thrombolytic treatment <i>D Bell, M Jackson, J J Nicoll, A Millar, J Dawes, A L Muir</i>
	88	Lipid peroxidation during myocardial ischaemia induced by pacing <i>K G Oldroyd, M Chopra, A C Rankin, J J F Belch, S M Cobbe</i>
	93	Non-invasive determination of cardiac output by Doppler echocardiography and electrical bioimpedance <i>D B Northridge, I N Findlay, J Wilson, E Henderson, H J Dargie</i>
	98	Optimal value of filling pressure in the right side of the heart in acute right ventricular infarction <i>S Berisha, A Kastrati, A Goda, Y Popa</i>
	103	Ambulatory pulmonary arterial pressure in primary pulmonary hypertension: variability, relation to systemic arterial pressure, and plasma catecholamines <i>A M Richards, H Ikram, I G Crozier, M G Nicholls, S Jans</i>
	109	Enhanced morphological diagnosis in infective endocarditis by transoesophageal echocardiography <i>M A Taams, E J Gussenhoven, E Bos, P de Jaegere, J R T C Roelandt, G R Sutherland, N Bom</i>
	114	Familial restrictive cardiomyopathy with atrioventricular block and skeletal myopathy <i>A P Fitzpatrick, L M Shapiro, A F Rickards, P A Poole-Wilson</i>
	119	Cardiac involvement in congenital myotonic dystrophy <i>H Forsberg, B-O Olofsson, A Eriksson, S Andersson</i>
	122	Abnormalities of the spleen in relation to congenital malformations of the heart: a survey of necropsy findings in children <i>C Anderson, W A Devine, R H Anderson, D E Debich, J R Zuberbuhler</i>
		<b>Case reports</b>
	129	Pseudoaneurysm of the right ventricular outflow tract: diagnosis by colour flow mapping <i>N Sreeram, G R Sutherland, J McGhie</i>
	132	Blood filled cyst of the papillary muscle of the mitral valve producing severe left ventricular outflow tract obstruction <i>I R Arnold, P J B Hubner, R K Firmin</i>
	134	Gonococcal arthritis complicated by acute pericarditis and pericardial effusion <i>J Wilson, A G Zaman, A V Simmons</i>

- 136 Low pressure cardiac tamponade: diagnosis facilitated by Doppler echocardiography *S N Hayes, W K Freeman, B J Gersh*
- 77 **Views from the past**
- 140 **Notices**

No 3 MARCH 1990

**Editorials**

- 141 Electrical neurostimulators for pain relief in angina *J E Sanderson*
- 143 Cardiac defects in the children of mothers with high concentrations of plasma phenylalanine *D P Brenton*

**Original articles**

- 145 Identification of a high risk subgroup of patients with silent ischaemia after myocardial infarction: a group for early therapeutic revascularisation? *M de Belder, D Skehan, C Pumphrey, B Khan, S Evans, M Rothman, P Mills*
- 151 Non Q wave infarction: exercise test characteristics, coronary anatomy, and prognosis *J P Fox, J M Beattie, M S Salih, M K Davies, W A Littler, R G Murray*
- 154 Concentrations of plasma atrial natriuretic factor during and after reversion of ventricular tachycardia *N Twidale, J R Oliver, M Menadue, A M Tonkin*
- 157 What is meant by a "controlled" ventricular rate in atrial fibrillation? *J M Rawles*
- 162 Range of atrioventricular conduction disturbances in Lyme borreliosis: a report of four cases and review of other published reports *M R van der Linde, H J G M Crijns, J de Koning, J A A Hoogkamp-Korstanje, J J de Graaf, D A Piers, A van der Galiën, K I Lie*
- 169 Familial ventricular tachycardia: a report of four families *C Wren, E Rowland, J Burn, R W F Campbell*
- 175 Echocardiographic appearance of pulmonary artery stenosis *J W Swan, J B Chambers, M J Monaghan, G Jackson*

**Case reports**

- 178 Percutaneous transluminal coronary angioplasty with cardiopulmonary bypass for stenosis of the most proximal part of the left anterior descending coronary artery *O Ueda, K Kohchi, N Koga*
- 180 Origin of the left coronary artery from the right pulmonary artery and ventricular septal defect in a child of a mother with raised plasma phenylalanine concentrations throughout pregnancy *D Henglein, H Niederhoff, H Bode*
- 183 Thrombosed saccular aneurysm of a sinus of Valsalva: unusual cause of a mediastinal mass *P G Reid, J A Goudevenos, C J Hilton*
- 186 Pulmonary oedema with shock induced by hydrochlorothiazide: a rare side effect mimicking myocardial infarction *A Hoegholm, S W Rasmussen, K S Kristensen*
- 187 Absence of the aortic valve cusps with mitral atresia, normal left ventricle, and intact ventricular septum *A Cabrera, J M Galdeano, E Pastor*

**Measurement**

- 189 Limitations of Doppler ultrasound in the assessment of the function of prosthetic mitral valves *J Chambers, G Jackson, D Jewitt*
- 195 Automated non-invasive measurement of cardiac output by the carbon dioxide rebreathing method: comparisons with dye dilution and thermodilution *A E Russell, S A Smith, M J West, P E Aylward, R J McRitchie, R M Hassam, R B Minson, L M H Wing, J P Chalmers*

**British cardiology**

- 200 Bernard A Robinson 1888-1979: an unknown pioneer of electrocardiography *A Hollman*

- 188 **Notices**

No 4 APRIL 1990

**Viewpoint**

- 205 Balloon dilatation of the aortic valve in adults: a surgeon's view *T Treasure*
- 207 Balloon dilatation of the aortic valve in adults: a physician's view *K J Beatt*

**Original articles**

- 209 Relation of filling pattern to diastolic function in severe left ventricular disease *K S K Ng, D G Gibson*
- 215 Functional importance of the long axis dynamics of the human left ventricle *C J H Jones, L Raposo, D G Gibson*
- 221 Haemodynamic changes caused by alteration of autonomic activity in patients with heart failure *K J Osterziel, R Dietz, J Manthey, W Schmid, W Kübler*
- 225 Time of occurrence, duration, and ventricular rate of paroxysmal atrial fibrillation: the effect of digoxin *J M Rawles, M J Metcalfe, K Jennings*
- 228 Study of serum C-reactive protein concentration in cardiac failure *M Pye, A P Rae, S M Cobbe*
- 231 Reduction of factor VII coagulant activity (VIIC), a risk factor for ischaemic heart disease, by fixed dose warfarin: a double blind crossover study *L Poller, P K MacCallum, J M Thomson, W Kerns*
- 234 Pheochromocytoma and catecholamine induced cardiomyopathy presenting as heart failure *S H Sardesai, A J Mourant, Y Sivathandon, R Farrow, D O Gibbons*
- 238 Balloon dilatation of the aortic valve in a pulsatile flow model: assessment of the mechanisms and the magnitude and duration of changes in valve area and gradient *E Rosenthal, J K Montarello, A C Perakis, E G C A Boyd, M Rosin, A K Yates, P B Deverall, E Sowton, P V L Curry*

**Case reports**

- 246 Embolisation of a complex coronary arteriovenous fistula in a 6 year old child: the need for specialised embolisation techniques *J F Reidy, M J Tynan, S Qureshi*
- 249 Balloon dilatation of tricuspid stenosis caused by carcinoid heart disease *P A Mullins, J A Hall, L M Shapiro*
- 251 Pulmonary artery sling: definitive diagnosis by colour Doppler flow mapping avoiding cardiac catheterisation *J P Gnanapragasam, A B Houston, M P G Jamieson*

**Technology**

- 253 Short term results of percutaneous transluminal coronary angioplasty with a monorail technique: experience in the first 1000 patients *P J de Feyter, P W Serruys, M van den Brand, H Suryapranata, K Beatt*
- 260 A technique for replacing a prosthetic aortic valve after total aortic root replacement *S Shawkat, P P Sarangi, R K Firmin*

- 237 **Views from the past**

- 262 **Letter to the editor · Notice**

**Editorials**

- 263 Hypertrophic cardiomyopathy: one disease or several? *M J Davies*  
 265 Hypertrophic cardiomyopathy in the elderly *L M Shapiro*

**Original articles**

- 267 Six year follow up of a consecutive series of patients presenting to the coronary care unit with acute chest pain: prognostic importance of the electrocardiogram *M J Metcalfe, J M Rawles, C Shirreffs, K Jennings*  
 273 Effect of thrombolysis on the evolution of late potentials within 10 days of infarction *M Eldar, J Leor, H Hod, Z Rotstein, S Truman, E Kaplinsky, S Abboud*  
 277 Sustained improvement in left ventricular function after successful coronary angioplasty *R A Perry, A Singh, A Seth, E J Flint, A Hunt, R G Murray, M F Shiu*  
 281 Mechanism of the increased ventilatory response to exercise in patients with chronic heart failure *N P Buller, P A Poole-Wilson*  
 284 Post-extrasystolic potentiation without a compensatory pause in normal and diseased hearts *P J P Kuijjer, T van der Werf, F L Meijler*  
 287 Hypertrophic cardiomyopathy without hypertrophy: two families with myocardial disarray in the absence of increased myocardial mass *W J McKenna, J T Stewart, P Nihoyannopoulos, F McGinty, M J Davies*  
 291 Streptokinase treatment for femoral artery thrombolysis after arterial cardiac catheterisation in infants and children *F Brus, M Witsenburg, W J D Hofhuis, J A Hazelzet, J Hess*  
 295 Evaluation of pulmonary arterial pressure by Doppler colour flow mapping in patients with a ductus arteriosus *K Aziz, H Tasneem*  
 300 Preoperative measurement of pulmonary vascular resistance in complete transposition of the great arteries *A Bush, C M Busst, W B Knight, J S Carvalho, M L Rigby, E A Shinebourne*  
 304 Early diastolic clicks after the Fontan procedure for double inlet left ventricle: anatomical and physiological correlates *A N Redington, K-Y Chan, J S Carvalho, E A Shinebourne*

**Case reports**

- 308 Sudden death in hypertrophic cardiomyopathy with normal left ventricular mass *B J Maron, A H Kragel, W C Roberts*  
 311 Dilated and contracted forms of primary endocardial fibroelastosis: a single fetal disease with two stages of development *A M Carceller, E Maroto, J-C Fouron*  
 314 Cor triatriatum dexter: antemortem diagnosis in an adult by cross sectional echocardiography *A Trakhtenbroit, P Majid, R Rokey*

**British cardiology**

- 317 Proposals for a new training programme for cardiology *Joint Training and Manpower Group representing the Specialty Advisory Committee and the Cardiology Committee of the Royal College of Physicians of London, and the British Cardiac Society*

**Views from the past**

- 320 **Notices**

**Editorials**

- 321 Percutaneous transluminal coronary angioplasty: what next? *U Sigwart*  
 323 Restrictive cardiomyopathy *P T Wilmshurst, D Katritsis*

**Epidemiology**

- 325 Exercise in leisure time: coronary attack and death rates *J N Morris, D G Clayton, M G Everitt, A M Semmence, E H Burgess*

**Original articles**

- 335 Early detection of acute myocardial infarction: additional diagnostic information from serum concentrations of myoglobin in patients without ST elevation *E M Ohman, C Casey, J R Bengtson, D Pryor, W Tormey, J H Horgan*  
 339 Importance of reciprocal ST segment depression in leads V5 and V6 as an indicator of disease of the left anterior descending coronary artery in acute inferior wall myocardial infarction *B Strasberg, A Pinchas, G I Barbash, H Hod, S Rat, Y Har-Zahav, A Caspi, S Sclarovsky, J Agmon*  
 342 QT dispersion: an indication of arrhythmia risk in patients with long QT intervals *C P Day, J M McComb, R W F Campbell*  
 345 Changing role of non-invasive investigation in the preoperative assessment of congenital heart disease: a nine year experience *N Sreeram, A M Colli, J L Monro, D F Shore, R K Lamb, L V Fong, J H Smyllie, B R Keeton, G R Sutherland*  
 350 Isolated pulmonary vein atresia *S Cullen, P F Deasy, E Tempany, D F Duff*  
 355 Cross sectional echocardiographic identification of hypoplastic left heart syndrome and differentiation from other causes of right ventricular overload *P Ludman, R Foale, N Alexander, P Nihoyannopoulos*  
 362 Balloon dilatation of critical stenosis of the pulmonary valve in neonates *E J Ladusans, S A Qureshi, J M Parsons, S Arab, E J Baker, M Tynan*

**Case reports**

- 368 Right sided endocarditis after balloon dilatation of the pulmonary valve *G S Kalra, G S Wander, I S Anand*  
 370 Management of an infected graft in the ascending aorta by an omental pedicle graft and irrigation with povidone iodine *W Joyce, S Huddy, E E J Smith*  
 372 Pseudoanthoma elasticum presenting with myocardial infarction *A K B Slade, R M John, R H Swanton*

**Obituary**

- 374 Byron Evans

**List of advisers**

- 375 **Views from the past**

- 369 **Notice**

- 371 **Index**

- 376 **Index**