

# BRITISH HEART JOURNAL

*In association with the British Cardiac Society*

- |                            |     |  |  |
|----------------------------|-----|--|--|
| <b>Editorial</b>           | 171 | Life at a price: the implantable defibrillator   | <i>R W F Campbell</i>  |
| <b>Review</b>              | 174 | Late potentials as predictors of risk after thrombolytic treatment?  | <i>G Breithardt, M Borggrefe, U Karbenn</i>  |
| <b>Original articles</b>   | 177 | Safety and efficacy of repeat thrombolytic treatment after acute myocardial infarction   | <i>H D White, D B Cross, B F Williams, R M Norris</i>  |
|                            | 182 | Multivariate analysis in the prediction of death in hospital after acute myocardial infarction                                   | <i>Y Sahasakul, S Chaithiraphan, P Panchavinnin, P Jootar, V Thongtang, N Srivanasont, N Charoenchob, C Kangkagate</i> |
|                            | 186 | Ischaemic left ventricular failure: evidence of sustained benefit after 18 months' treatment with xamoterol                      | <i>E Vigholt-Sørensen, O Faergeman</i>   |
|                            | 190 | Transoesophageal echocardiography improves the diagnostic value of cardiac ultrasound in patients with carcinoid heart disease   | <i>L Lundin, J Landelius, B Andrén, K Öberg</i>  |
|                            | 195 | Echocardiographic diagnosis of a ruptured aneurysm of the sinus of Valsalva: operation without catheterisation in seven patients | <i>Y Sahasakul, P Panchavinnin, S Chaithiraphan, P Sakiyalak</i>   |
| <b>Epidemiology</b>        | 199 | Geographical clustering of risk factors and lifestyle for coronary heart disease in the Scottish Heart Health Study              | <i>I K Crombie, W C S Smith, R Tavendale, H Tunstall-Pedoe</i>   |
| <b>Case reports</b>        | 204 | Replacement of an aortic valve cusp after neonatal endocarditis  | <i>R M R Tulloh, E D Silove, L D Abrams</i>  |
|                            | 206 | Hyponatraemia secondary to an inappropriately high release of antidiuretic hormone in cardiac tamponade                          | <i>P H Groves, A M Shah, S J Hutchison</i>   |
|                            | 208 | Aberrant origin of the right coronary artery as a potential cause of sudden death: successful anatomical correction              | <i>C Nelson-Piercy, A F Rickards, M H Yacoub</i>   |
| <b>Technology</b>          | 211 | Cardiac catheterisation with 5 French catheters  | <i>J J O'Sullivan, K McDonald, P A Crean, M J Walsh, C McCarthy, R J Erwin, B J Maurer</i>                             |
| <b>Measurement</b>         | 214 | Discrepancies in the measurement of isovolumic relaxation time: a study comparing M mode and Doppler echocardiography            | <i>C H Lee, F Vancheri, M S Josen, D G Gibson</i>  |
| <b>British cardiology</b>  | 219 | Can rationing of cardiological services be rational?   | <i>D Chamberlain, R Alderslade</i>   |
| <b>Views from the past</b> | 223 | The last portrait of Willem Einthoven: newly discovered links between Sir Thomas Lewis and Alexander Samojloff                   | <i>D M Krikler, A Hollman</i>  |
|                            | 227 | Letter to the editor ● Book reviews ● British Cardiac Society newsletter ● Notices   |  |