

BRITISH HEART JOURNAL

In association with the British Cardiac Society
A Registered Charity

Founded 1939

Editor: M J Davies Associate Editors: Kim Fox, Peter Mills
Assistant Editors: Barry R Keeton (paediatric cardiology), Edward Rowland (electrophysiology)
Technical Editor: Jane Dawson Editorial Assistant: Maureen Emerson

INTERNATIONAL EDITORIAL COMMITTEE

Antonio Bayes de Luna (Barcelona, Spain)
Nicholas A Boon (Edinburgh)
Roger M Boyle (York)
John G F Cleland (London)
Stuart M Cobbe (Glasgow)
Keith Dawkins (Southampton)
Arend Dunning
(Amsterdam, The Netherlands)
Bernard J Gersh (Rochester, USA)
John L Gibbs (Leeds)

Roger Hall (Cardiff)
Alan B Houston (Glasgow)
Stewart Hunter (Newcastle upon Tyne)
Paul Kligfield (New York, USA)
Wolfgang Kubler (Heidelberg, Germany)
Michael Marmot (London)
Janet M McComb (Newcastle upon Tyne)
R Gordon Murray (Birmingham)
Richard L Popp (Stanford, USA)
John Sanderson (Taunton)

Allan Skene (Nottingham)
Geoffrey H Smith (Sheffield)
Giuseppe Specchia (Pavia, Italy)
Eric Topol (Cleveland, USA)
Tom Treasure (London)
David E Ward (London)
Peter Wilde (Bristol)
Editor: *BMJ*
Editor: *Cardiovascular Research*

NOTICE TO CONTRIBUTORS

Papers relating to the heart and circulation should be sent in triplicate to the Editor, British Heart Journal, 9 Fitzroy Square, London W1P 5AH, and be prepared according to the *Uniform requirements for manuscripts submitted to biomedical journals* (Vancouver agreement) (*BMJ* 1988;296:401-5). **Authors are asked to complete a copy of the checklist provided (1993;69:97-8 (January issue)) when submitting their manuscripts for publication and to nominate three suitable reviewers.** The reference number given on the acknowledgement postcard sent out by the editorial office should be quoted on all subsequent correspondence and telephone inquiries. A covering letter (wherever possible giving a fax number) must be signed by all authors stating that they have seen and approved the paper and that the work has not been, and will not be, published elsewhere. All authors will be required to transfer copyright of their articles to the journal before publication. (All material for possible publication (including Letters to the Editor) must be typed in *double spacing* with wide margins.) A 250 word structured abstract must be sent with most papers. If requested, authors shall produce the data upon which the manuscript is based for examination by the editor.

ETHICAL STANDARDS

Authors are expected to comply with the code of ethics known as the Declaration of Helsinki. Where appropriate, manuscripts should include a statement that the research protocol has been approved by the locally appointed ethics committee and that the informed consent of the subjects has been obtained.

AUTHORSHIP: All authors must fulfil the criteria of the International Committee of Medical Journal Editors (Vancouver agreement) (see *BMJ* 1991;302:338-41).

ABBREVIATIONS should *not* be used in the text, except for mathematical calculations and units of measurement.

REFERENCES must be cited precisely according to the Vancouver agreement and be typed in *double spacing*. As a general rule, no more than three references should be cited for any one statement.

Authors are responsible for the accuracy of any references cited: these should be checked at source or with the listing in Index Medicus.

UNITS OF MEASUREMENT: All haematological and clinical chemistry measurements should be given as SI units. Blood pressures should be given in mm Hg.

COPYRIGHT PERMISSION to reproduce material published elsewhere must be obtained in writing and acknowledged in the manuscript.

PROOFS of articles accepted for publication will be sent for the author's approval. Proof corrections should be kept to a minimum.

NOTICE TO SUBSCRIBERS

British Heart Journal is published monthly. The annual subscription rates are £173.00 (USA \$309.00). Combined rate: *British Heart Journal* and *Cardiovascular Research* £351.00 (USA \$630.00). Orders should be sent to the Subscription Manager, *British Heart Journal*, BMJ Publishing Group, BMA House, Tavistock Square, London WC1H 9JR. Orders can also be placed with any leading subscription agent or bookseller. Subscribers may pay for their subscriptions by Access, Visa, or American Express by quoting on their order the credit or charge card preferred together with the appropriate personal account number and the expiry date of the card. (For the convenience of readers in the USA subscription orders with or without payment may also be sent to British Medical Journal, Box 560B, Kennebunkport, Maine 04046. All inquiries, however, must be addressed to the Publisher in London.) **All copies are despatched by air-speed.** First class rates available on request.

COPYRIGHT © 1994 by the *British Heart Journal*. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the *British Heart Journal*.

ISSN 0007-0769

Published by the
BMJ Publishing Group,
typeset by Bedford
Typesetters Ltd, and
printed in England by
Eyre & Spottiswoode Ltd,
London and Margate

Second class postage paid, Rahway NJ Postmaster: send address changes to: British Heart Journal c/o Mercury Airfreight International Ltd Inc, 2323 Randolph Avenue, Avenel, NJ 07001, USA.

VOLUME 71: PROGRAMME SUPPLEMENT SUBJECT INDEX

Ablation

- Catheter ablation for successful management of left posterior fascicular tachycardia. An approach guided by recording of fascicular potentials, 98
- Cost benefit analysis of radiofrequency ablation of accessory pathways, 193 Pr
- Efficacy of sequential 'fast' and 'slow' pathway ablation as a means of creating complete heart block in patients with atrial fibrillation, 34
- Impact of age and size on outcome and feasibility of radiofrequency catheter ablation of accessory pathways in infants, children and adults, 192 Pr
- Localisation of accessory pathways using the surface ECG: inaccuracy of torso positioned standard leads compared with limb leads, 309 Pr
- Normal right atrial size is required for success in radiofrequency ablation of atrial flutter, 35
- Predictors of successful radiofrequency ablation for right ventricular outflow tract (RVOT) tachycardia, 97
- Radiofrequency catheter ablation in patients with 'Mahaim' tachycardias, 308 Pr
- Results of radiofrequency catheter ablation in young children, 191 Pr
- The architecture of the atrioventricular conduction axis in dogs and humans - its significance to ablation of the atrioventricular nodal approaches, 311 Pr
- Accessory pathway**
- Cost benefit analysis of radiofrequency ablation of accessory pathways, 193 Pr
- Localisation of accessory pathways using the surface ECG: inaccuracy of torso positioned standard leads compared with limb leads, 309 Pr
- Acetaldehyde**, Prospective study of antibodies to acetaldehyde adducts of human heart proteins in patients with alcoholic cardiomyopathy, 156
- Action potential shortening**, Action potential shortening during ischaemia is not due to intracellular acidosis, 185 Pr
- Adenosine**
- Adenosine increases potassium conductance in isolated rabbit atrioventricular nodal myocytes, 187 Pr
- Intracoronary adenosine causes chest pain in patients after cardiac transplantation, 116
- Preconditioning in human isolated muscle, D11
- AIDS**, Endocarditis and human immunodeficiency virus infection, 27
- Alcoholic cardiomyopathy**, Prospective study of antibodies to acetaldehyde adducts of human heart proteins in patients with alcoholic cardiomyopathy, 156
- Aldosterone**
- Aldosterone blockade induces magnesium retention and reduces ventricular arrhythmias in heart failure, 17 MPr
- Aldosterone blunts the reflex baroreceptor response to noradrenaline in healthy man, 336
- Alveolar-capillary membrane**
- Alveolar-capillary membrane conductance can predict maximal exercise oxygen uptake in patients with left ventricular dysfunction, 89 Pr
- Fluid loading causes impairment of gas transfer at the alveolar-capillary membrane in patients with asymptomatic left ventricular dysfunction, 312 Pr
- Ambulatory monitoring**, Ambulatory blood pressure monitoring for 24 or 48 hours? 201 Pr
- Amiodarone**, The effects of hypothyroidism on the vulnerability to ventricular fibrillation in dogs, 16 MPr
- Amlodipine**, Comparative effects of an ACE-inhibitor and a calcium channel antagonist in translational and transcriptional events of the regressed myocardium, 74 Pr
- Amyloidosis**, Echocardiographic features and whole body amyloid load using ¹²⁵I labelled serum amyloid P component (SAP) clearance studies, 204 Pr
- Anastomosis**, Technique of anastomosis and incidence of atrial tachyarrhythmias following heart transplantation, 118
- Angina**
- Coronary angioplasty in patients 70 years of age or older: twelve years experience, 51 Pr
- Coronary stenosis morphology and vasomotor responses to acetylcholine, 279 Pr
- Diastolic abnormalities of left ventricular subendocardial function in unstable angina, 25
- Differential progression of complex and smooth coronary stenoses within individuals with stable coronary artery disease, 146
- Enhanced platelet activation *in vitro* in refractory unstable angina: inhibition by GR144053, a fibrinogen receptor antagonist, 275 Pr

- Exercise test variables predicting prognosis in chronic stable angina pectoris in the Tibet study, 136 MPr
- Factor VII is reduced by low-intensity anticoagulation after myocardial infarction and unstable angina, 21
- Infarction-free survival in unstable angina: long-term follow-up of 544 patients, 20
- Longterm follow-up of patients with unstable angina treated with immediate PTCA, 90
- Partial expression of the insulin resistance syndrome in postmenopausal women with syndrome X, 5
- Pathophysiology of transient myocardial ischaemia in unstable angina and non-Q myocardial infarction, 24
- Prognostic value of an exercise test in new patients with stable angina in the general population, 135 MPr
- Regional brain activation in angina pectoris, 287 Pr
- Relationship between coronary stenosis morphology and degree of vasomotion in patients with variant angina, 23
- The findings of admission ECG and continuous ECG monitoring independently predict in-hospital prognosis in unstable angina, 22
- Angiodysplasia**, The unique haemostatic defect in aortic valve stenosis, 28
- Angiography**
- Multi-purpose cardiac catheterisation laboratory in a district general hospital: audit of first 250 cases, 322 Pr
- Regional coronary blood flow waveforms measured with conventional biplane x-ray angiograms, 283 Pr
- What is the cost of a normal coronary arteriogram? 323 Pr
- Angiotensin**
- Angiotensin II does not affect cardiomyocyte contraction, 42 Pr
- Proto-oncogene induction by pressure and angiotensin II in the isolated working rat heart, 75 Pr
- Angiotensin-converting enzyme**
- Angiotensin converting enzyme (ACE) activity: aortic and endocardial endothelium compared, 169 Pr
- Serum angiotensin-converting enzyme activity in relation to risk of premature coronary heart disease, 76 Pr
- Angiotensin-converting enzyme inhibitor**
- Does flosequinan improve renal, respiratory and vascular function in patients with congestive heart failure who are already treated with ACE inhibitors? 246 MPr
- Evidence for inadequate investigation and treatment of patients with heart failure, 247 MPr
- Important considerations in the assessment of LVEF in order to correctly assign patients with LV dysfunction to ACEI therapy, 271
- The effect of ACE inhibition on vein graft hyperplasia, 166 Pr
- Anorexia nervosa**, The QT interval in anorexia nervosa as a marker for sudden death, 345
- Anti platelet therapy**, Enhanced platelet activation *in vitro* in refractory unstable angina: inhibition by GR144053, a fibrinogen receptor antagonist, 275 Pr
- Antibiotic prophylaxis**, Antibiotic prophylaxis reduces re-operation rate for infective complications following permanent pacemaker implantation: a prospective randomised trial, 229
- Anticoagulants**, Factor VII is reduced by low-intensity anticoagulation after myocardial infarction and unstable angina, 21
- Antioxidants**, The effects of heat stress on cardiac antioxidants and resistance to oxidant stress, 41 Pr
- Antiplatelet**, Reduction in platelet deposition and intimal hyperplasia following arterial injury using a locally delivered targeted antiplatelet agent, B2
- Antisense oligonucleotides**, Prevention of human vascular cell proliferation by antisense oligonucleotides to c-myc mRNA, 217
- Aorta**, A new steerable catheter using emission of ultrasounds for the *in vivo* determination of pressure-diameter relationship of the aorta in humans, 226
- Aortic prosthesis**, Aortic valve replacement in patients with aortic stenosis and severe left ventricular dysfunction: prognostic indicators, 29
- Aortic stenosis**
- Aortic valve replacement in patients with aortic stenosis and severe left ventricular dysfunction: prognostic indicators, 29
- Phasic coronary flow velocity at rest and during stress in patients with aortic valve stenosis, 30
- The effects of incoordinate tension development on left ventricular systolic function in aortic stenosis, 31
- Aortic valve replacement**, Comparison of left ventricular performance immediately after aortic valve replacement using crystalloid or blood cardioplegia, 251

- Aortic valve stenosis**, The unique haemostatic defect in aortic valve stenosis, 28
- Apolipoprotein E**, Modulation of coronary heart disease risk by apolipoprotein E genotype, 280 Pr
- Arginine**, Effect of L- and D-arginine on the forearm acetylcholine response in untreated essential hypertension. Can excess substrate stimulate nitric oxide production? 184 Pr
- Arrhythmia**
- Beta, adrenergic stimulation produces potentially arrhythmogenic increases in the expression of mechanoelectric feedback and changes in the electrical restitution curve, 13 MPr
- Both sodium nitroprusside and iloprost prevent the electrophysiological effects of platelet activation during myocardial ischaemia, 273 Pr
- Multifactorial prediction of early arrhythmic events and early mortality in survivors of acute myocardial infarction, 194 Pr
- Myocardial gap junctions in the arrhythmogenic border zone of early canine infarcts, 19 MPr
- Technique of anastomosis and incidence of atrial tachyarrhythmias following heart transplantation, 118
- The effect of stretch on the sinoatrial node - a physiological mechanism contributing to heart rate variability? 310 Pr
- Arterial distensibility**
- Endothelial maintenance of conduit artery distensibility is impaired in patients with dilated cardiomyopathy, 203 Pr
- In normal subjects conduit artery distensibility is maintained by flow-related release of EDRF, 175 Pr
- Arterial duct dilator**, Nitric oxide is a potent arterial duct dilator in neonatal lambs, 208 Pr
- Asian coronary artery disease**, Case fatality in Asians after acute myocardial infarction, 105
- Atherectomy**, The natural history of clinically stable coronary artery disease is commonly interrupted by thrombotic plaque events, 286 Pr
- Atherosclerosis**
- Active TGF- β levels in patients with triple vessel disease and patients with angiographically normal coronary arteries, 168 Pr
- Diabetics with peripheral vascular disease have an increased mean platelet volume, platelet count and megakaryocyte ploidy, 178 Pr
- Endothelium-dependent dilation in the arteries of asymptomatic subjects relates to coronary risk factors and their interaction, 144
- Enhanced expression of smooth muscle cell gap junctions in the developing atherosclerotic plaque, 1
- Hypercholesterolemia impairs endothelial-dependent relaxation in the human coronary microcirculation, 152
- Influence of dietary fatty acids on the composition of human aortic plaques, 165 Pr
- Athletes**
- Complex ventricular arrhythmias in elite athletes, 101
- Training duration correlates with an increase in minimal coronary resistance in athletes with training-induced left ventricular hypertrophy, 140 MPr
- Atrial fibrillation**
- A new pacing algorithm for the suppression of atrial fibrillation, 32
- Endothelial dysfunction contributes to thrombogenesis in chronic atrial fibrillation, 188 Pr
- Impact of atrial fibrillation on peripheral microcirculatory haemodynamics, 338
- Improved prediction of paroxysmal atrial fibrillation by analysis of multiple signal averaged P wave variables, 15 MPr
- Intravascular fibrin turnover and thrombogenesis in atrial fibrillation is reduced by cardioversion, 33
- Longterm success of cardioversion in patients with chronic atrial fibrillation, 36
- Maze 3 (for atrial fibrillation): two cuts too few? 159
- Modes of spontaneous initiation of atrial fibrillation, 195 Pr
- The implications of screening for atrial fibrillation in general practice, 102
- The signal averaged P wave predicts maintenance of sinus rhythm after cardioversion from atrial fibrillation, 37
- Atrial flutter**, Normal right atrial size is required for success in radiofrequency ablation of atrial flutter, 35
- Atrial septal defect**, A device for all lesions. The button occluder, 130
- Atrioventricular delay**, Impaired ventricles?: aim for the septum and not the apex, 230
- Atrioventricular nodal cells**, Adenosine increases potassium conductance in isolated rabbit atrioventricular nodal myocytes, 187 Pr
- Atrioventricular node**, Efficacy of sequential 'fast' and 'slow' pathway ablation as a means of creating complete heart block in patients with atrial fibrillation, 34
- Atrioventricular septal defect**, Left ventricular structures in atrioventricular septal defect with right isomerism compared to similar features with usual atrial arrangement, 207 Pr
- Attenuation**, The evaluation of myocardial function and perfusion using contrast enhanced integrated backscatter studies, 263
- Audit**
- A 15 year review of the need for tertiary cardiac services by a district general hospital, 321 Pr
- Acute and early complications of permanent pacing: a prospective audit of 926 consecutive patients from a UK centre, 198 Pr
- Central audit of chest pain: can we believe the results? 221
- Changing trends in pacemaker prescription in patients aged 80 and over: a single centre audit of 962 patients, 199 Pr
- Cost benefit analysis of radiofrequency ablation of accessory pathways, 193 Pr
- Feasibility of daycase coronary angioplasty, 55 Pr
- If nothing goes wrong, is everything all right? Sequential monitoring of the results of treatment, 210 Pr
- Lessons learned from the analysis of a series of surgical failures, 253
- Medication errors in a paediatric cardiac unit: a prospective audit, 320 Pr
- Parsonnet risk stratification: a review of individual surgeons practice in a single unit, 317 Pr
- Predicting outcome after cardiac surgery using physiological variables, 160
- Provision of thrombolytic therapy for patients with previous infarction, 121
- The value of post mortem examination in early deaths after cardiac surgery, 318 Pr
- Time to thrombolysis in representative hospitals throughout UK, 248
- Autonomic dysfunction**
- Exercise blood pressure response in young patients with hypertrophic cardiomyopathy, 134 MPr
- Exercise induced hypotension in patients with autonomic dysfunction, 133 MPr
- Increased blood pressure variability during 24 hour blood pressure monitoring as an early sign of autonomic dysfunction in non-insulin dependent diabetics, 340
- Autonomic function**
- Disturbed autonomic function six months after acute myocardial infarction complicated by left ventricular failure as indicated by reduced heart rate variability, 339
- Multifactorial prediction of early arrhythmic events and early mortality in survivors of acute myocardial infarction, 194 Pr
- Very low frequency peaks in power spectra of respiratory, heart rate and blood pressure in chronic heart failure, 272
- Autonomic neuropathy**, Myocardial ischaemia in asymptomatic type I diabetic patients with autonomic neuropathy, 276 Pr
- Backscatter**
- Do changes in integrated backscatter predict the onset of idiopathic dilated cardiomyopathy in dogs? 261
- The evaluation of myocardial function and perfusion using contrast enhanced integrated backscatter studies, 263
- Balloon mitral valvuloplasty**, Retrograde nontransseptal balloon mitral valvuloplasty using the Inoue balloon catheter, 329
- Balloon mitral valvotomy**, Pulmonary mechanics and gas exchange following successful balloon mitral valvotomy, 328
- Baroreflex**, Aldosterone blunts the reflex baroreceptor response to noradrenaline in healthy man, 336
- Beta, stimulation**, β_1 adrenergic stimulation produces potentially arrhythmogenic increases in the expression of mechanoelectric feedback and changes in the electrical restitution curve, 13 MPr
- Beta-adrenoceptors**, Myocardial beta-adrenoceptors and systolic function in hypertrophic cardiomyopathy, 71 Pr
- Bilateral bundle branch block**, 'Bilateral bundle branch block' - a common finding in patients with dilated cardiomyopathy, 190 Pr
- Blood flow**
- Estradiol-17 β increases forearm blood flow in menopausal women. A double blind randomized study, 349
- In normal subjects conduit artery distensibility is maintained by flow-related release of EDRF, 175 Pr
- Non-insulin dependent diabetes impairs flow related increases in arterial diameter and distensibility, 348
- Non-invasive screening of flow-related endothelial function using high resolution ultrasonic vessel wall tracking, 225
- Blood pressure**
- Hyperthyroidism and the cardiovascular system, 3
- Increased blood pressure variability during 24 hour blood pressure monitoring as an early sign of autonomic dysfunction in non-insulin dependent diabetics, 340
- Body composition**, Skeletal muscle and total body fat in chronic heart failure: relationship with tumour necrosis factor and severity of heart failure, 243 MPr

- Brachial arteriotomy**, Elective coronary artery stenting via left brachial arteriotomy: a feasibility study, 324
- Bradycardia**
A novel method of experimental bradycardia applied to hearts with myocardial infarction: effects on capillary supply, 189 Pr
Is carotid sinus hypersensitivity masquerading as epilepsy? 303 Pr
- Bradykinin**
Adenyl purines contribute to the myocardial relaxant effect of bradykinin in the intact heart, 151
Captopril enhances left ventricular relaxation via endogenous bradykinin, 236
- Brain activation**, Regional brain activation in angina pectoris, 287 Pr
- Button occluder**, A device for all lesions. The button occluder, 130
- Calcium**
Angiotensin converting enzyme (ACE) activity: aortic and endocardial endothelium compared, 169 Pr
G-protein linked phospholipase C (PLC) isoforms in vascular smooth muscle (VSM), 174 Pr
Severity of human heart failure correlates with myocardial sarcoplasmic reticulum dysfunction, 238
- Capillaries**, A novel method of experimental bradycardia applied to hearts with myocardial infarction: effects on capillary supply, 189 Pr
- Captopril**
Captopril enhances left ventricular relaxation via endogenous bradykinin, 236
Effects of captopril on endogenous fibrinolysis in men with recent myocardial infarction, 257
- Carbonic anhydrase**, Membrane-bound carbonic anhydrase and cardiac pH regulation, 38 Pr
- Cardiac antibodies**, Cardiac autoantibodies in dilated cardiomyopathy become undetectable with disease progression, 157
- Cardiac arrest**
Admission serum potassium level and in-hospital mortality after out-of-hospital cardiac arrest, 302 Pr
Long-term results of out-of-hospital resuscitation by ambulance staff in West Yorkshire, 301 Pr
The causative rhythm in out of hospital cardiac arrests witnessed by the emergency medical services in the Heartstart Scotland project, 300 Pr
- Cardiac assist**, An alternative technique for skeletal muscle cardiac assist, 335
- Cardiac myocyte**, Angiotensin II does not affect cardiomyocyte contraction, 42 Pr
- Cardiac output**, The atriopulmonary or the total cavopulmonary connection Fontan: which is better? 8
- Cardiac resources**, Rapid access chest pain clinic – a method of optimising cardiac resources, 222
- Cardiac surgery**
Outcome of cardiac surgery in the elderly – survival and quality of life: a prospective study, 211 Pr
Parsonnet risk stratification: a review of individual surgeons practice in a single unit, 317 Pr
Predicting outcome after cardiac surgery using physiological variables, 160
Quality of survival at three and six months in long term cardiac surgical intensive care patients, 212 Pr
The reality of training in cardiac surgery, 209 Pr
The value of post mortem examination in early deaths after cardiac surgery, 318 Pr
- Cardiac transplant**
Cardiac noradrenaline release: evidence for reinnervation of the transplanted human heart, 114
Changes in chronotropic response with time after cardiac transplantation, 115
Heart transplant rejection correlates strongly with HLA mismatch, 330
Heart transplantation for children with dilated cardiomyopathy, 315 Pr
Intracoronary adenosine causes chest pain in patients after cardiac transplantation, 116
Lipoprotein A, lipids and coronary artery disease after cardiac transplantation, 333
Low attrition rate in medium to long term survivors after cardiac transplantation, 332
Nitric oxide synthase induction and cardiac transplant rejection, 237
Prediction of long term pacing requirements in recipients with early sinus node dysfunction after heart transplantation, 119
Scintigraphic assessment of reinnervation of the transplanted human heart, 109
Sinus node function in heart transplant recipients, 117
- Syncopal after cardiac transplantation: central mechanism or cardiac reinnervation? 337
- Technique of anastomosis and incidence of atrial tachyarrhythmias following heart transplantation, 118
- Treatment of hyperlipidaemia after cardiac transplantation, 331
- Cardiomyoplasty**
Assessment of latissimus dorsi muscle function after cardiomyoplasty by Doppler tissue imaging, 334
Doppler tissue imaging and optimisation of stimulation parameters after cardiomyoplasty, 254
- Cardioprotection**, Clinical assessment of 'cardioprotection' as a prognostic guide to the management of coronary artery disease, 285 Pr
- Cardiovascular screening**, Cardiovascular risk factor changes following lifestyle intervention in families, 85 Pr
- Cardioversion**
Intravascular fibrin turnover and thrombogenesis in atrial fibrillation is reduced by cardioversion, 33
Longterm success of cardioversion in patients with chronic atrial fibrillation, 36
The signal averaged P wave predicts maintenance of sinus rhythm after cardioversion from atrial fibrillation, 37
- Cardioverter defibrillator**
Characteristics of real time and stored endocardial electrograms leading to therapy in patients with implantable cardioverter defibrillators, 305 Pr
Role of prepectoral implantation of transvenous cardioverter defibrillators, 307 Pr
- Carotid sinus hypersensitivity**, Is carotid sinus hypersensitivity masquerading as epilepsy? 303 Pr
- Catecholamines**
Aldosterone blunts the reflex baroreceptor response to noradrenaline in healthy man, 336
Does depletion of endogenous catecholamines play a role in the mechanism of ischaemic preconditioning? 67 Pr
- Catheter**
A new steerable catheter using emission of ultrasounds for the in vivo determination of pressure-diameter relationship of the aorta in humans, 226
Ischaemic changes during coronary angioplasty using perfusion and standard balloon catheters, 49 Pr
Pulmonary embolism and parenteral nutrition: an unacceptable risk? 206 Pr
- Catheterisation**, Multi-purpose cardiac catheterisation laboratory in a district general hospital: audit of first 250 cases, 322 Pr
- Cavopulmonary shunt**
Hypoplastic left heart syndrome: early results following the introduction of a modification of the Norwood protocol, 9
The influence of competitive pulmonary blood flow on the bidirectional superior cavopulmonary shunt: a multi-institutional study, 7
- Central nervous system**, Regional brain activation in angina pectoris, 287 Pr
- Chest pain**
Central audit of chest pain: can we believe the results? 221
Comparison of a chest pain clinic with an open access exercise ECG service, 223
Intracoronary adenosine causes chest pain in patients after cardiac transplantation, 116
Perceived chest symptoms after angioplasty, 52 Pr
Rapid access chest pain clinic – a method of optimising cardiac resources, 222
Reduced frequency of chest pain in response to 17 β -oestradiol in women with syndrome X, 63 Pr
- Children**
Balloon dilatation of unoperated coarctation of the aorta, 127
Heart transplantation for children with dilated cardiomyopathy, 315 Pr
Medication errors in a paediatric cardiac unit: a prospective audit, 320 Pr
Pulmonary embolism and parenteral nutrition: an unacceptable risk? 206 Pr
Results of radiofrequency catheter ablation in young children, 191 Pr
Rotational scan reconstruction techniques for transthoracic 3-dimensional echocardiography in congenital heart disease, 126
The influence of competitive pulmonary blood flow on the bidirectional superior cavopulmonary shunt: a multi-institutional study, 7
The role of endothelium in the maintenance of low pulmonary vascular tone in normal children, 346
- Cholesterol**
A comparison of cholesterol versus no cholesterol testing in a cardiovascular screening and lifestyle intervention programme, 79 Pr
Aggressive coronary risk factor modification can reduce cardiovascular mortality in the primary care setting: a prospective twelve year intervention study in a practice of 7,500 patients, 80 Pr

- Coarctation**, Balloon dilatation of unoperated coarctation of the aorta, 127
- Conduction disease**, A locus for familial dilated cardiomyopathy, 249
- Conduction system**
 Immunohistochemical localisation of the innervation in the cardiac conduction system of man, pig, cow and guinea pig: a comparative study, 186 Pr
 The architecture of the atrioventricular conduction axis in dogs and humans – its significance to ablation of the atrioventricular nodal approaches, 311 Pr
- Congenital heart disease**
 Combined atrial and arterial switch procedure for congenital corrected transposition with ventricular septal defect, 10
 Rotational scan reconstruction techniques for transthoracic 3-dimensional echocardiography in congenital heart disease, 126
 Self-expanding stents in congenital heart disease, 129
 The influence of competitive pulmonary blood flow on the bidirectional superior cavopulmonary shunt: a multi-institutional study, 7
 The role of endothelium in the maintenance of low pulmonary vascular tone in normal children, 346
- Connexin43**, Increased expression of connexin43 gap-junctional membrane by cardiac myocytes in early renovascular hypertension, 69 Pr
- Continuous wave Doppler**, A validation study on the reconstructed left ventricular pressure from Doppler signals of functional mitral regurgitation, 266
- Contractility**
 Angiotensin II does not affect cardiomyocyte contraction, 42 Pr
 Nitric oxide reduces contractility of isolated human myocardium, 235
- Contraction**, Reduced contraction of isolated cardiac myocytes in human heart failure, 239
- Contrast**, The evaluation of myocardial function and perfusion using contrast enhanced integrated backscatter studies, 263
- Cor pulmonale**, Circulating levels of C-type natriuretic peptide in patients with left ventricular dysfunction and hypoxaemic pulmonary heart disease, 242 MPr
- Coronary arterial relaxation**, Human coronary arterial relaxation by 17 β -estradiol is endothelium-independent, 171 Pr
- Coronary artery bypass surgery**
 Coronary angioplasty and coronary surgery in the management of multivessel symptomatic coronary disease: outcomes at 1 year following randomisation in the CABRI trial, 92
 Coronary angioplasty versus coronary artery bypass surgery: cost analysis based on the Randomised Intervention Treatment of Angina (RITA) trial, 95
 Coronary artery bypass surgery: current practice in the United Kingdom, 162
 Non-invasive assessment of left anterior descending coronary artery blood flow following grafting with the internal mammary artery conduit, 161
 Perceived chest symptoms after angioplasty, 52 Pr
 Perceived health status in the Randomised Intervention Treatment of Angina (RITA) trial, 87 Pr
- Coronary artery disease**
 A 15 year review of the need for tertiary cardiac services by a district general hospital, 321 Pr
 A comparison of risk factors in South Asian and Northern European coronary artery disease patients and their young male offspring, 84 Pr
 Clinical assessment of 'cardioprotection' as a prognostic guide to the management of coronary artery disease, 285 Pr
 Dobutamine stress testing with Tc-99m tetrofosmin has high diagnostic accuracy for detection of coronary heart disease, 284 Pr
 Epicardial coronary artery diameter changes during atrial pacing are dependent on nitric oxide synthesis in patients with coronary artery disease, 180 Pr
 Exercise echocardiography is the optimal non-invasive test for the prediction of coronary artery disease in women, 59 Pr
 Exercise induced white cell aggregation, 132 MPr
 Hypertriglyceridemia is an independent predictive factor of rapid angiographic stenosis progression, 278 Pr
 Intra-coronary stenting: is it worthwhile? 325
 Lipoprotein A, lipids and coronary artery disease after cardiac transplantation, 333
 Modulation of coronary heart disease risk by apolipoprotein E genotype, 280 Pr
 Plasma fibrinogen level and other risk factor profiles: association with coronary artery disease, 77 Pr
 Progression of coronary artery disease following cessation of cigarette smoking, 141
 QTc dispersion in patients with coronary artery disease – effect of exercise, dobutamine and dipyridamole myocardial stress, 343
- Serum angiotensin-converting enzyme activity in relation to risk of premature coronary heart disease, 76 Pr
 Synergistic value of simultaneous stress dobutamine sestamibi SPECT and echocardiography in the detection of coronary artery disease, 108
 What is the cost of a normal coronary arteriogram? 323 Pr
- Coronary artery stenosis**
 Analysis of the physiological effects of coronary artery stenoses on blood flow velocity using high frequency transthoracic echocardiography, 227
 Coronary artery stenosis: localisation and assessment of severity by magnetic resonance imaging, 142
 Progression of 'target' and 'non-target' coronary artery stenoses in patients awaiting coronary angioplasty, 56 Pr
- Coronary blood flow**
 Coronary flow reserve in primary and secondary left ventricular hypertrophy, 70 Pr
 Pharmacologic variability in the timing of peak coronary flow response to dipyridamole in man, 113
 Regional coronary blood flow waveforms measured with conventional biplane x-ray angiograms, 283 Pr
- Coronary care unit**, Can a rapid biochemical measurement service have an effect on the efficient use of coronary care unit beds? 123
- Coronary flow**, Phasic coronary flow velocity at rest and during stress in patients with aortic valve stenosis, 30
- Coronary occlusion**
 A quantitative angiographic analysis of restenosis following successful coronary angioplasty of total occlusions, 91
 Vibrational angioplasty. A new approach to recanalise chronic totally occluded coronary arteries, 143
- Coronary resistance**, Training duration correlates with an increase in minimal coronary resistance in athletes with training-induced left ventricular hypertrophy, 140 MPr
- Coronary stenosis**
 Coronary stenosis morphology and vasomotor responses to acetylcholine, 279 Pr
 Differential progression of complex and smooth coronary stenoses within individuals with stable coronary artery disease, 146
 Regional coronary blood flow waveforms measured with conventional biplane x-ray angiograms, 283 Pr
 Relationship between coronary stenosis morphology and degree of vasomotion in patients with variant angina, 23
- Coronary vasodilatory reserve**, Microvascular injury and myocardial stunning occur independently after infarction, 259
- Cost analysis**
 Coronary angioplasty versus coronary artery bypass surgery: cost analysis based on the Randomised Intervention Treatment of Angina (RITA) trial, 95
 Low attrition rate in medium to long term survivors after cardiac transplantation, 332
 What is the cost of a normal coronary arteriogram? 323 Pr
- Creatine**, The effect of dietary creatine supplementation on skeletal muscle metabolism in congestive heart failure, 270
- Creatine kinase**
 Admission serum potassium level and in-hospital mortality after out-of-hospital cardiac arrest, 302 Pr
 Do biochemical measurements have a place in thrombolysis protocols? 255
- Creatine kinase-MB**, Value of instantaneous creatine kinase-MB in patients with suspected myocardial infarction, 124
- Cusum**, If nothing goes wrong, is everything all right? Sequential monitoring of the results of treatment, 210 Pr
- Cyclic GMP**
 Platelet-endothelium interactions in humans: changes in platelet cyclic guanosine monophosphate content in patients with endothelial dysfunction, 350
 Platelet inhibitory effect of endothelium-derived relaxing factor in the human coronary circulation, 281 Pr
- Cyclooxygenase**, Effect of modification of the cyclooxygenase pathway on plasma-mediated stimulation of neutrophil CD18 adhesion molecule expression during reperfusion, 291 Pr
- D-dimer**, Endothelial dysfunction contributes to thrombogenesis in chronic atrial fibrillation, 188 Pr
- Daycase**, Feasibility of daycase coronary angioplasty, 55 Pr
- Defibrillation**, The causative rhythm in out of hospital cardiac arrests witnessed by the emergency medical services in the Heartstart Scotland project, 300 Pr
- Depression**, The effect of psychological depression on functional capacity, 103

Diabetes

- Diabetics with peripheral vascular disease have an increased mean platelet volume, platelet count and megakaryocyte ploidy, **178 Pr**
- Endothelium-dependent dilation is impaired in the large arteries of healthy young adult type I diabetics and is related to the presence of microalbuminuria, **347**
- Increased blood pressure variability during 24 hour blood pressure monitoring as an early sign of autonomic dysfunction in non-insulin dependent diabetics, **340**
- Ischaemic heart disease in diabetes, prevalence and the major risk factors: a study of twins, **277 Pr**
- Myocardial ischaemia in asymptomatic type I diabetic patients with autonomic neuropathy, **276 Pr**
- Non-insulin dependent diabetes impairs flow related increases in arterial diameter and distensibility, **348**

Diastole

- Diastolic abnormalities of left ventricular subendocardial function in unstable angina, **25**
- Diastolic properties of the right ventricle 15-34 years after repair of tetralogy of Fallot, **11**
- Duration of scleroderma correlates with left ventricular mass and impaired early diastolic function, **244 MPr**
- Exercise induced myocardial stunning: differential rates of systolic and diastolic recovery, **264**
- Modulation of diastolic tone and cardiac myofilament response by endothelial cell factors, **234**
- Reconstruction of early diastolic pressure field based on local E wave accelerations, **265**
- Regional left ventricular function during dobutamine infusion in patients with ischaemic heart disease pre and post angioplasty, **47 Pr**
- Subclinical abnormalities of left ventricular diastolic function in young patients with myotonic dystrophy, **245 MPr**
- Diastolic transmural flow**, Absent early diastolic filling of the left ventricle: evidence for advanced incoordination of longitudinal function, **262**
- Dietary fat**, Differences in dietary fat in whites, blacks and Asians: implications for heart disease prevention, **78 Pr**
- Dietary fatty acids**, Influence of dietary fatty acids on the composition of human aortic plaques, **165 Pr**

Dilated cardiomyopathy

- A locus for familial dilated cardiomyopathy, **249**
- 'Bilateral bundle branch block' – a common finding in patients with dilated cardiomyopathy, **190 Pr**
- Cardiac autoantibodies in dilated cardiomyopathy become undetectable with disease progression, **157**
- Dilated cardiomyopathy: a familial disease?, **155**
- Do changes in integrated backscatter predict the onset of idiopathic dilated cardiomyopathy in dogs? **261**
- Elevated soluble interleukin-2 receptor in dilated cardiomyopathy: evidence of T-cell activation, **153**
- Endothelial maintenance of conduit artery distensibility is impaired in patients with dilated cardiomyopathy, **203 Pr**
- Enterovirus RNA in dilated cardiomyopathic hearts, **158**
- Heart transplantation for children with dilated cardiomyopathy, **315 Pr**
- HIV related heart muscle disease: a prognostic indicator in AIDS? **202 Pr**
- Reconstruction of early diastolic pressure field based on local E wave accelerations, **265**

Dipyridamole

- Pharmacologic variability in the timing of peak coronary flow response to dipyridamole in man, **113**
- Pharmacological stress agents for thallium scanning: a comparison of dipyridamole and dobutamine, **282 Pr**
- QTc dispersion in patients with coronary artery disease – effect of exercise, dobutamine and dipyridamole myocardial stress, **343**
- District general hospital**, Multi-purpose cardiac catheterisation laboratory in a district general hospital: audit of first 250 cases, **322 Pr**

Dobutamine

- Dobutamine stress testing with Tc-99m tetrofosmin has high diagnostic accuracy for detection of coronary heart disease, **284 Pr**
- Pharmacological stress agents for thallium scanning: a comparison of dipyridamole and dobutamine, **282 Pr**
- Phasic coronary flow velocity at rest and during stress in patients with aortic valve stenosis, **30**
- QTc dispersion in patients with coronary artery disease – effect of exercise, dobutamine and dipyridamole myocardial stress, **343**
- Regional left ventricular function during dobutamine infusion in patients with ischaemic heart disease pre and post angioplasty, **47 Pr**
- Rest thallium-201 imaging and dobutamine echocardiography accurately identify improvement in regional function following revascularisation in severe left ventricular dysfunction, **112**

Synergistic value of simultaneous stress dobutamine sestamibi SPECT and echocardiography in the detection of coronary artery disease, **108**

- Doppler tissue imaging**, Assessment of latissimus dorsi muscle function after cardiomyoplasty by Doppler tissue imaging, **334**
- Dual atrioventricular nodal conduction**, The architecture of the atrioventricular conduction axis in dogs and humans – its significance to ablation of the atrioventricular nodal approaches, **311 Pr**
- Dual sensor pacing**, Dual sensor VVIR pacing: is it worth it? **232**
- Ductus arteriosus occlusion**, A device for all lesions. The button occluder, **130**
- Dyspnoea**, Histological abnormalities of limb and respiratory muscles in heart failure, **269**

Echocardiography

- A comparison of clinical echocardiographic, radionuclide and neuro-hormonal methods in detecting left ventricular dysfunction post myocardial infarction, **111**
- A new steerable catheter using emission of ultrasounds for the in vivo determination of pressure-diameter relationship of the aorta in humans, **226**
- Absent early diastolic filling of the left ventricle: evidence for advanced incoordination of longitudinal function, **262**
- Analysis of the physiological effects of coronary artery stenoses on blood flow velocity using high frequency transthoracic echocardiography, **227**
- Are biological valves an acceptable long term alternative? The Wessex experience, **213 Pr**
- Assessment of latissimus dorsi muscle function after cardiomyoplasty by Doppler tissue imaging, **334**
- Assessment of a new miniature continuous position and orientation sensor for three-dimensional echocardiography, **274 Pr**
- Diastolic abnormalities of left ventricular subendocardial function in unstable angina, **25**
- Does papillary muscle ischaemia cause 'dynamic' mitral regurgitation? **205 Pr**
- Doppler tissue imaging and optimisation of stimulation parameters after cardiomyoplasty, **254**
- Echocardiographic features and whole body amyloid load using ¹²⁵I labelled serum amyloid P component (SAP) clearance studies, **204 Pr**
- Exercise echocardiography is the optimal non-invasive test for the prediction of coronary artery disease in women, **59 Pr**
- Exercise induced myocardial stunning: differential rates of systolic and diastolic recovery, **264**
- Quantifiable myocardial and left heart opacification in primates after intravenous injection of a new myocardial echo contrast agent, **228**
- Reconstruction of early diastolic pressure field based on local E wave accelerations, **265**
- Subclinical abnormalities of left ventricular diastolic function in young patients with myotonic dystrophy, **245 MPr**
- Synergistic value of simultaneous stress dobutamine sestamibi SPECT and echocardiography in the detection of coronary artery disease, **108**
- The implications of screening for atrial fibrillation in general practice, **102**
- EchoGen**, Quantifiable myocardial and left heart opacification in primates after intravenous injection of a new myocardial echo contrast agent, **228**
- Elastase**, Intracoronary activation of polymorphonuclear leucocytes after balloon inflation during PTCA, **326**
- Elderly**
- A case for mechanical valve prostheses in the elderly, **164**
- Age should not be a contraindication for physiological pacing, **233**
- Changing trends in pacemaker prescription in patients aged 80 and over: a single centre audit of 962 patients, **199 Pr**
- Coronary angioplasty in patients 70 years of age or older: twelve years experience, **51 Pr**
- Is incomplete revascularisation a justifiable strategy in elderly patients, **319 Pr**
- Outcome of cardiac surgery in the elderly – survival and quality of life: a prospective study, **211 Pr**
- Electrocardiography**
- Correlations between resting electrocardiographic abnormalities and ventricular long axis function in syndrome X, **65 Pr**
- Localisation of accessory pathways using the surface ECG: inaccuracy of torso positioned standard leads compared with limb leads, **309 Pr**
- Re-evaluation of normal splitting of the second heart sound in patients with left bundle branch block, **341**
- Reproducibility of QT, QTc, and QT interval dispersion measurement in healthy subjects, **342**

- The findings of admission ECG and continuous ECG monitoring independently predict in-hospital prognosis in unstable angina, 22
- The value of the 12 lead electrocardiogram at hospital admission in patients with acute pulmonary embolism, 200 Pr
- Electromechanical alternans**, Phase relationships of electromechanical alternans during acute regional ischaemia in the anaesthetised pig heart, 179 Pr
- Electroporation**, Platelet encapsulated iloprost inhibits intimal thickening following balloon angioplasty, 45 Pr
- Embolism**
- Pulmonary embolism and parenteral nutrition: an unacceptable risk? 206 Pr
- The value of the 12 lead electrocardiogram at hospital admission in patients with acute pulmonary embolism, 200 Pr
- Emergency medical services**
- Long-term results of out-of-hospital resuscitation by ambulance staff in West Yorkshire, 301 Pr
- The causative rhythm in out of hospital cardiac arrests witnessed by the emergency medical services in the Heartstart Scotland project, 300 Pr
- Endocardial electrograms**, Characteristics of real time and stored endocardial electrograms leading to therapy in patients with implantable cardioverter defibrillators, 305 Pr
- Endocarditis**, Endocarditis and human immunodeficiency virus infection, 27
- Endothelin**
- Basal release of endothelin from endocardial endothelium delays onset of myocardial relaxation, 39 Pr
- Endothelin increases protein synthesis in cardiomyocytes through activation of protein kinase C, 149
- Endothelium**
- Adenyl purines contribute to the myocardial relaxant effect of bradykinin in the intact heart, 151
- Angiotensin converting enzyme (ACE) activity: aortic and endocardial endothelium compared, 169 Pr
- Basal nitric oxide production is enhanced in patients with heart failure, 241 MPr
- Chronic hypoxia alters contractile and relaxant responses in neonatal porcine intrapulmonary arteries, 172 Pr
- Endogenous nitric oxide enhances left ventricular relaxation in the isolated heart, 40 Pr
- Endothelial dysfunction contributes to thrombogenesis in chronic atrial fibrillation, 188 Pr
- Endothelial maintenance of conduit artery distensibility is impaired in patients with dilated cardiomyopathy, 203 Pr
- Endothelium-dependent dilation in the arteries of asymptomatic subjects relates to coronary risk factors and their interaction, 144
- Endothelium-dependent dilation is impaired in the large arteries of healthy young adult type I diabetics and is related to the presence of microalbuminuria, 347
- Epicardial coronary artery diameter changes during atrial pacing are dependent on nitric oxide synthesis in patients with coronary artery disease, 180 Pr
- Evidence against systemic endothelial dysfunction in patients with microvascular angina, 6
- In normal subjects conduit artery distensibility is maintained by flow-related release of EDRF, 175 Pr
- Inhibition of myocardial crossbridge cycling and contraction by hypoxic endothelial cells: the mechanism underlying myocardial hibernation? 250
- Modulation of diastolic tone and cardiac myofilament response by endothelial cell factors, 234
- Nitric oxide-dependent coronary artery relaxation of physiologic concentrations of 17 β -estradiol, 150
- Non-insulin dependent diabetes impairs flow related increases in arterial diameter and distensibility, 348
- Non-invasive screening of flow-related endothelial function using high resolution ultrasonic vessel wall tracking, 225
- Platelet-endothelium interactions in humans: changes in platelet cyclic guanosine monophosphate content in patients with endothelial dysfunction, 350
- Platelet inhibitory effect of endothelium-derived relaxing factor in the human coronary circulation, 281 Pr
- The role of endothelium in the maintenance of low pulmonary vascular tone in normal children, 346
- Enterovirus RNA**, Enterovirus RNA in dilated cardiomyopathic hearts, 158
- Enzymes**
- Can a rapid biochemical measurement service have an effect on the efficient use of coronary care unit beds? 123
- Do biochemical measurements have a place in thrombolysis protocols? 255
- Epilepsy**, Is carotid sinus hypersensitivity masquerading as epilepsy? 303 Pr
- Errors**, Medication errors in a paediatric cardiac unit: a prospective audit, 320 Pr
- Ethnic factors**, Differences in dietary fat in whites, blacks and Asians: implications for heart disease prevention, 78 Pr
- Europe**, Trends in pacemaker implantation: is the UK the 'poor man of Europe'? 196 Pr
- Exercise**
- Changes in chronotropic response with time after cardiac transplantation, 115
- Clinical value of GP open access exercise tests, 138 MPr
- Comparison of a chest pain clinic with an open access exercise ECG service, 223
- Exercise echocardiography is the optimal non-invasive test for the prediction of coronary artery disease in women, 59 Pr
- Exercise induced hypotension in patients with autonomic dysfunction, 133 MPr
- Exercise induced white cell aggregation, 132 MPr
- Exercise test variables predicting prognosis in chronic stable angina pectoris in the Tibet study, 136 MPr
- Factors influencing interobserver agreement in stress echocardiography: comparison with exercise electrocardiography, 139 MPr
- Initiation of exercise-induced arrhythmia in patients with idiopathic ventricular tachycardia, 100
- Prognostic value of an exercise test in new patients with stable angina in the general population, 135 MPr
- Prognostic value of Holter monitoring, signal averaged electrocardiograms and exercise stress testing for early risk stratification after acute myocardial infarction, 298 Pr
- Reference values for the Bruce protocol treadmill exercise test from general population-based male and female controls, 57 Pr
- The atriopulmonary or the total cavopulmonary connection Fontan: which is better? 8
- The effect of psychological depression on functional capacity, 103
- The effect of recombinant growth hormone on cardiac structure and function in growth hormone-deficient adults, 2
- The increased ventilatory response in chronic heart failure is not due to pulmonary pathology, 314 Pr
- The role of right and left ventricular function in the ventilatory response to exercise in chronic heart failure, 240 MPr
- The skeletal muscle signal to ventilation on exercise is a function of muscle bulk used, 181 Pr
- Factor VII**, Factor VII is reduced by low-intensity anticoagulation after myocardial infarction and unstable angina, 21
- Fascicular tachycardia**, Catheter ablation for successful management of left posterior fascicular tachycardia. An approach guided by recording of fascicular potentials, 98
- Fatigue**, Impaired skeletal muscle fatigue resistance in the absence of heart failure in rats with left ventricular hypertrophy, 268
- Fetus**, Long term outlook for tachyarrhythmias detected in utero, 18 MPr
- Fibrinogen**, Plasma fibrinogen level and other risk factor profiles: association with coronary artery disease, 77 Pr
- Fibrinolysis**, Effects of captopril on endogenous fibrinolysis in men with recent myocardial infarction, 257
- Fibrinolytic activity**, The effect of locally applied tPA on the fibrinolytic activity of vein grafts, 214 Pr
- Flosequinan**, Does flosequinan improve renal, respiratory and vascular function in patients with congestive heart failure who are already treated with ACE inhibitors? 246 MPr
- Fludrocortisone**, Adverse effects of fludrocortisone in treatment of vasodepressor disorders, 183 Pr
- Fontan procedure**, The atriopulmonary or the total cavopulmonary connection Fontan: which is better?, 8
- Functional capacity**, The effect of psychological depression on functional capacity, 103
- Gadolinium**, Are there different mechanisms for stretch-induced ventricular premature contraction and fibrillation? 12 MPr
- Gap junction**
- Enhanced expression of smooth muscle cell gap junctions in the developing atherosclerotic plaque, 1
- Increased expression of connexin43 cap-junctional membrane by cardiac myocytes in early renovascular hypertension, 69 Pr
- Myocardial gap junctions in the arrhythmogenic border zone of early canine infarcts, 19 MPr
- Gene expression**, Gene expression in rat vascular smooth muscle cell lesions, 173 Pr

- Gene transfer**, Enhanced nitric oxide (NO) production after *in vivo* transfer of endothelial-type NO synthase gene into balloon-injured rat carotid arteries, 145
- General practitioner**
An open access Holter service, 224
Are general practitioners ready for prehospital thrombolysis? 122
Clinical value of GP open access exercise tests, 138 MPr
Comparison of a chest pain clinic with an open access exercise ECG service, 223
- Genetic locus**, Analysis of genetic locus heterogeneity in hypertrophic cardiomyopathy, 154
A locus for familial dilated cardiomyopathy, 249
- Genotype**, Modulation of coronary heart disease risk by apolipoprotein E genotype, 280 Pr
- GR144053**, Enhanced platelet activation *in vitro* in refractory unstable angina: inhibition by GR144053, a fibrinogen receptor antagonist, 275 Pr
- Growth hormone**, The effect of recombinant growth hormone on cardiac structure and function in growth hormone-deficient adults, 2
- Haemodynamics**, The true 'optimal rate' an individual parameter, 306 Pr
- Haemostasis**, Activation of haemostatic mechanisms and stability of reperfusion following streptokinase in acute myocardial infarction, 290 Pr
- Heart failure**
Aldosterone blockade induces magnesium retention and reduces ventricular arrhythmias in heart failure, 17 MPr
Alveolar-capillary membrane conductance can predict maximal exercise oxygen uptake in patients with left ventricular dysfunction, 89 Pr
Basal nitric oxide production is enhanced in patients with heart failure, 241 MPr
Circulating levels of C-type natriuretic peptide in patients with left ventricular dysfunction and hypoxaemic pulmonary heart disease, 242 MPr
Effect of vagal stimulation by transdermal scopolamine on exercise performance and R-R interval variability in patients with chronic heart failure, A9
Evidence for inadequate investigation and treatment of patients with heart failure, 247 MPr
Histological abnormalities of limb and respiratory muscles in heart failure, 269
Impaired ventricles?: aim for the septum and not the apex, 230
Insulin resistance in chronic heart failure: relationship to severity and aetiology of the heart failure, 267
Myocardial β -adrenoceptors and systolic function in hypertrophic cardiomyopathy, 71 Pr
QT dispersion: a predictor of sudden, unexplained death in congestive cardiac failure, 344
Reduced contraction of isolated cardiac myocytes in human heart failure, 239
Severity of human heart failure correlates with myocardial sarcoplasmic reticulum dysfunction, 238
Skeletal muscle and total body fat in chronic heart failure: relationship with tumour necrosis factor and severity of heart failure, 243 MPr
The effect of dietary creatine supplementation on skeletal muscle metabolism in congestive heart failure, 270
The increased ventilatory response in chronic heart failure is not due to pulmonary pathology, 314 Pr
The prevalence of heart failure estimated from prescription data, 107
The prognostic importance of abnormal liver function tests in chronic heart failure, 4
The role of right and left ventricular function in the ventilatory response to exercise in chronic heart failure, 240 MPr
Very low frequency peaks in power spectra of respiratory, heart rate and blood pressure in chronic heart failure, 272
- Heart rate variability**
Assessment of heart rate variability immediately before the onset of spontaneous idiopathic ventricular tachycardia, 99
Disturbed autonomic function six months after acute myocardial infarction complicated by left ventricular failure as indicated by reduced heart rate variability, 339
The effect of stretch on the sinoatrial node – a physiological mechanism contributing to heart rate variability? 310 Pr
- Heat stress**, The effects of heat stress on cardiac antioxidants and resistance to oxidant stress, 41 Pr
- Heparin**, Subcutaneous heparin and angioplasty restenosis prevention: results of a multicentre randomised trial evaluating unfractionated heparin, 93
- HIV**
Endocarditis and human immunodeficiency virus infection, 27
HIV related heart muscle disease: a prognostic indicator in AIDS? 202 Pr
- HLA**, Heart transplant rejection correlates strongly with HLA mismatch, 330
- Holter monitoring**
An open access Holter service, 224
Modes of spontaneous initiation of atrial fibrillation, 195 Pr
Prognostic significance and reliability of serial Holter monitoring compared to exercise stress testing for the detection of ST-segment depression after myocardial infarction, 137 MPr
Prognostic value of Holter monitoring, signal averaged electrocardiograms and exercise stress testing for early risk stratification after acute myocardial infarction, 298 Pr
ST segment depression during ambulatory electrocardiographic monitoring in patients with hypertrophic cardiomyopathy, 73 Pr
- Hormones**, Estradiol-17 β increases forearm blood flow in menopausal women. A double blind randomized study, 349
- Hospital/non-hospital mortality**, Mortality from ischaemic heart disease (IHD) outside and inside hospital: the Brighton heart attack study, 106
- Hypercholesterolaemia**
Hypercholesterolemia impairs endothelial-dependent relaxation in the human coronary microcirculation, 152
Non-invasive screening of flow-related endothelial function using high resolution ultrasonic vessel wall tracking, 225
- Hyperinsulinaemia**, Reduced physical activity in young South Asian males: a factor in their future development of hyperinsulinaemia, 82 Pr
- Hyperlipidaemia**, Treatment of hyperlipidaemia after cardiac transplantation, 331
- Hyperplasia**
Inhibition of intimal hyperplasia by photodynamic therapy in the rat carotid model of angioplasty restenosis, 44 Pr
Prevention of human vascular cell proliferation by antisense oligonucleotides to c-myc mRNA, 217
Reduction in platelet deposition and intimal hyperplasia following arterial injury using a locally delivered targeted antiplatelet agent, B2
The effect of ACE inhibition on vein graft hyperplasia, 166 Pr
The effect of locally applied tPA on the fibrinolytic activity of vein grafts, 214 Pr
- Hypertension**
Aggressive coronary risk factor modification can reduce cardiovascular mortality in the primary care setting: a prospective twelve year intervention study in a practice of 7,500 patients, 80 Pr
Ambulatory blood pressure monitoring for 24 or 48 hours? 201 Pr
Effect of L- and D-arginine on the forearm acetylcholine response in untreated essential hypertension. Can excess substrate stimulate nitric oxide production? 184 Pr
Left ventricular collagen content and lisinopril therapy: is regression of left ventricular hypertrophy really beneficial? 148
- Hyperthyroidism**, Hyperthyroidism and the cardiovascular system, 3
- Hypertriglyceridemia**, Hypertriglyceridemia is an independent predictive factor of rapid angiographic stenosis progression, 278 Pr
- Hypertrophic cardiomyopathy**
Analysis of genetic locus heterogeneity in hypertrophic cardiomyopathy, 154
Does verapamil favourably alter myocardial blood flow distribution in hypertrophic cardiomyopathy? 72 Pr
Exercise blood pressure response in young patients with hypertrophic cardiomyopathy, 134 MPr
Increased inhomogeneity of intraventricular conduction in hypertrophic cardiomyopathy is associated with risk of sudden death. Results in 104 patients, 14 MPr
ST segment depression during ambulatory electrocardiographic monitoring in patients with hypertrophic cardiomyopathy, 73 Pr
- Hypertrophy**
Comparative effects of an ACE-inhibitor and a calcium channel antagonist in translational and transcriptional events of the regressed myocardium, 74 Pr
Coronary flow reserve in primary and secondary left ventricular hypertrophy, 70 Pr
Increased expression of connexin43 cap-junctional membrane by cardiac myocytes in early renovascular hypertension, 69 Pr
Ischaemic preconditioning protects hypertrophied myocardium, 68 Pr
Proto-oncogene induction by pressure and angiotensin II in the isolated working rat heart, 75 Pr
- Hypoplastic left heart syndrome**, Hypoplastic left heart syndrome: early results following the introduction of a modification of the Norwood protocol, 9

- Hypotension**, Exercise induced hypotension in patients with autonomic dysfunction, 133 MP
- Hypothyroidism**, The effects of hypothyroidism on the vulnerability to ventricular fibrillation in dogs, 16 MP
- Hypoxia**
 Chronic hypoxia alters contractile and relaxant responses in neonatal porcine intrapulmonary arteries, 172 Pr
 Inhibition of myocardial crossbridge cycling and contraction by hypoxic endothelial cells: the mechanism underlying myocardial hibernation?, 250
- Iloprost**
 Both sodium nitroprusside and iloprost prevent the electrophysiological effects of platelet activation during myocardial ischaemia, 273 Pr
 Platelet encapsulated iloprost inhibits intimal thickening following balloon angioplasty, 45 Pr
- In situ hybridisation**, Neointima formation *in vitro* – an intimal to medial gradient of PDGF messenger RNA expression detected by *in situ* hybridisation, 218
- Incoordination**, The effects of incoordinate tension development on left ventricular systolic function in aortic stenosis, 31
- Infarct size**, The effect of intravenous nitrate on infarct size: evidence of benefit in small but not large infarcts, 260
- Infection**
 Antibiotic prophylaxis reduces re-operation rate for infective complications following permanent pacemaker implantation: a prospective randomised trial, 229
 Early complications after dual chamber versus single chamber pacemaker implantation, 197 Pr
- Innervation**, Immunohistochemical localisation of the innervation in the cardiac conduction system of man, pig, cow and guinea pig: a comparative study, 186 Pr
- Inoue balloon**, Long-term follow-up after percutaneous mitral commissurotomy with the Inoue balloon, 26
- Inoue balloon catheter**, Retrograde nontransseptal balloon mitral valvuloplasty using the Inoue balloon catheter, 329
- Insulin**
 Plasma insulin and insulin propeptides in young male survivors of myocardial infarction, 58 Pr
 Reduced physical activity in young South Asian males: a factor in their future development of hyperinsulinaemia, 82 Pr
- Insulin resistance**
 Insulin resistance in chronic heart failure: relationship to severity and aetiology of the heart failure, 267
 Partial expression of the insulin resistance syndrome in postmenopausal women with syndrome X, 5
- Intensive care**, Quality of survival at three and six months in long term cardiac surgical intensive care patients, 212 Pr
 Predicting outcome after cardiac surgery using physiological variables, 160
- Interleukin-2 receptor**, Elevated soluble interleukin-2 receptor in dilated cardiomyopathy: evidence of T-cell activation, 153
- Internal mammary artery**
 Non-invasive assessment of left anterior descending coronary artery blood flow following grafting with the internal mammary artery conduit, 161
 Single versus bilateral internal mammary artery grafting using the free right internal mammary artery, a comparison of early mortality and morbidity, 163
 The effect of systemic vasodilators on internal mammary artery flow: implications for postoperative treatment after myocardial revascularisation, 215 Pr
- Interobserver variability**, Factors influencing interobserver agreement in stress echocardiography: comparison with exercise electrocardiography, 139 MP
- Intervention programmes**
 A comparison of cholesterol versus no cholesterol testing in a cardiovascular screening and lifestyle intervention programme, 79 Pr
 Cardiovascular risk factor changes following lifestyle intervention in families, 85 Pr
 Perceived health status in the Randomised Intervention Treatment of Angina (RITA) trial, 87 Pr
 The British Family Heart Study: principal results of a randomised controlled trial of cardiovascular screening and lifestyle intervention in primary care, 104
- Interventional cardiology**, Intra-coronary stenting: is it worthwhile?, 325
- Intracoronary adenosine**, Intracoronary adenosine causes chest pain in patients after cardiac transplantation, 116
- Intracoronary drug delivery**, Early clinical experience with a combined coronary angioplasty and intra-luminal drug delivery device, 53 Pr
- Ischaemia**
 Action potential shortening during ischaemia is not due to intracellular acidosis, 185 Pr
 Both sodium nitroprusside and iloprost prevent the electrophysiological effects of platelet activation during myocardial ischaemia, 273 Pr
 Does depletion of endogenous catecholamines play a role in the mechanism of ischaemic preconditioning? 67 Pr
 Ischaemic changes during coronary angioplasty using perfusion and standard balloon catheters, 49 Pr
 Phase relationships of electromechanical alternans during acute regional ischaemia in the anaesthetised pig heart, 179 Pr
- Ischaemic heart disease**
 Clinical value of GP open access exercise tests, 138 MP
 Increased monocyte tissue factor expression in ischaemic heart disease, 167 Pr
 Ischaemic heart disease in diabetes, prevalence and the major risk factors: a study of twins, 277 Pr
 Mortality from ischaemic heart disease (IHD) outside and inside hospital: the Brighton heart attack study, 106
 Radiotherapy and cardiovascular morbidity? 86 Pr
 Regional left ventricular function during dobutamine infusion in patients with ischaemic heart disease pre and post angioplasty, 47 Pr
- Isomerism**, Left ventricular structures in atrioventricular septal defect with right isomerism compared to similar features with usual atrial arrangement, 207 Pr
- Jugular route**, Survey of venous access for temporary pacing in the UK, 125
- Late potentials**, The signal-averaged electrocardiogram after thrombolysis for acute myocardial infarction, 292 Pr
- Left anterior descending coronary artery**
 Analysis of the physiological effects of coronary artery stenoses on blood flow velocity using high frequency transthoracic echocardiography, 227
 Non-invasive assessment of left anterior descending coronary artery blood flow following grafting with the internal mammary artery conduit, 161
- Left bundle branch block**, Re-evaluation of normal splitting of the second heart sound in patients with left bundle branch block, 341
- Left ventricular dysfunction**
 Absent early diastolic filling of the left ventricle: evidence for advanced incoordination of longitudinal function, 262
 Aortic valve replacement in patients with aortic stenosis and severe left ventricular dysfunction: prognostic indicators, 29
 Circulating levels of C-type natriuretic peptide in patients with left ventricular dysfunction and hypoxaemic pulmonary heart disease, 242 MP
 Fluid loading causes impairment of gas transfer at the alveolar-capillary membrane in patients with asymptomatic left ventricular dysfunction, 312 Pr
 Important considerations in the assessment of LVEF in order to correctly assign patients with LV dysfunction to ACEI therapy, 271
 Rest thallium-201 imaging and dobutamine echocardiography accurately identify improvement in regional function following revascularisation in severe left ventricular dysfunction, 112
- Left ventricular ejection fraction**, Clinical assessment of 'cardioprotection' as a prognostic guide to the management of coronary artery disease, 285 Pr
- Left ventricular function**
 A comparison of clinical echocardiographic, radionuclide and neuro-hormonal methods in detecting left ventricular dysfunction post myocardial infarction, 111
 A validation study on the reconstructed left ventricular pressure from Doppler signals of functional mitral regurgitation, 266
 Comparison of left ventricular performance immediately after aortic valve replacement using crystalloid or blood cardioplegia, 251
 Early left ventricular function in thrombolysed patients with acute myocardial infarction – correlation with the ST segment, 258
 The effect of recombinant growth hormone on cardiac structure and function in growth hormone-deficient adults, 2
 The effects of incoordinate tension development on left ventricular systolic function in aortic stenosis, 31
- Left ventricular hypertrophy**
 Complex ventricular arrhythmias in elite athletes, 101
 Impaired skeletal muscle fatigue resistance in the absence of heart failure in rats with left ventricular hypertrophy, 268

- Left ventricular collagen content and lisinopril therapy: is regression of left ventricular hypertrophy really beneficial? 148
- Training duration correlates with an increase in minimal coronary resistance in athletes with training-induced left ventricular hypertrophy, 140 MPr
- Left ventricular long axis function**, Correlations between resting electrocardiographic abnormalities and ventricular long axis function in syndrome X, 65 Pr
- Left ventricular mass index**, Hyperthyroidism and the cardiovascular system, 3
- Left ventricular relaxation**, Nitric oxide induces earlier onset of left ventricular relaxation and reduces diastolic stiffness in man, 176 Pr
- Left ventricular subendocardial function**, Diastolic abnormalities of left ventricular subendocardial function in unstable angina, 25
- Lipids**, Lipoprotein A, lipids and coronary artery disease after cardiac transplantation, 333
- Lipoprotein (a)**, Lipoprotein A, lipids and coronary artery disease after cardiac transplantation, 333
- Lisinopril**
- Comparative effects of an ACE-inhibitor and a calcium channel antagonist in translational and transcriptional events of the regressed myocardium, 74 Pr
- Left ventricular collagen content and lisinopril therapy: is regression of left ventricular hypertrophy really beneficial? 148
- Liver function tests**, The prognostic importance of abnormal liver function tests in chronic heart failure, 4
- Loading, myocardial**, Load induced electromechanical alternans in the anaesthetised pig heart, 177 Pr
- Local drug delivery**, Local drug delivery in porcine coronary arteries using a new balloon catheter allowing prolonged inflation, 170 Pr
- Low density lipoprotein**
- Endothelial cell protein kinase C is differentially activated by oxidised low density lipoprotein and lysophosphatidyl choline, 220
- Monocyte adhesion to human coronary artery smooth muscle and endothelial cells: the role of modified LDL, C7
- Lysophosphatidyl choline**, Endothelial cell protein kinase C is differentially activated by oxidised low density lipoprotein and lysophosphatidyl choline, 220
- Magnesium retention**, Aldosterone blockade induces magnesium retention and reduces ventricular arrhythmias in heart failure, 17 MPr
- Magnetic resonance imaging**
- Coronary artery stenosis: localisation and assessment of severity by magnetic resonance imaging, 142
- Duration of scleroderma correlates with left ventricular mass and impaired early diastolic function, 244 MPr
- Regional left ventricular function during dobutamine infusion in patients with ischaemic heart disease pre and post angioplasty, 47 Pr
- Mahaim tachycardias**, Radiofrequency catheter ablation in patients with 'Mahaim' tachycardias, 308 Pr
- Maze operation**, Maze 3 (for atrial fibrillation): two cuts too few?, 159
- Mechanoelectrical alternans**, Load induced electromechanical alternans in the anaesthetised pig heart, 177 Pr
- Mechanoelectrical feedback**
- Are there different mechanisms for stretch-induced ventricular premature contraction and fibrillation? 12 MPr
- β_1 adrenergic stimulation produces potentially arrhythmogenic increases in the expression of mechanoelectric feedback and changes in the electrical restitution curve, 13 MPr
- Medication errors**, Medication errors in a paediatric cardiac unit: a prospective audit, 320 Pr
- Membrane currents**, Phospholemman chloride currents are increased by co-injection of protein kinase A mRNA in xenopus oocytes, 43 Pr
- Metalloproteinase**, Upregulation of basement-membrane-degrading metalloproteinases by balloon angioplasty in pigs, 219
- Microalbuminuria**, Endothelium-dependent dilation is impaired in the large arteries of healthy young adult type I diabetics and is related to the presence of microalbuminuria, 347
- Microcirculation**
- Hypercholesterolemia impairs endothelial-dependent relaxation in the human coronary microcirculation, 152
- Impact of atrial fibrillation on peripheral microcirculatory haemodynamics, 338
- Microvascular angina**, Evidence against systemic endothelial dysfunction in patients with microvascular angina, 6
- Microvascular injury**, Microvascular injury and myocardial stunning occur independently after infarction, 259
- Mitral regurgitation**
- A validation study on the reconstructed left ventricular pressure from Doppler signals of functional mitral regurgitation, 266
- Does papillary muscle ischaemia cause 'dynamic' mitral regurgitation? 205 Pr
- Mitral stenosis**
- Pulmonary mechanics and gas exchange following successful balloon mitral valvotomy, 328
- Retrograde nontransseptal balloon mitral valvuloplasty using the Inoue balloon catheter, 329
- Mitral valve**, Long-term follow-up after percutaneous mitral commissurotomy with the Inoue balloon, 26
- Mitral valvotomy**, Acute improvement in perfusion ventilation matching following percutaneous mitral valvotomy, 88 Pr
- Monitoring**, If nothing goes wrong, is everything all right? Sequential monitoring of the results of treatment, 210 Pr
- Monocyte adhesion**, Monocyte adhesion to human coronary artery smooth muscle and endothelial cells: the role of modified LDL, C7
- Monocytes**, Increased monocyte tissue factor expression in ischaemic heart disease, 167 Pr
- Mortality**
- A changing pattern of cause of death in myocardial infarction: thrombolysis alone may not prevent ventricular rupture, 288 Pr
- Reduced mortality associated with faster initiation of thrombolysis for patients with acute myocardial infarction treated in the accident and emergency department, 289 Pr
- Myocardial blood flow**, Does verapamil favourably alter myocardial blood flow distribution in hypertrophic cardiomyopathy? 72 Pr
- Myocardial contraction**
- Basal release of endothelin from endocardial endothelium delays onset of myocardial relaxation, 39 Pr
- Modulation of diastolic tone and cardiac myofilament response by endothelial cell factors, 234
- Nitric oxide induces earlier onset of left ventricular relaxation and reduces diastolic stiffness in man, 176 Pr
- Myocardial hibernation**, Inhibition of myocardial crossbridge cycling and contraction by hypoxic endothelial cells: the mechanism underlying myocardial hibernation? 250
- Myocardial infarction**
- A changing pattern of cause of death in myocardial infarction: thrombolysis alone may not prevent ventricular rupture, 288 Pr
- A comparison of clinical echocardiographic, radionuclide and neuro-hormonal methods in detecting left ventricular dysfunction post myocardial infarction, 111
- A novel method of experimental bradycardia applied to hearts with myocardial infarction: effects on capillary supply, 189 Pr
- Accelerated streptokinase in acute myocardial infarction, 256
- Activation of haemostatic mechanisms and stability of reperfusion following streptokinase in acute myocardial infarction, 290 Pr
- Acute myocardial infarction and thrombolysis - value of bedside myoglobin kit in diagnosis and assessment, 295 Pr
- Are women with acute myocardial infarction treated as well as men? 60 Pr
- Case fatality in Asians after acute myocardial infarction, 105
- Consecutive patients aged 55 years or less with acute myocardial infarction (MI) before routine thrombolysis: outcome at 7 years and beyond, 293 Pr
- Disturbed autonomic function six months after acute myocardial infarction complicated by left ventricular failure as indicated by reduced heart rate variability, 339
- Early left ventricular function in thrombolysed patients with acute myocardial infarction - correlation with the ST segment, 258
- Effects of captopril on endogenous fibrinolysis in men with recent myocardial infarction, 257
- Factor VII is reduced by low-intensity anticoagulation after myocardial infarction and unstable angina, 21
- Failure of case fatality from myocardial infarction in the Glasgow MONICA population to change with changing medication 1985-91, 296 Pr
- Infarction-free survival in unstable angina: long-term follow-up of 544 patients, 20
- Ischaemic preconditioning protects hypertrophied myocardium, 68 Pr
- Long-term results of out-of-hospital resuscitation by ambulance staff in West Yorkshire, 301 Pr
- Multifactorial prediction of early arrhythmic events and early mortality in survivors of acute myocardial infarction, 194 Pr
- Myocardial gap junctions in the arrhythmogenic border zone of early canine infarcts, 19 MPr
- Pathophysiology of transient myocardial ischaemia in unstable angina and non-Q myocardial infarction, 24
- Plasma insulin and insulin propeptides in young male survivors of myocardial infarction, 58 Pr
- Prognostic significance and reliability of serial Holter monitoring compared to exercise stress testing for the detection of ST-segment depression after myocardial infarction, 137 MPr

- Prognostic value of Holter monitoring, signal averaged electrocardiograms and exercise stress testing for early risk stratification after acute myocardial infarction, **298 Pr**
- Provision of thrombolytic therapy for patients with previous infarction, **121**
- Reduced mortality associated with faster initiation of thrombolysis for patients with acute myocardial infarction treated in the accident and emergency department, **289 Pr**
- Relationship between haemodynamic and neurohumoral variables after myocardial infarction and subsequent ventricular remodelling, **182 Pr**
- Reverse redistribution on thallium-201 imaging in post-myocardial infarction suggests successful thrombolysis, **110**
- Significance of TIMI grade flow in determining the patency of the infarct-related artery and its relation to clinical outcome, **294 Pr**
- ST elevation as a marker of prognosis in acute myocardial infarction, **297 Pr**
- The effect of intravenous nitrate on infarct size: evidence of benefit in small but not large infarcts, **260**
- The relative saving-of-life by resuscitation and thrombolysis in acute myocardial infarction, **299 Pr**
- The signal-averaged electrocardiogram after thrombolysis for acute myocardial infarction, **292 Pr**
- Value of instantaneous creatine kinase-MB in patients with suspected myocardial infarction, **124**
- Weight change and risk of myocardial infarction in middle-aged British men, **81 Pr**
- What proportion of patients with acute myocardial infarction should receive thrombolytic therapy? **120**
- 'Who dies from a heart attack' – factors influencing case-fatality in myocardial infarction, **83 Pr**
- Myocardial ischaemia**, Myocardial ischaemia in asymptomatic type I diabetic patients with autonomic neuropathy, **276 Pr**
- Myocardial preservation**, Comparison of left ventricular performance immediately after aortic valve replacement using crystalloid or blood cardioplegia, **251**
- Myocardial relaxation**
- Adenyl purines contribute to the myocardial relaxant effect of bradykinin in the intact heart, **151**
- Captopril enhances left ventricular relaxation via endogenous bradykinin, **236**
- Myocardial stunning**
- Exercise induced myocardial stunning: differential rates of systolic and diastolic recovery, **264**
- Microvascular injury and myocardial stunning occur independently after infarction, **259**
- Myocytes**
- A functional role for proto-oncogene proteins in neonatal cardiac myocytes, **147**
- Reduced contraction of isolated cardiac myocytes in human heart failure, **239**
- Myoglobin**, Acute myocardial infarction and thrombolysis – value of bedside myoglobin kit in diagnosis and assessment, **295 Pr**
- Myotonic dystrophy**, Subclinical abnormalities of left ventricular diastolic function in young patients with myotonic dystrophy, **245 MP**
- Natriuretic peptides**, Circulating levels of C-type natriuretic peptide in patients with left ventricular dysfunction and hypoxaemic pulmonary heart disease, **242 MP**
- Neointima**, Neointima formation *in vitro* – an intimal to medial gradient of PDGF messenger RNA expression detected by *in situ* hybridisation, **218**
- Neurohormones**, Relationship between haemodynamic and neurohumoral variables after myocardial infarction and subsequent ventricular remodelling, **182 Pr**
- Neutrophils**
- Effect of modification of the cyclooxygenase pathway on plasma-mediated stimulation of neutrophil CD18 adhesion molecule expression during reperfusion, **291 Pr**
- Intracoronary activation of polymorphonuclear leucocytes after balloon inflation during PTCA, **326**
- Nitrates**, The effect of intravenous nitrate on infarct size: evidence of benefit in small but not large infarcts, **260**
- Nitric oxide**
- Basal nitric oxide production is enhanced in patients with heart failure, **241 MP**
- Effect of L- and D-arginine on the forearm acetylcholine response in untreated essential hypertension. Can excess substrate stimulate nitric oxide production? **184 Pr**
- Endogenous nitric oxide enhances left ventricular relaxation in the isolated heart, **40 Pr**
- Enhanced nitric oxide (NO) production after *in vivo* transfer of endothelial-type NO synthase gene into balloon-injured rat carotid arteries, **145**
- Epicardial coronary artery diameter changes during atrial pacing are dependent on nitric oxide synthesis in patients with coronary artery disease, **180 Pr**
- G-protein linked phospholipase C (PLC) isoforms in vascular smooth muscle (VSM), **174 Pr**
- Nitric oxide-dependent coronary artery relaxation of physiologic concentrations of 17 β -estradiol, **150**
- Nitric oxide induces earlier onset of left ventricular relaxation and reduces diastolic stiffness in man, **176 Pr**
- Nitric oxide is a potent arterial duct dilator in neonatal lambs, **208 Pr**
- Nitric oxide reduces contractility of isolated human myocardium, **235**
- Nitric oxide synthase induction and cardiac transplant rejection, **237**
- Norwood protocol**, Hypoplastic left heart syndrome: early results following the introduction of a modification of the Norwood protocol, **9**
- Nuclear magnetic resonance spectroscopy**
- Action potential shortening during ischaemia is not due to intracellular acidosis, **185 Pr**
- Membrane-bound carbonic anhydrase and cardiac pH regulation, **38 Pr**
- Oedema**, Impact of atrial fibrillation on peripheral microcirculatory haemodynamics, **338**
- Oestradiol-17 β** , Estradiol-17 β increases forearm blood flow in menopausal women. A double blind randomized study, **349**
- Oestrogen**
- Human coronary arterial relaxation by 17 β -estradiol is endothelium-independent, **171 Pr**
- Nitric oxide-dependent coronary artery relaxation of physiologic concentrations of 17 β -estradiol, **150**
- Reduced frequency of chest pain in response to 17 β -oestradiol in women with syndrome X, **63 Pr**
- Offspring**, A comparison of risk factors in South Asian and Northern European coronary artery disease patients and their young male offspring, **84 Pr**
- Optimal rate**, The true 'optimal rate' an individual parameter, **306 Pr**
- Out of hospital**
- Admission serum potassium level and in-hospital mortality after out-of-hospital cardiac arrest, **302 Pr**
- Long-term results of out-of-hospital resuscitation by ambulance staff in West Yorkshire, **301 Pr**
- The causative rhythm in out of hospital cardiac arrests witnessed by the emergency medical services in the Heartstart Scotland project, **300 Pr**
- Oxidant stress**, The effects of heat stress on cardiac antioxidants and resistance to oxidant stress, **41 Pr**
- P wave**, Improved prediction of paroxysmal atrial fibrillation by analysis of multiple signal averaged P wave variables, **15 MP**
- Pacing (pacemaker)**
- A new pacing algorithm for the suppression of atrial fibrillation, **32**
- Acute and early complications of permanent pacing: a prospective audit of 926 consecutive patients from a UK centre, **198 Pr**
- Age should not be a contraindication for physiological pacing, **233**
- Antibiotic prophylaxis reduces re-operation rate for infective complications following permanent pacemaker implantation: a prospective randomised trial, **229**
- Assessment of latissimus dorsi muscle function after cardiomyoplasty by Doppler tissue imaging, **334**
- Changing trends in pacemaker prescription in patients aged 80 and over: a single centre audit of 962 patients, **199 Pr**
- Doppler tissue imaging and optimisation of stimulation parameters after cardiomyoplasty, **254**
- Dual sensor VVIR pacing: is it worth it? **232**
- Early complications after dual chamber versus single chamber pacemaker implantation, **197 Pr**
- Early experience with single pass lead VDDR pacing systems, **304 Pr**
- Emergency transvenous cardiac pacing 1983-1993: implications for training, **231**
- Epicardial coronary artery diameter changes during atrial pacing are dependent on nitric oxide synthesis in patients with coronary artery disease, **180 Pr**
- Prediction of long term pacing requirements in recipients with early sinus node dysfunction after heart transplantation, **119**
- Survey of venous access for temporary pacing in the UK, **125**
- The true 'optimal rate' an individual parameter, **306 Pr**
- Trends in pacemaker implantation: is the UK the 'poor man of Europe'? **196 Pr**

- Paroxysmal atrial fibrillation**, Improved prediction of paroxysmal atrial fibrillation by analysis of multiple signal averaged P wave variables, 15 MP
- Percutaneous mitral commissurotomy**, Long-term follow-up after percutaneous mitral commissurotomy with the Inoue balloon, 26
- Percutaneous transluminal coronary angioplasty**
A quantitative angiographic analysis of restenosis following successful coronary angioplasty of total occlusions, 91
Balloon dilatation of unoperated coarctation of the aorta, 127
Comparison of clinical outcome after elective and 'bail out' coronary stent insertion, 50 Pr
Coronary angioplasty and coronary surgery in the management of multivessel symptomatic coronary disease: outcomes at 1 year following randomisation in the CABRI trial, 92
Coronary angioplasty in patients 70 years of age or older: twelve years experience, 51 Pr
Coronary angioplasty versus coronary artery bypass surgery: cost analysis based on the Randomised Intervention Treatment of Angina (RITA) trial, 95
Does papillary muscle ischaemia cause 'dynamic' mitral regurgitation? 205 Pr
Early clinical experience with a combined coronary angioplasty and intra-luminal drug delivery device, 53 Pr
Elective coronary artery stenting via left brachial arteriotomy: a feasibility study, 324
Feasibility of daycase coronary angioplasty, 55 Pr
Gene expression in rat vascular smooth muscle cell lesions, 173 Pr
Identification of high risk patients awaiting routine coronary intervention, 54 Pr
Inhibition of intimal thickening following balloon angioplasty by a combined thromboxane A2 synthase inhibitor and receptor antagonist, 46 Pr
Intra-coronary stenting: is it worthwhile? 325
Intracoronary activation of polymorphonuclear leucocytes after balloon inflation during PTCA, 326
Is incomplete revascularisation a justifiable strategy in elderly patients, 319 Pr
Ischaemic changes during coronary angioplasty using perfusion and standard balloon catheters, 49 Pr
Local drug delivery in porcine coronary arteries using a new balloon catheter allowing prolonged inflation, 170 Pr
Longterm follow-up of patients with unstable angina treated with immediate PTCA, 90
Mater Hospital percutaneous transluminal coronary angioplasty (PTCA) registry: immediate results in first 754 consecutive and long-term outcome in first 500 consecutive patients, 48 Pr
Perceived chest symptoms after angioplasty, 52 Pr
Perceived health status in the Randomised Intervention Treatment of Angina (RITA) trial, 87 Pr
Platelet encapsulated iloprost inhibits intimal thickening following balloon angioplasty, 45 Pr
Progression of 'target' and 'non-target' coronary artery stenoses in patients awaiting coronary angioplasty, 56 Pr
Quality of life following coronary revascularisation procedures, 316 Pr
Results of the Benestent study, 94
Subcutaneous heparin and angioplasty restenosis prevention: results of a multicentre randomised trial evaluating unfractionated heparin, 93
Therapeutic ultrasonic coronary angioplasty: early clinical and angiographic results in single vessel disease, 327
Upregulation of basement-membrane-degrading metalloproteinases by balloon angioplasty in pigs, 219
Vascular responses to balloon catheter-induced injury in the TGR(mRen-2)^d27 rat, 216
Vibrational angioplasty. A new approach to recanalise chronic totally occluded coronary arteries, 143
- Perfusion**, Ischaemic changes during coronary angioplasty using perfusion and standard balloon catheters, 49 Pr
- Peripheral circulation**, Evidence against systemic endothelial dysfunction in patients with microvascular angina, 6
- pH regulation**, Membrane-bound carbonic anhydrase and cardiac pH regulation, 38 Pr
- Phospholipase C**, G-protein linked phospholipase C (PLC) isoforms in vascular smooth muscle (VSM), 174 Pr
- Phosphorylation**, Phospholemman chloride currents are increased by co-injection of protein kinase A mRNA in xenopus oocytes, 43 Pr
- Photodynamic therapy**, Inhibition of intimal hyperplasia by photodynamic therapy in the rat carotid model of angioplasty restenosis, 44 Pr
- Physical activity**, Reduced physical activity in young South Asian males: a factor in their future development of hyperinsulinaemia, 82 Pr
- Plaques**
Influence of dietary fatty acids on the composition of human aortic plaques, 165 Pr
The natural history of clinically stable coronary artery disease is commonly interrupted by thrombotic plaque events, 286 Pr
- Platelet-derived growth factor**, Neointima formation *in vitro* – an intimal to medial gradient of PDGF messenger RNA expression detected by *in situ* hybridisation, 218
- Platelet(s)**
Both sodium nitroprusside and iloprost prevent the electrophysiological effects of platelet activation during myocardial ischaemia, 273 Pr
Diabetics with peripheral vascular disease have an increased mean platelet volume, platelet count and megakaryocyte ploidy, 178 Pr
Enhanced platelet activation *in vitro* in refractory unstable angina: inhibition by GR144053, a fibrinogen receptor antagonist, 275 Pr
Inhibition of intimal thickening following balloon angioplasty by a combined thromboxane A2 synthase inhibitor and receptor antagonist, 46 Pr
Platelet-endothelium interactions in humans: changes in platelet cyclic guanosine monophosphate content in patients with endothelial dysfunction, 350
Platelet inhibitory effect of endothelium-derived relaxing factor in the human coronary circulation, 281 Pr
Reduction in platelet deposition and intimal hyperplasia following arterial injury using a locally delivered targeted antiplatelet agent, B2
The unique haemostatic defect in aortic valve stenosis, 28
- Polymerase chain reaction**, Enterovirus RNA in dilated cardiomyopathic hearts, 158
- Positron emission tomography**
Coronary flow reserve in primary and secondary left ventricular hypertrophy, 70 Pr
Myocardial β -adrenoceptors and systolic function in hypertrophic cardiomyopathy, 71 Pr
Regional brain activation in angina pectoris, 287 Pr
- Post mortem**, The value of post mortem examination in early deaths after cardiac surgery, 318 Pr
- Potassium**
Adenosine increases potassium conductance in isolated rabbit atrio-ventricular nodal myocytes, 187 Pr
Admission serum potassium level and in-hospital mortality after out-of-hospital cardiac arrest, 302 Pr
- Pravastatin**, Treatment of hyperlipidaemia after cardiac transplantation, 331
- Pre-pectoral implantation**, Role of prepectoral implantation of transvenous cardioverter defibrillators, 307 Pr
- Preconditioning**
Does depletion of endogenous catecholamines play a role in the mechanism of ischaemic preconditioning? 67 Pr
Ischaemic preconditioning protects hypertrophied myocardium, 68 Pr
Preconditioning in human isolated muscle, D11
- Pregnancy**, Trends in the use of bioprosthetic and mechanical heart valves in young women: the UK Heart Valve Registry 1986-1992, 61 Pr
- Prescribing**, The prevalence of heart failure estimated from prescription data, 107
- Pressure-diameter relationship**, A new steerable catheter using emission of ultrasounds for the *in vivo* determination of pressure-diameter relationship of the aorta in humans, 226
- Proinsulin**, Plasma insulin and insulin propeptides in young male survivors of myocardial infarction, 58 Pr
- Protein kinase**, Phospholemman chloride currents are increased by co-injection of protein kinase A mRNA in xenopus oocytes, 43 Pr
- Protein kinase C**
Endothelial cell protein kinase C is differentially activated by oxidised low density lipoprotein and lysophosphatidyl choline, 220
Endothelin increases protein synthesis in cardiomyocytes through activation of protein kinase C, 149
- Proto-oncogene**
A functional role for proto-oncogene proteins in neonatal cardiac myocytes, 147
Proto-oncogene induction by pressure and angiotensin II in the isolated working rat heart, 75 Pr
- Psychological testing**, Psychological assessment of syndrome X patients, 66 Pr
- Pulmonary arteries**, Chronic hypoxia alters contractile and relaxant responses in neonatal porcine intrapulmonary arteries, 172 Pr

Pulmonary artery stenosis

Balloon expandable stents in the treatment of branch pulmonary artery stenosis, 131

Early results of stent implantation for pulmonary artery and right ventricular outflow tract stenoses, 128

Pulmonary blood flow

The atriopulmonary or the total cavopulmonary connection Fontan: which is better?, 8

The influence of competitive pulmonary blood flow on the bidirectional superior cavopulmonary shunt: a multi-institutional study, 7

Pulmonary vascular tone, The role of endothelium in the maintenance of low pulmonary vascular tone in normal children, 346

QT interval and dispersion

Increased QT dispersion relates to syncope in patients with idiopathic ventricular tachycardia, 96

QT dispersion: a predictor of sudden, unexplained death in congestive cardiac failure, 344

QTc dispersion in patients with coronary artery disease – effect of exercise, dobutamine and dipyridamole myocardial stress, 343

Reproducibility of QT, QTc, and QT interval dispersion measurement in healthy subjects, 342

The QT interval in anorexia nervosa as a marker for sudden death, 345

Quality of life

Outcome of cardiac surgery in the elderly – survival and quality of life: a prospective study, 211 Pr

Quality of life following coronary revascularisation procedures, 316 Pr

Quality of survival at three and six months in long term cardiac surgical intensive care patients, 212 Pr

Radiofrequency

Do changes in integrated backscatter predict the onset of idiopathic dilated cardiomyopathy in dogs? 261

Predictors of successful radiofrequency ablation for right ventricular outflow tract (RVOT) tachycardia, 97

Radiotherapy, Radiotherapy and cardiovascular morbidity? 86 Pr

Rapid access clinic, Rapid access chest pain clinic – a method of optimising cardiac resources, 222

Reference values, Reference values for the Bruce protocol treadmill exercise test from general population-based male and female controls, 57 Pr

Referrals, A 15 year review of the need for tertiary cardiac services by a district general hospital, 321 Pr

Reinnervation

Cardiac noradrenaline release: evidence for reinnervation of the transplanted human heart, 114

Changes in chronotropic response with time after cardiac transplantation, 115

Scintigraphic assessment of reinnervation of the transplanted human heart, 109

Syncope after cardiac transplantation: central mechanism or cardiac reinnervation? 337

Rejection

Heart transplant rejection correlates strongly with HLA mismatch, 330

Nitric oxide synthase induction and cardiac transplant rejection, 237

Relaxation

Basal release of endothelin from endocardial endothelium delays onset of myocardial relaxation, 39 Pr

Endogenous nitric oxide enhances left ventricular relaxation in the isolated heart, 40 Pr

Renin, Vascular responses to balloon catheter-induced injury in the TGR(mRen-2^d)27 rat, 216

Reperfusion

Accelerated streptokinase in acute myocardial infarction, 256

Activation of haemostatic mechanisms and stability of reperfusion following streptokinase in acute myocardial infarction, 290 Pr

Acute myocardial infarction and thrombolysis – value of bedside myoglobin kit in diagnosis and assessment, 295 Pr

Early left ventricular function in thrombolysed patients with acute myocardial infarction – correlation with the ST segment, 258

Effect of modification of the cyclooxygenase pathway on plasma-mediated stimulation of neutrophil CD18 adhesion molecule expression during reperfusion, 291 Pr

The signal-averaged electrocardiogram after thrombolysis for acute myocardial infarction, 292 Pr

Respiratory function

Fluid loading causes impairment of gas transfer at the alveolar-capillary membrane in patients with asymptomatic left ventricular dysfunction, 312 Pr

Pulmonary mechanics and gas exchange following successful balloon mitral valvotomy, 328

Restenosis

A quantitative angiographic analysis of restenosis following successful coronary angioplasty of total occlusions, 91

Enhanced nitric oxide (NO) production after *in vivo* transfer of endothelial-type NO synthase gene into balloon-injured rat carotid arteries, 145

Inhibition of intimal hyperplasia by photodynamic therapy in the rat carotid model of angioplasty restenosis, 44 Pr

Inhibition of intimal thickening following balloon angioplasty by a combined thromboxane A2 synthase inhibitor and receptor antagonist, 46 Pr

Platelet encapsulated iloprost inhibits intimal thickening following balloon angioplasty, 45 Pr

Results of the Benestent study, 94

Subcutaneous heparin and angioplasty restenosis prevention: results of a multicentre randomised trial evaluating unfractionated heparin, 93

Upregulation of basement-membrane-degrading metalloproteinases by balloon angioplasty in pigs, 219

Vascular responses to balloon catheter-induced injury in the TGR(mRen-2^d)27 rat, 216

Resuscitation

Long-term results of out-of-hospital resuscitation by ambulance staff in West Yorkshire, 301 Pr

The relative saving-of-life by resuscitation and thrombolysis in acute myocardial infarction, 299 Pr

Revascularisation

Is incomplete revascularisation a justifiable strategy in elderly patients, 319 Pr

Quality of life following coronary revascularisation procedures, 316 Pr

Reverse redistribution, Reverse redistribution on thallium-201 imaging in post-myocardial infarction suggests successful thrombolysis, 110

Right ventricle

Diastolic properties of the right ventricle 15-34 years after repair of tetralogy of Fallot, 11

The role of right and left ventricular function in the ventilatory response to exercise in chronic heart failure, 240 MPr

Right ventricular outflow stenosis, Early results of stent implantation for pulmonary artery and right ventricular outflow tract stenoses, 128

Right ventricular outflow tract VT, Predictors of successful radiofrequency ablation for right ventricular outflow tract (RVOT) tachycardia, 97

Risk factors

A comparison of cholesterol versus no cholesterol testing in a cardiovascular screening and lifestyle intervention programme, 79 Pr

A comparison of risk factors in South Asian and Northern European coronary artery disease patients and their young male offspring, 84 Pr

Aggressive coronary risk factor modification can reduce cardiovascular mortality in the primary care setting: a prospective twelve year intervention study in a practice of 7,500 patients, 80 Pr

Cardiovascular risk factor changes following lifestyle intervention in families, 85 Pr

Differences in dietary fat in whites, blacks and Asians: implications for heart disease prevention, 78 Pr

Endothelium-dependent dilation in the arteries of asymptomatic subjects relates to coronary risk factors and their interaction, 144

Identification of high risk patients awaiting routine coronary intervention, 54 Pr

Lessons learned from the analysis of a series of surgical failures, 253

Plasma fibrinogen level and other risk factor profiles: association with coronary artery disease, 77 Pr

Progression of 'target' and 'non-target' coronary artery stenoses in patients awaiting coronary angioplasty, 56 Pr

Serum angiotensin-converting enzyme activity in relation to risk of premature coronary heart disease, 76 Pr

The British Family Heart Study: principal results of a randomised controlled trial of cardiovascular screening and lifestyle intervention in primary care, 104

The reality of training in cardiac surgery, 209 Pr

'Who dies from a heart attack' – factors influencing case-fatality in myocardial infarction, 83 Pr

Risk stratification, Parsonnet risk stratification: a review of individual surgeons practice in a single unit, 317 Pr

Sarcoplasmic reticulum, Severity of human heart failure correlates with myocardial sarcoplasmic reticulum dysfunction, 238

Scintigraphy

Reduced uptake and wash-out of thallium in patients with syndrome X, 64 Pr

Scintigraphic assessment of reinnervation of the transplanted human heart, 109

- Scleroderma**, Duration of scleroderma correlates with left ventricular mass and impaired early diastolic function, **244 MPr**
- Scopolamine**, Effect of vagal stimulation by transdermal scopolamine on exercise performance and R-R interval variability in patients with chronic heart failure, **A9**
- Screening**
The British Family Heart Study: principal results of a randomised controlled trial of cardiovascular screening and lifestyle intervention in primary care, **104**
The implications of screening for atrial fibrillation in general practice, **102**
- Second heart sound**, Re-evaluation of normal splitting of the second heart sound in patients with left bundle branch block, **341**
- Sensors**, Assessment of a new miniature continuous position and orientation sensor for three-dimensional echocardiography, **274 Pr**
- Septum**, Impaired ventricles?: aim for the septum and not the apex, **230**
- Sestamibi**, Synergistic value of simultaneous stress dobutamine sestamibi SPECT and echocardiography in the detection of coronary artery disease, **108**
- Signal-averaged ECG**, 'Bilateral bundle branch block' – a common finding in patients with dilated cardiomyopathy, **190 Pr**
- Signal averaging**
Improved prediction of paroxysmal atrial fibrillation by analysis of multiple signal averaged P wave variables, **15 MPr**
The signal averaged P wave predicts maintenance of sinus rhythm after cardioversion from atrial fibrillation, **37**
- Single pass lead**, Early experience with single pass lead VDDR pacing systems, **304 Pr**
- Sinoatrial node**, The effect of stretch on the sinoatrial node – a physiological mechanism contributing to heart rate variability? **310 Pr**
- Sinus node function**, Sinus node function in heart transplant recipients, **117**
- Skeletal muscle**
An alternative technique for skeletal muscle cardiac assist, **335**
Histological abnormalities of limb and respiratory muscles in heart failure, **269**
Impaired skeletal muscle fatigue resistance in the absence of heart failure in rats with left ventricular hypertrophy, **268**
The effect of dietary creatine supplementation on skeletal muscle metabolism in congestive heart failure, **270**
The skeletal muscle signal to ventilation on exercise is a function of muscle bulk used, **181 Pr**
- Smoking**, Progression of coronary artery disease following cessation of cigarette smoking, **141**
- Smooth muscle cell**
Enhanced expression of smooth muscle cell gap junctions in the developing atherosclerotic plaque, **1**
Gene expression in rat vascular smooth muscle cell lesions, **173 Pr**
Monocyte adhesion to human coronary artery smooth muscle and endothelial cells: the role of modified LDL, **C7**
Prevention of human vascular cell proliferation by antisense oligonucleotides to c-myc mRNA, **217**
- Sodium nitroprusside**, Both sodium nitroprusside and iloprost prevent the electrophysiological effects of platelet activation during myocardial ischaemia, **273 Pr**
- South Asian**
A comparison of risk factors in South Asian and Northern European coronary artery disease patients and their young male offspring, **84 Pr**
Reduced physical activity in young South Asian males: a factor in their future development of hyperinsulinaemia, **82 Pr**
- ST elevation**, ST elevation as a marker of prognosis in acute myocardial infarction, **297 Pr**
- ST segment**
Prognostic significance and reliability of serial Holter monitoring compared to exercise stress testing for the detection of ST-segment depression after myocardial infarction, **137 MPr**
Prognostic value of Holter monitoring, signal averaged electrocardiograms and exercise stress testing for early risk stratification after acute myocardial infarction, **298 Pr**
ST segment depression during ambulatory electrocardiographic monitoring in patients with hypertrophic cardiomyopathy, **73 Pr**
- Statistics**, If nothing goes wrong, is everything all right? Sequential monitoring of the results of treatment, **210 Pr**
- Stenosis progression**, Hypertriglyceridemia is an independent predictive factor of rapid angiographic stenosis progression, **278 Pr**
- Stent**
Balloon expandable stents in the treatment of branch pulmonary artery stenosis, **131**
Comparison of clinical outcome after elective and 'bail out' coronary stent insertion, **50 Pr**
Early results of stent implantation for pulmonary artery and right ventricular outflow tract stenoses, **128**
- Elective coronary artery stenting via left brachial arteriotomy: a feasibility study, **324**
- Intra-coronary stenting: is it worthwhile? **325**
- Self-expanding stents in congenital heart disease, **129**
- Streptokinase**
Accelerated streptokinase in acute myocardial infarction, **256**
Activation of haemostatic mechanisms and stability of reperfusion following streptokinase in acute myocardial infarction, **290 Pr**
- Stress echocardiography**, Factors influencing interobserver agreement in stress echocardiography: comparison with exercise electrocardiography, **139 MPr**
- Stress testing**, Reduced uptake and wash-out of thallium in patients with syndrome X, **64 Pr**
- Subclavian route**, Survey of venous access for temporary pacing in the UK, **125**
- Subendocardial steal**, Does verapamil favourably alter myocardial blood flow distribution in hypertrophic cardiomyopathy? **72 Pr**
- Sudden death**
Beta₂ adrenergic stimulation produces potentially arrhythmogenic increases in the expression of mechanoelectric feedback and changes in the electrical restitution curve, **13 MPr**
Exercise blood pressure response in young patients with hypertrophic cardiomyopathy, **134 MPr**
Increased inhomogeneity of intraventricular conduction in hypertrophic cardiomyopathy is associated with risk of sudden death. Results in 104 patients, **14 MPr**
QT dispersion: a predictor of sudden, unexplained death in congestive cardiac failure, **344**
Survival and cardiac status in patients with idiopathic ventricular tachycardia on long term follow-up, **252**
The QT interval in anorexia nervosa as a marker for sudden death, **345**
- Supraventricular tachycardia**, Impact of age and size on outcome and feasibility of radiofrequency catheter ablation of accessory pathways in infants, children and adults, **192 Pr**
- Surgery**, Lessons learned from the analysis of a series of surgical failures, **253**
- Survival**
Low attrition rate in medium to long term survivors after cardiac transplantation, **332**
Outcome of cardiac surgery in the elderly – survival and quality of life: a prospective study, **211 Pr**
Reduced mortality associated with faster initiation of thrombolysis for patients with acute myocardial infarction treated in the accident and emergency department, **289 Pr**
- Switch procedure**, Combined atrial and arterial switch procedure for congenital corrected transposition with ventricular septal defect, **10**
- Syncope**
Increased QT dispersion relates to syncope in patients with idiopathic ventricular tachycardia, **96**
Syncope after cardiac transplantation: central mechanism or cardiac reinnervation? **337**
- Syndrome X**
Correlations between resting electrocardiographic abnormalities and ventricular long axis function in syndrome X, **65 Pr**
Partial expression of the insulin resistance syndrome in postmenopausal women with syndrome X, **5**
Psychological assessment of syndrome X patients, **66 Pr**
Reduced frequency of chest pain in response to 17 β -oestradiol in women with syndrome X, **63 Pr**
Reduced uptake and wash-out of thallium in patients with syndrome X, **64 Pr**
- T-cell activation**, Elevated soluble interleukin-2 receptor in dilated cardiomyopathy: evidence of T-cell activation, **153**
- Tachyarrhythmias**, Long term outlook for tachyarrhythmias detected in utero, **18 MPr**
- Tachycardia**
Efficacy of sequential 'fast' and 'slow' pathway ablation as a means of creating complete heart block in patients with atrial fibrillation, **34**
Radiofrequency catheter ablation in patients with 'Mahaim' tachycardias, **308 Pr**
- Technetium-99m tetrofosmin**, Dobutamine stress testing with Tc-99m tetrofosmin has high diagnostic accuracy for detection of coronary heart disease, **284 Pr**
- Tertiary cardiac services**, A 15 year review of the need for tertiary cardiac services by a district general hospital, **321 Pr**
- Tetralogy of Fallot**, Diastolic properties of the right ventricle 15-34 years after repair of Tetralogy of Fallot, **11**
- Tetrofosmin**, Dobutamine stress testing with Tc-99m tetrofosmin has high diagnostic accuracy for detection of coronary heart disease, **284 Pr**

Thallium-201 imaging

Pharmacological stress agents for thallium scanning: a comparison of dipyridamole and dobutamine, 282 Pr

Rest thallium-201 imaging and dobutamine echocardiography accurately identify improvement in regional function following revascularisation in severe left ventricular dysfunction, 112

Reverse redistribution on thallium-201 imaging in post-myocardial infarction suggests successful thrombolysis, 110

Thrombogenesis, Intravascular fibrin turnover and thrombogenesis in atrial fibrillation is reduced by cardioversion, 33

Thrombolysis

A changing pattern of cause of death in myocardial infarction: thrombolysis alone may not prevent ventricular rupture, 288 Pr

Acute myocardial infarction and thrombolysis – value of bedside myoglobin kit in diagnosis and assessment, 295 Pr

Are general practitioners ready for prehospital thrombolysis? 122

Central audit of chest pain: can we believe the results? 221

Consecutive patients aged 55 years or less with acute myocardial infarction (MI) before routine thrombolysis: outcome at 7 years and beyond, 293 Pr

Do biochemical measurements have a place in thrombolysis protocols? 255

Early clinical experience with a combined coronary angioplasty and intra-luminal drug delivery device, 53 Pr

Failure of case fatality from myocardial infarction in the Glasgow MONICA population to change with changing medication 1985-91, 296 Pr

Provision of thrombolytic therapy for patients with previous infarction, 121

Reduced mortality associated with faster initiation of thrombolysis for patients with acute myocardial infarction treated in the accident and emergency department, 289 Pr

Significance of TIMI grade flow in determining the patency of the infarct-related artery and its relation to clinical outcome, 294 Pr

ST elevation as a marker of prognosis in acute myocardial infarction, 297 Pr

The relative saving-of-life by resuscitation and thrombolysis in acute myocardial infarction, 299 Pr

The signal-averaged electrocardiogram after thrombolysis for acute myocardial infarction, 292 Pr

Time to thrombolysis in representative hospitals throughout UK, 248

Value of instantaneous creatine kinase-MB in patients with suspected myocardial infarction, 124

What proportion of patients with acute myocardial infarction should receive thrombolytic therapy? 120

Thrombosis

Increased monocyte tissue factor expression in ischaemic heart disease, 167 Pr

Pulmonary embolism and parenteral nutrition: an unacceptable risk? 206 Pr

The natural history of clinically stable coronary artery disease is commonly interrupted by thrombotic plaque events, 286 Pr

Thromboxane, Inhibition of intimal thickening following balloon angioplasty by a combined thromboxane A₂ synthase inhibitor and receptor antagonist, 46 Pr

TIMI grade flow, Significance of TIMI grade flow in determining the patency of the infarct-related artery and its relation to clinical outcome, 294 Pr

Total cavopulmonary connection, The atriopulmonary or the total cavopulmonary connection Fontan: which is better? 8

Training

Emergency transvenous cardiac pacing 1983-1993: implications for training, 231

Lessons learned from the analysis of a series of surgical failures, 253

The reality of training in cardiac surgery, 209 Pr

Transfection, A functional role for proto-oncogene proteins in neonatal cardiac myocytes, 147

Transforming growth factor- β , Active TGF- β levels in patients with triple vessel disease and patients with angiographically normal coronary arteries, 168 Pr

Transient myocardial ischaemia

Pathophysiology of transient myocardial ischaemia in unstable angina and non-Q myocardial infarction, 24

The findings of admission ECG and continuous ECG monitoring independently predict in-hospital prognosis in unstable angina, 22

Transoesophageal echocardiography, Pharmacologic variability in the timing of peak coronary flow response to dipyridamole in man, 113

Transposition, Combined atrial and arterial switch procedure for congenital corrected transposition with ventricular septal defect, 10

Transthoracic 3-dimensional echocardiography, Rotational scan reconstruction techniques for transthoracic 3-dimensional echocardiography in congenital heart disease, 126

Triglycerides, Hypertriglyceridemia is an independent predictive factor of rapid angiographic stenosis progression, 278 Pr

Triple vessel disease, Active TGF- β levels in patients with triple vessel disease and patients with angiographically normal coronary arteries, 168 Pr

Tumour necrosis factor, Skeletal muscle and total body fat in chronic heart failure: relationship with tumour necrosis factor and severity of heart failure, 243 MPPr

Twins, Ischaemic heart disease in diabetes, prevalence and the major risk factors: a study of twins, 277 Pr

Ultrasound, Therapeutic ultrasonic coronary angioplasty: early clinical and angiographic results in single vessel disease, 327

V/Q mismatch, Acute improvement in perfusion ventilation matching following percutaneous mitral valvotomy, 88 Pr

Vagus, Effect of vagal stimulation by transdermal scopolamine on exercise performance and R-R interval variability in patients with chronic heart failure, A9

Valve disease, Are biological valves an acceptable long term alternative? The Wessex experience, 213 Pr

Valve prostheses

A case for mechanical valve prostheses in the elderly, 164

Trends in the use of bioprosthetic and mechanical heart valves in young women: the UK Heart Valve Registry 1986-1992, 61 Pr

Valvotomy, Pulmonary mechanics and gas exchange following successful balloon mitral valvotomy, 328

Vascular resistance, Basal nitric oxide production is enhanced in patients with heart failure, 241 MPPr

Vasodepressor disorders, Adverse effects of fludrocortisone in treatment of vasodepressor disorders, 183 Pr

Vasodilators

Does flosequinan improve renal, respiratory and vascular function in patients with congestive heart failure who are already treated with ACE inhibitors? 246 MPPr

The effect of systemic vasodilators on internal mammary artery flow: implications for postoperative treatment after myocardial revascularisation, 215 Pr

Vasospasm

Coronary stenosis morphology and vasomotor responses to acetylcholine, 279 Pr

Relationship between coronary stenosis morphology and degree of vasomotion in patients with variant angina, 23

VDDR, Early experience with single pass lead VDDR pacing systems, 304 Pr

Vein graft, The effect of locally applied tPA on the fibrinolytic activity of vein grafts, 214 Pr

Ventilation

The increased ventilatory response in chronic heart failure is not due to pulmonary pathology, 314 Pr

The skeletal muscle signal to ventilation on exercise is a function of muscle bulk used, 181 Pr

Ventricular arrhythmias

Aldosterone blockade induces magnesium retention and reduces ventricular arrhythmias in heart failure, 17 MPPr

Characteristics of real time and stored endocardial electrograms leading to therapy in patients with implantable cardioverter defibrillators, 305 Pr

Ventricular fibrillation

Are there different mechanisms for stretch-induced ventricular premature contraction and fibrillation? 12 MPPr

Increased inhomogeneity of intraventricular conduction in hypertrophic cardiomyopathy is associated with risk of sudden death.

Results in 104 patients, 14 MPPr

The effects of hypothyroidism on the vulnerability to ventricular fibrillation in dogs, 16 MPPr

Ventricular remodelling, Relationship between haemodynamic and neurohumoral variables after myocardial infarction and subsequent ventricular remodelling, 182 Pr

Ventricular septal defect, Combined atrial and arterial switch procedure for congenital corrected transposition with ventricular septal defect, 10

Ventricular tachycardia

Assessment of heart rate variability immediately before the onset of spontaneous idiopathic ventricular tachycardia, 99

Catheter ablation for successful management of left posterior fascicular tachycardia. An approach guided by recording of fascicular potentials, 98

Increased QT dispersion relates to syncope in patients with idiopathic ventricular tachycardia, 96

Initiation of exercise-induced arrhythmia in patients with idiopathic ventricular tachycardia, 100

Survival and cardiac status in patients with idiopathic ventricular tachycardia on long term follow-up, 252
Vibrational angioplasty, Vibrational angioplasty. A new approach to recanalise chronic totally occluded coronary arteries, 143
von Willebrand factor, Endothelial dysfunction contributes to thrombogenesis in chronic atrial fibrillation, 188 Pr
Wall motion, Important considerations in the assessment of LVEF in order to correctly assign patients with LV dysfunction to ACEI therapy, 271
Weight change, Weight change and risk of myocardial infarction in middle-aged British men, 81 Pr
White cell aggregation, Exercise induced white cell aggregation, 132 MPr
White coat hypertension, Ambulatory blood pressure monitoring for 24 or 48 hours? 201 Pr
Wolff-Parkinson-White syndrome, Impact of age and size on outcome and feasibility of radiofrequency catheter ablation of accessory pathways in infants, children and adults, 192 Pr

Women

Are women with acute myocardial infarction treated as well as men? 60 Pr
 Estradiol-17 β increases forearm blood flow in menopausal women. A double blind randomized study, 349
 Exercise echocardiography is the optimal non-invasive test for the prediction of coronary artery disease in women, 59 Pr
 Human coronary arterial relaxation by 17 β -estradiol is endothelium-independent, 171 Pr
 Radiotherapy and cardiovascular morbidity? 86 Pr
 Reduced frequency of chest pain in response to 17 β -oestradiol in women with syndrome X, 63 Pr
 Trends in the use of bioprosthetic and mechanical heart valves in young women: the UK Heart Valve Registry 1986-1992, 61 Pr

Xenografts, Are biological valves an acceptable long term alternative? The Wessex experience, 213 Pr

Pr=Poster; MPr=Moderated poster; A, B, C, D=Young Research Workers Prize.

VOLUME 71: PROGRAMME SUPPLEMENT AUTHOR INDEX

- Abbot SE** see Thorne SA *et al*
Aber CP see Caplin JL *et al*
Abrams SE, Walsh KP, Diamond M, Clarkson MJ, Coker SJ. Nitric oxide is a potent arterial duct dilator in neonatal lambs, 208 Pr
see also Walsh KP and Abrams SE; Walsh KP *et al*
Adams J see Trent R *et al*
Adams PC see Skinner JS *et al*
Adwani S, Burch M, Whitmore P, Whitehead B, Rees P, Elliott M, de Leval M. Heart transplantation for children with dilated cardiomyopathy, 315 Pr
Aggarwal RK, Connelly DT, Ray SG, Coulshed DS, Ball J, Charles RG. Acute and early complications of permanent pacing: a prospective audit of 926 consecutive patients from a UK centre, 198 Pr
Aggarwal RK, Ray SG, Connelly DT, Coulshed DS, Ball J, Charles RG. Changing trends in pacemaker prescription in patients aged 80 and over: a single centre audit of 962 patients, 199 Pr
Ahsan A see Gunn J *et al*
 Katritsis D *et al*
Al-Mohammad A, Fath-Ordoubadi F, Huehns TY, Greenwood TW, Noble MIM, Beatt KJ. Central audit of chest pain: can we believe the results? 221
Albers C see Skinner JS *et al*
Albertucci M see Jin XY *et al*
Alexander GJM see Ramsay L *et al*
Amadi AA, Volterrani M, Piepoli M, Swan JW, Coats AJS. Very low frequency peaks in power spectra of respiratory, heart rate and blood pressure in chronic heart failure, 272
Amende I see Wenzlaff P and Amende I
Anagnostou E see Mayet J *et al*
 Senior R *et al*
Anderson J, Hunter S, Valencia O, Smith EEJ, Parker DJ. The reality of training in cardiac surgery, 209 Pr
Anderson J, Valencia O, Jackson R, Murday A, Treasure T, Smith EEJ, Parker DJ. Parsonnet risk stratification: a review of individual surgeons practice in a single unit, 317 Pr
Anderson MH see Katritsis D *et al*
Anderson RH see Crick SJ *et al*
 Ho SY *et al*
 Uemura H *et al*
Andrews NP, Dakak N, Schenke WH, Quyyumi AA. Platelet-endothelium interactions in humans: changes in platelet cyclic guanosine monophosphate content in patients with endothelial dysfunction, 350
Andrews NP, Dakak N, Schenke WH, Quyyumi AA. Platelet inhibitory effect of endothelium-derived relaxing factor in the human coronary circulation, 281 Pr
Andrews R, Greenhaff P, MacDonald I, Cowley AJ. The effect of dietary creatine supplementation on skeletal muscle metabolism in congestive heart failure, 270
Angelini GD see Izzat MB *et al*
Anglin S see Montgomery HE *et al*
 Nyamekye I *et al*
 Shanahan C *et al*
Anning PB, Grocott-Mason RM, Lewis MJ, Shah AM. Adenyl purines contribute to the myocardial relaxant effect of bradykinin in the intact heart, 151
see also Grocott-Mason RM *et al*
Anttonen O see Gill JS *et al*
Arafa S see Gunn J *et al*
Arai A see Kenny A *et al*
Armstrong E see Baliga RR *et al*
Arnold S see Seifalian AM *et al*
Ashraf S see Shaikat N *et al*
Austin C see Nzewi O *et al*
Avery PG, Banning AP, Lawson T, McGurk L, Buchalter MB. Age should not be a contraindication for physiological pacing, 233
see also Ramsey MW *et al*
Avkiran M see Levy LB and Avkiran M
Aziz S see Vaishnav S *et al*
Babuji RJ see Smith JA and Babuji RJ
Badorff C see Keeling PJ *et al*
Bailey KR see Connolly HM *et al*
Baker AC see Chester M *et al*
Baker BL see Puri S *et al*
Baker EJ see Rosenthal E *et al*
Balaji S, Case CL, Bubolz BA, Knick BL, Gillette PC. Impact of age and size on outcome and feasibility of radiofrequency catheter ablation of accessory pathways in infants, children and adults, 192 Pr
Balcon R see Vaishnav S *et al*
Baliga RR, Watson L, Armstrong E, Mathias CJ. Exercise induced hypotension in patients with autonomic dysfunction, 133 MPr
Ball J see Aggarwal RK *et al*
Banning AP, Groves PH, Brewer L, Lewis MJ, Cheadle H, Penny WJ, Crawford N. Platelet encapsulated iloprost inhibits intimal thickening following balloon angioplasty, 45 Pr
Banning AP, Lewis MJ, Penny WJ, Cheadle HA, Groves PH. Inhibition of intimal thickening following balloon angioplasty by a combined thromboxane A2 synthase inhibitor and receptor antagonist, 46 Pr
Banning AP, Lewis NP, Hall RJC, Henderson AH. Acute improvement in perfusion ventilation matching following percutaneous mitral valvotomy, 88 Pr
Banning AP, Ramsey MW, Jone EA, Evans WD, Carolan-Rees G, Jones CH, Henderson AH. Does flosequinan improve renal, respiratory and vascular function in patients with congestive heart failure who are already treated with ACE inhibitors? 246 MPr
see also Avery PG *et al*; Southgate KM *et al*

- Bannister J** *see* Batin PD *et al*
- Barker JS, Griffith MJ, McComb JM.** Cost benefit analysis of radiofrequency ablation of accessory pathways, 193 Pr
- Barker JS, Griffith MJ, McComb JM.** Localisation of accessory pathways using the surface ECG: inaccuracy of torso positioned standard leads compared with limb leads, 309 Pr
- Barnes D** *see* Mishra MB *et al*
- Barr CS, Cargill RI, Coutie WJ, Struthers AD, Lipworth BJ.** Circulating levels of C-type natriuretic peptide in patients with left ventricular dysfunction and hypoxaemic pulmonary heart disease, 242 MP
- Barr CS, Lang CC, Struthers AD.** Aldosterone blockade induces magnesium retention and reduces ventricular arrhythmias in heart failure, 17 MP
- Barr CS, Naas AA, Freeman M, Lang CC, Struthers AD.** QT dispersion: a predictor of sudden, unexplained death in congestive cardiac failure, 344
- Barr CS, Struthers AD.** Aldosterone blunts the reflex baroreceptor response to noradrenaline in healthy man, 336
- Bartlett WA** *see* Payne MN *et al*
- Basu S** *see* Senior R *et al*
Sridhara BS *et al*
- Bath PM** *see* Leatham E *et al*
- Batin PD, Hawkins M, Richardson J, Felden A, Cowley AJ.** Relationship between haemodynamic and neurohumoral variables after myocardial infarction and subsequent ventricular remodelling, 182 Pr
- Batin PD, Ryder M, Bannister J, Mackintosh AF.** Long-term results of out-of-hospital resuscitation by ambulance staff in West Yorkshire, 301 Pr
- Batin PD, Wickens M, McEntegart D, Fullwood L, Cowley AJ.** The prognostic importance of abnormal liver function tests in chronic heart failure, 4
- Bauraind O** *see* Dollery CM *et al*
- Biavenholm P** *see* Proudler AJ *et al*
- Baxter GF** *see* Speechly-Dick ME *et al*
- Beatt KJ** *see* Al-Mohammad A *et al*
Fath-Ordoubadi F *et al*
Huehns TY *et al*
- Beattie JM** *see* Payne MN *et al*
- Beesley JE** *see* Smith REA *et al*
- Beevers DG** *see* Lip GYH *et al*
- Bell H** *see* Rodger JC and Bell H
- Bell JE** *see* Currie PF *et al*
- Bell PRF** *see* De Souza AC *et al*
- Benestent study group** *see* Buller NP *et al*
- Bennett JG** *see* Davies CH *et al*
Lindsay DC *et al*
- Bent SE** *see* Keeling PJ *et al*
- Berman L** *see* Crowley JJ *et al*
- Bethell HWL, Vandenberg JI, Grace AA.** Action potential shortening during ischaemia is not due to intracellular acidosis, 185 Pr
- Betteridge J** *see* Clarkon P *et al*
- Bevan D** *see* Leatham E *et al*
- Bexton RS** *see* Mounsey JP *et al*
- Bihari D** *see* Holmes L *et al*
Loughead K *et al*
- Bijak A** *see* Chojnowska L *et al*
- Birkhead JS, on behalf of the Myocardial Infarction Audit Group.** Provision of thrombolytic therapy for patients with previous infarction, 121
- Bishop C** *see* Nyamekye I *et al*
- Black C** *see* Karwatowski SP *et al*
- Blackburn J** *see* Severs NJ *et al*
- Blake DR** *see* Thorne SA *et al*
- Blaszyk K** *see* Gill JS *et al*
- Blayney LM, Gapper PW, Newby AC.** G-protein linked phospholipase C (PLC) isoforms in vascular smooth muscle (VSM), 174 Pr
- Bogren HG** *see* Pennell DJ *et al*
- Boon NA** *see* Currie PF *et al*
Goodfield NE *et al*
- Booth JC** *see* Keeling PJ *et al*
- Boreham PA, Leather RA, Young GD, Yeung-Lai-Wah J, Kerr CR.** Predictors of successful radiofrequency ablation for right ventricular outflow tract (RVOT) tachycardia, 97
- Borland J** *see* Chester A *et al*
- Bottazzo GF** *see* Caforio ALP *et al*
- Boudoulas H** *see* Stefanadis C *et al*
- Bowes R** *see* Gunn J *et al*
- Bown S** *see* Nyamekye I *et al*
- Boyd H** *see* Choudhury L *et al*
- Brack M, Ray S, Chauhan A, Fox J, Schofield P, Harley A, Gershlick** for the SHARP investigators. Subcutaneous heparin and angioplasty restenosis prevention: results of a multicentre randomised trial evaluating unfractionated heparin, 93
- Brack M, Skehan JD, de Bono DP, Hubner PJB, Gershlick AH.** Is incomplete revascularisation a justifiable strategy in elderly patients? 319 Pr
- Brady AJB, Rossi AG, Chronos NA, Sigwart U, Buller NP.** Intracoronary activation of polymorphonuclear leucocytes after balloon inflation during PTCA, 326
- Brant J** *see* O'Brien J *et al*
- Brawn W** *see* de Leval M *et al*
- Brawn WJ** *see* Bu'Lock FA *et al*
Stümper O *et al*
- Brecker SJ** *see* Jin XY *et al*
- Brettle RP** *see* Currie PF *et al*
- Brewer L** *see* Banning AP *et al*
- British Family Heart Study Group** *see* Pyke SDM *et al*
Wood DA *et al*
- British Pacing & Electrophysiology Group** *see* Cunningham AD *et al*
- Broadhurst P** *see* Ciudin R *et al*
- Brooks NH** *see* Grant SCD *et al*
Millane TA and Brooks NH
Sheldon S *et al*
- Brown AS, Hong Y, de Belder A, Edmonds M, Jewitt D, Erusalimsky J, Martin J.** Diabetics with peripheral vascular disease have an increased mean platelet volume platelet count and megakaryocyte ploidy, 178 Pr
- Brown C** *see* Walsh KP *et al*
- Brown CA** *see* McDonagh TA *et al*
Tunstall-Pedoe H *et al*
- Brown MD, Davies MK, Hudlicka O, Townsend P.** A novel method of experimental bradycardia applied to hearts with myocardial infarction: effects on capillary supply, 189 Pr
- Bryan AJ** *see* Izzat MB *et al*
- Bubolz BA** *see* Balaji S *et al*
- Buchalter MB** *see* Avery PG *et al*
ElGaylani N *et al*
- Bucknall C** *see* Tan KH *et al*
- Bull C, de Leval M, Francois K, Spiegelhalter D.** If nothing goes wrong, is everything all right? Sequential monitoring of the results of treatment, 210 Pr
see also de Leval M *et al*
- Bull K** *see* Dollery CM *et al*
- Buller NP, Priestley KA, Sigwart U, on behalf of the Benestent study group.** Results of the Benestent study, 94
see also Brady AJB *et al*; Karwatowski SP *et al*; Priestley KA *et al*; Seifalian AM *et al*
- Bu'Lock FA, De Giovanni JV, Sood M, Green SH.** Subclinical abnormalities of left ventricular diastolic function in young patients with myotonic dystrophy, 245 MP
- Bu'Lock FA, Stümper O, Jagtap R, Silove ED, De Giovanni JV, Wright JGC, Sethia B, Brawn WJ.** Hypoplastic left heart syndrome: early results of following the introduction of a modification of the Norwood protocol, 9
- Burch M, Celermajer DS, Dollery C, Deanfield JE.** The role of endothelium in the maintenance of low pulmonary vascular tone in normal children, 346
see also Adwani S *et al*
- Burrell CJ, Papaconstantinou H, Cowley ML, Ring NJ, Marshall AJ.** Multi-purpose cardiac catheterisation laboratory in a district general hospital: audit of first 250 cases, 322 Pr
- Bush A** *see* Rosenthal M *et al*
- Butler M** *see* Crook R *et al*
- Buxton M** *see* Henderson RA *et al*
- Bygrave A** *see* Saumarez RC *et al*
- CABRI Investigators** *see* Rickards AF
- Caforio ALP, Keeling PJ, Goldman JH, Haven LH, Bottazzo GF, McKenna WJ.** Cardiac autoantibodies in dilated cardiomyopathy become undetectable with disease progression, 157
see also Keeling PJ *et al*
- Caine N** *see* Tait S *et al*
- Calver AL, Collier JG, Vallance PJT.** Effect of L- and D-arginine on the forearm acetylcholine response in untreated essential hypertension. Can excess substrate stimulate nitric oxide production? 184 Pr
- Camici PG** *see* Choudhury L *et al*
Radvan J *et al*
Rosen SD *et al*

- Camm AJ** *see* Fei L *et al*
 Gill JS *et al*
 Katritsis D *et al*
 Kautzner J *et al*
 Leatham E *et al*
 Murgatroyd FD *et al*
 Redwood S *et al*
 Saumarez RC *et al*
- Campanella C** *see* Grubb NR *et al*
- Campbell CS** *see* Sheldon S *et al*
- Campbell S** *see* Gunn J *et al*
- Caplin JL, Kumar EB, Steel SA, Howey S, Aber CP.** Pharmacological stress agents for thallium scanning: a comparison of dipyridamole and dobutamine, 282 Pr
- Carey CM** *see* Southall E *et al*
- Carey J** *see* Jin XY *et al*
- Cargill RI** *see* Barr CS *et al*
- Carolan-Rees G** *see* Banning AP *et al*
 Ramsey MW *et al*
- Carrington DJ** *see* Sedgwick ML *et al*
- Carter J** *see* Leatham E *et al*
- Carter ND** *see* Vandenberg JJ *et al*
- Casadei B.** Effect of vagal stimulation by transdermal scopolamine on exercise performance and R-R interval variability in patients with chronic heart failure, A9
- Case CL** *see* Balaji S *et al*
- Celermajer D** *see* Clarkson P *et al*
- Celermajer DS** *see* Burch M *et al*
 Deanfield JE *et al*
- Chamberlain DA** *see* Norris RM *et al*
- Chambers JB** *see* Cooke RA *et al*
 Mishra MB *et al*
- Chander R** *see* Shah P *et al*
- Charles RG** *see* Aggarwal RK *et al*
- Chauhan A, Grace AA, Newell SA, Stone DL, Shapiro LM, Schofield PM, Petch MC.** Early complications after dual chamber versus single chamber pacemaker implantation, 197 Pr
see also Brack M *et al*; Connolly DL *et al*; Grainger DJ *et al*
- Cheadle H** *see* Banning AP *et al*
 Southgate KM *et al*
- Cheadle HA** *see* Banning AP *et al*
- Chen L** *see* Chester M *et al*
 Chester MR *et al*
 Kaski JC *et al*
 Tousoulis D *et al*
- Cheng A, Shanit D, Greenbaum R.** Prognostic significance and reliability of serial Holter monitoring compared to exercise stress testing for the detection of ST-segment depression after myocardial infarction, 137 MPr
- Cheng A, Shanit D, Greenbaum R.** Prognostic value of Holter monitoring, signal averaged electrocardiograms and exercise stress testing for early risk stratification after acute myocardial infarction, 298 Pr
- Cheng A, Shanit D, Greenbaum RA.** Disturbed autonomic function six months after acute myocardial infarction complicated by left ventricular failure as indicated by reduced heart rate variability, 339
- Cherix EC** *see* Sreeram N *et al*
- Chester A, Jiang C, Borland J, Yacoub M, Collins P.** Human coronary arterial relaxation by 17 β -estradiol in endothelium-independent, 171 Pr
- Chester M, Chen L, Baker AC, Redwood D, Pumphrey CW, Ward DE, Kaski JC.** Identification of high risk patients awaiting routine coronary intervention, 54 Pr
- Chester M, Chen L, Tousoulis D, Kaski JC.** Differential progression of complex and smooth coronary stenoses within individuals with stable coronary artery disease, 146
- Chester MR, Mann J, Chen L, Pereira W, Pileggi F, Poloniecki J, Ward DE, DeBelder M, Davies M, Kaski JC.** The natural history of clinically stable coronary artery disease is commonly interrupted by thrombotic plaque events, 286 Pr
see also Kaski JC *et al*
- Chetty U** *see* Goodfield NE *et al*
- Ching GWK, Daykin J, Franklyn JA, Gammage MD.** Hyperthyroidism and the cardiovascular system, 3
- Chmielek Z** *see* Woroszylska M *et al*
- Chojnowska L, Bijak A, Woroszylska M, Ruzyllo W.** Exercise blood pressure response in young patients with hypertrophic cardiomyopathy, 134 MPr
- Chorus Multicentre Study Group** *see* Murgatroyd FD *et al*
- Choudhury L, Lefroy D, McKenna WJ, Oakley CM, Nihoyannopoulos P, Camici PG.** Myocardial β -adrenoceptors and systolic function in hypertrophic cardiomyopathy, 71 Pr
- Choudhury L, Patel D, Nihoyannopoulos P, Camici PG.** Coronary flow reserve in primary and secondary left ventricular hypertrophy, 70 Pr
- Choudhury L, Ryan MP, Page CA, Boyd H, McKenna WJ, Camici PG.** Does verapamil favourably alter myocardial blood flow distribution in hypertrophic cardiomyopathy? 72 Pr
- Choy AMJ** *see* Darbar D *et al*
- Chronos N** *see* Patel D *et al*
 Seifalian AM *et al*
- Chronos NA** *see* Brady AJB *et al*
 Karwatowski SP *et al*
- Chronos NAF** *see* Priestley KA *et al*
- Ciudin R, Broadhurst P, Vassilikos V, Nathan AW.** Characteristics of real time and stored endocardial electrograms leading to therapy in patients with implantable cardioverter defibrillators, 305 Pr
- Clark AL, Piepoli M, Coats AJS.** The skeletal muscle signal to ventilation on exercise in a function of muscle bulk used, 181 Pr
- Clark AL, Swan J, Laney R, Connelly M, Somerville J, Coats AJS.** The role of right and left ventricular function in the ventilatory response to exercise in chronic heart failure, 240 MPr
- Clark AL, Swan JS, Volterrani M, Poole-Wilson PA, Coats AJS.** The increased ventilatory response in chronic heart failure is not due to pulmonary pathology, 314 Pr
see also Swan JW *et al*
- Clark S** *see* McKinlay S *et al*
- Clarke D** *see* Patel DJ *et al*
- Clarke J** *see* Tousoulis D *et al*
- Clarke KW, Gray D, Hampton JR.** Are women with acute myocardial infarction treated as well as men? 60 Pr
- Clarke KW, Gray D, Hampton JR.** Evidence for inadequate investigation and treatment of patients with heart failure, 247 MPr
- Clarke KW, Gray D, Hampton JR.** The prevalence of heart failure estimated from prescription data, 107
- Clarkson MJ** *see* Abrams SE *et al*
- Clarkson P, Celermajer D, Thomas O, Robinson J, Betteridge J, Deanfield J.** Endothelium-dependent dilation is impaired in the large arteries of healthy young adult type I diabetics and is related to the presence of microalbuminuria, 347
- Cleland J** *see* Nzewi O *et al*
- Cleland JGF** *see* Habib FM *et al*
 Puri S *et al*
- Clesham GJ, Livingstone S, Oakley CM, Taylor KM.** Trends in the use of bioprosthetic and mechanical heart valves in young women: the UK Heart Valve Registry 1986-1992, 61 Pr
- Clesham GJ, Vigushin DM, Hawkins PN, Joshi J, Oakley CM, Pepsy MB, Nihoyannopoulos P.** Echocardiographic features and whole body amyloid load using ¹²⁵I labelled serum amyloid P component (SAP) clearance studies, 204 Pr
- Cload P** *see* Senior R *et al*
- Coats A** *see* Volterrani M *et al*
- Coats AJS** *see* Amadi AA *et al*
 Clark AL *et al*
 McKinlay S *et al*
 Swan JW *et al*
- Cobbe SM** *see* Denvir MA *et al*
 Martynyuk A *et al*
 Sedgwick ML *et al*
- Codd M** *see* Galvin J *et al*
- Cohen H** *see* Goulielmos NV *et al*
- Coker SJ** *see* Abrams SE *et al*
- Collier JG** *see* Calver AL *et al*
- Collins P, Jiang C, Shay J, Moss J.** Nitric oxide-dependent coronary artery relaxation to physiologic concentrations of 17 β -estradiol, 150
see also Chester A *et al*; Lefroy DC *et al*; Rosano GMC *et al*; Volterrani M *et al*
- Collinson P** *see* Stubbs P *et al*
- Coltart DJ** *see* Lawson CS *et al*
- Connelly DT** *see* Aggarwal RK *et al*
- Connelly M** *see* Clark AL *et al*
- Connolly DL, Chauhan A, Roberts M, Parameshwar J, Dardas PS, Petch MC, Schofield PM.** Intracoronary adenosine causes chest pain in patients after cardiac transplantation, 116
- Connolly HM, Oh JK, Orszulak TA, Osborn SL, Roger VL, Hodge DO, Bailey KR, Seward JB, Tajik AJ.** Aortic valve replacement in patients with aortic stenosis and severe left ventricular dysfunction: prognostic indicators, 29
- Conway N** *see* Dawkins KD *et al*
- Cooke JP** *see* Lewis NP *et al*
- Cooke RA, Chambers JB, Singh R, Todd J, Smeeton NC, Treasure J, Treasure T.** The QT interval in anorexia nervosa as a marker for sudden death, 345
- Cooper A, Heagerty AM.** Hypercholesterolemia impairs endothelial-dependent relaxation in the human coronary microcirculation, 152

- Cooper GJ *see* Underwood MJ *et al*
 Corlando AP *see* Rosen SD *et al*
 Coulshed DS *see* Aggarwal RK *et al*
 Coumbe A *see* Underwood MJ *et al*
 Coutie WJ *see* Barr CS *et al*
 Cowan JC *see* Morris JL *et al*
 Cowell R, Paul V, Morris-Thurgood J, Ilsley C. Impaired ventricles? Aim for the septum and not the apex, 230
 Cowley AJ *see* Andrews R *et al*
 Batin PD *et al*
 Cowley ML *see* Burrell CJ *et al*
 Crake T *see* Lefroy DC *et al*
 Tousoulis D *et al*
 Uren NG *et al*
 Crawford N *see* Banning AP *et al*
 Crawley JCW *see* Senior R *et al*
 Crick SH, Wharton J, Sheppard MN, Anderson RH, Polak JM. Immunohistochemical localisation of the innervation in the cardiac conduction system of man, pig, cow and guinea pig: a comparative study, 186 Pr
 Crook D *see* Felton CV *et al*
 Godsland IF *et al*
 Crook R, Butler M, Rozkovec A. Clinical value of GP open access exercise tests, 138 MPr
 Cross SJ *see* Lee HS *et al*
 Crossman DC *see* Habib FM *et al*
 Crowley JJ, Gosling P, Kenny A, Pregar R, Berman L, Shapiro LM. Assessment of a new miniature continuous position and orientation sensor for three-dimensional echocardiography, 274 Pr
 Crowley JJ, Kenny A, Shapiro LM. Analysis of the physiological effects of coronary artery stenoses on blood flow velocity using high frequency transthoracic echocardiography, 227
see also Kenny A *et al*
 Cuda G *see* Shah AM *et al*
 Cullen S *see* Gatzoulis MA *et al*
 Cumberland D *see* Gunn J *et al*
 Cunningham AD, Rickards AF, Nathan AW, on behalf of the British Pacing & Electrophysiology Group and the European Working Group on Cardiac Pacing. Trends in pacemaker implantation: is the UK the 'poor man of Europe'? 196 Pr
 Cunningham D *see* Patel DJ *et al*
 Currie PF, Jacob AJ, Brettie RP, Foreman AR, Elton R, Boon NA. HIV related heart muscle disease: a prognostic indicator in AIDS? 202 Pr
 Currie PF, Sutherland GR, Jacob AJ, Brettie RP, Bell JE, Boon NA. Endocarditis and human immunodeficiency virus infection, 27
see also Goodfield NE *et al*
- Dabrowski M *see* Worozylska M *et al*
 Dakak N *see* Andrews NP *et al*
 Daly K *see* Galvin J *et al*
 Shah P *et al*
 Dalziel K *see* Sedgwick ML *et al*
 Danton M *see* Nzewi O *et al*
 Darbar D, Choy AMJ, Lang CC, Pringle T, McNeill GP, Kennedy N, Struthers AD. A comparison of clinical, echocardiographic, radionuclide and neurohormonal methods in detecting left ventricular dysfunction post myocardial infarction, 111
 Dardas P *see* Large SR *et al*
 Dardas PS *see* Connolly DL *et al*
 Dargie HJ *see* McDonagh TA *et al*
 Metcalf MJ *et al*
 Murdoch DL *et al*
 Dark JH *see* Kenny RA *et al*
 McComb JM *et al*
 Parry G *et al*
 Scott CD *et al*
 Davia K *see* Davies CH *et al*
 Davies CH, Davia K, Bennett JG, Pepper JR, Poole-Wilson PA, Harding SE. Reduced contraction of isolated cardiac myocytes in human heart failure, 239
 Davies DW *see* Rowland E *et al*
 Shahi M *et al*
 Davies G *see* Tousoulis D *et al*
 Davies GJ *see* Uren NG *et al*
 Davies JA *see* Morris JL *et al*
 Davies M *see* Chester MR *et al*
 Davies MJ *see* Felton CV *et al*
 Keeling PJ *et al*
- Davies MK *see* Brown MD *et al*
 Davies S *see* Wilson DG *et al*
 Davies SW *see* Vaishnav S *et al*
 Davison BS *see* McDonagh TA *et al*
 Dawkins KD, Greenland H, Gray HH, Simpson IA, Morgan JM, Ogilvie BC, Conway N. Longterm follow-up of patients with unstable angina treated with immediate PTCA, 90
see also Edwards T *et al*
 Daykin J *see* Ching GWK *et al*
 de Belder A *see* Brown AS *et al*
 de Belder AJ *see* Smith REA *et al*
 de Belder M *see* Chester MR *et al*
 Leatham E *et al*
 de Bono DP *see* Brack M *et al*
 More RS *et al*
 Shaukat N and de Bono DP
 Underwood MJ *et al*
 de Faire U *see* Proudler AJ *et al*
 De Giovanni JV *see* Bu'Lock FA *et al*
 Stümper O *et al*
 de Leval M, Bull C, François K, Brawn W, Spiegelhalter DJ. Lessons learned from the analysis of a series of surgical failures, 253
see also Adwani S *et al*; Bull C *et al*
 de Silva R *see* Uren NG *et al*
 De Souza AC, Watt PAC, Spyt TJ, Bell PRF, Thurston H. The effect of ACE inhibition on vein graft hyperplasia, 166 Pr
 Deanfield J *see* Clarkson P *et al*
 Rosenthal M *et al*
 Deanfield JE, Celermajer DS, Sorensen K, Robinson J, Thomas O. Endothelium-dependent dilation in the arteries of asymptomatic subjects relates to coronary risk factors and their interaction, 144
see also Burch M *et al*
 DeGroff C *see* Kenny A *et al*
 Deiraniya AK *see* Sheldon S *et al*
 del Monte F *see* Lefroy DC *et al*
 Peters NS *et al*
 Denne L *see* Priestley KA *et al*
 Denver E *see* McKinlay S *et al*
 Denvir MA, MacFarlane NG, Naik S, Richens D, Tweddel AC, Wheatley DJ, Miller DJ, Cobbe SM. Severity of human heart failure correlates with myocardial sarcoplasmic reticulum dysfunction, 238
 Desai JB *see* Smith REA *et al*
 Dewhurst NG *see* Southall E *et al*
 di Mario C *see* Violaris AG *et al*
 Diamond M *see* Abrams SE *et al*
 Dick D *see* Zhou BY *et al*
 Dick DJ *see* Horner SM *et al*
 Murphy CF *et al*
 DiMarco JP *see* Mounsey JP *et al*
 Dixon GF *see* Norris RM *et al*
 Dodd JM *see* Shah AM *et al*
 Dodds PA *see* Ray SG *et al*
 Doherty J *see* Varnava A *et al*
 Doherty M *see* Mayet J *et al*
 Dollery C *see* Burch M *et al*
 Dollery CM, Sullivan ID, Bauraind O, Bull K, Milla P. Pulmonary embolism and parenteral nutrition: an unacceptable risk? 206 Pr
 Dubrey S. Ischaemic heart disease in diabetes, prevalence and the major risk factors: a study of twins, 277 Pr
 Dubrey S *see also* Huehns TY *et al*
 Dudzic E *see* Senior R *et al*
 Sridhara BS *et al*
 Dunn FG *see* Lip GYH *et al*
 Dunn MJ *see* Lindsay DC *et al*
 Dutka DP *see* Habib FM *et al*
 Dye J *see* Siminiak T *et al*
 Dyer PA *see* Sheldon S *et al*
 Dyke L *see* Lim R *et al*
 Dymond DS *see* Lim R *et al*
 Dzau VJ *see* Lewis NP *et al*
- Earle K *see* Mishra MB *et al*
 Edmonds M *see* Brown AS *et al*
 Edwards T, Livesey SA, Simpson IA, Monro JL, Ross Sir JK. Are biological valves an acceptable long term alternative? The Wessex experience, 213 Pr
 Edwards T, Rowley D, Morgan JM, Dawkins KD. Early experience with single pass lead VDDR pacing systems, 304 Pr
 El Oakley R, Jarvis JC. An alternative technique for skeletal muscle cardiac assist, 335

- El Gaylani N, Penny WJ, Shandall A, Buchhalter MB. Rapid access chest pain clinic – a method of optimising cardiac resources, 222
- Elliott M *see* Adwani S *et al*
- Elliott PM, Prasad K, Seo H, Kaski JC, McKenna WJ. ST segment depression during ambulatory electrocardiographic monitoring in patients with hypertrophic cardiomyopathy, 73 Pr
- Elton R *see* Currie PF *et al*
- Enayat ZE *see* Goulielmos NV *et al*
- Errington ML *see* Goodfield NE *et al*
- Erusalimsky J *see* Brown AS *et al*
- Etherington M *see* O'Brien J *et al*
- European Working Group on Cardiac Pacing *see* Cunningham AD *et al*
- Evans HG, Lewis MJ, Shah AM. Basal release of endothelin from endocardial endothelium delays onset of myocardial relaxation, 39 Pr
- Evans WD *see* Banning AP *et al*
- Fadley F *see* Wilson N *et al*
- Faiek AHA *see* Xiao HB *et al*
- Farr R *see* Wilson DG *et al*
- Fath-Ordoubadi F, Huehns TY, Beatt KJ. Significance of TIMI grade flow in determining the patency of the infarct-related artery and its relation to clinical outcome, 294 Pr
see also Al-Mohammad A *et al*
- Fei L, Liu PM, Wu W, Li JM, Yan T, Zhang X. The effects of hypothyroidism on the vulnerability to ventricular fibrillation in dogs, 16 MPr
- Fei L, Statters DJ, Malik M, Camm AJ. Assessment of heart rate variability immediately before the onset of spontaneous idiopathic ventricular tachycardia, 99
- Felden A *see* Batin PD *et al*
- Felton CV, Crook D, Davies MJ, Oliver MF. Influence of dietary fatty acids on the composition of human aortic plaques, 165 Pr
- Fenn LN *see* Moran CM *et al*
- Findlay IN *see* Murdoch DL *et al*
- Findley LJ *see* McCrea WA *et al*
- Firmin DN *see* Karwatowski SP *et al*
Pennell DJ *et al*
- Flapan AD *see* Wright RA *et al*
- Fleming A *see* Grubb NR *et al*
- Flores NA *see* Goulielmos NV *et al*
- Fluck D *see* Siminiak T *et al*
- Foale R *see* Radvan J *et al*
Williams J *et al*
- Foale RA *see* Mayet J *et al*
Shahi M *et al*
- Foley DP *see* Violaris AG *et al*
- Foote J *see* Parameshwar J *et al*
- Foran JPM *see* McCrea WA *et al*
- Forbat SM *see* Karwatowski SP *et al*
- Ford I *see* Murdoch DL *et al*
- Foreman AR *see* Currie PF *et al*
- Forsyth AT *see* Smith REA *et al*
- Fort S, Weaver JU, Monson JP, Mills PG. The effect of recombinant growth hormone on cardiac structure and function in growth hormone-deficient adults, 2
- Foster C *see* McKinlay S *et al*
- Fox J *see* Brack M *et al*
- Fox K *see* Henein MY *et al*
Patel D *et al*
Patel DJ *et al*
- Fox KAA *see* Grubb NR *et al*
Grubb NR and Fox KAA
Wright RA *et al*
- Fox KM *see* Murdoch DL *et al*
- Frackowiak RSJ *see* Rosen SD *et al*
- Francis SE *see* Holt CM *et al*
- François K *see* Bull C *et al*
de Leval M *et al*
- Franklyn JA *see* Ching GWK *et al*
Green NK *et al*
- Fraser AG *see* Jones RA *et al*
- Freeman M *see* Barr CS *et al*
- Frith CD *see* Rosen SD *et al*
- Fuentes VL *see* Moran CM *et al*
- Fujimoto S, Parker K, Inge K, Gibson D. Reconstruction of early diastolic pressure field based on local E wave accelerations, 265
- Fullwood L *see* Batin PD *et al*
- Gallivan S *see* Holmes L *et al*
Loughhead K *et al*
- Galvin J, Codd M, Hennessy A, Keelan E, Daly K, Gearty G, McCarthy C, Sugrue D. Mater hospital percutaneous transluminal coronary angioplasty (PTCA) registry: immediate results in first 754 consecutive and long-term outcome in first 500 consecutive patients, 48 Pr
- Gammage MD *see* Ching GWK *et al*
Green NK *et al*
Jenkins K *et al*
- Gandhi MM, Lampe FC, Wood DA. Prognostic value of an exercise test in new patients with stable angina in the general population, 135 MPr
- Gandhi MM, Lampe FC, Wood DA. Reference values for the Bruce protocol treadmill exercise test from general population-based male and female controls, 57 Pr
- Gapper PW *see* Blayney LM *et al*
- Garcia EMS *see* Huehns TY *et al*
- Gardiner HM, O'Sullivan JJ, Wren C, Hunter AS. Balloon dilatation of unoperated coarctation of the aorta, 127
- Garratt CJ *see* Payne GE *et al*
- Garrett C *see* Rowland E *et al*
- Garrett CJ *see* Payne GE *et al*
- Gatzoulis MA, Cullen S, Newman CGH, Redington AN. Diastolic properties of the right ventricle 15-34 years after repair of tetralogy of Fallot, 11
- Ge S *see* Kenny A *et al*
- Gearty G *see* Galvin J *et al*
- George SJ, Thurston VJ, Newby AC. Neointima formation *in vitro* – an intimal to medial gradient of PDGF messenger RNA expression detected by *in situ* hybridisation, 218
- Gershlick A *see* Brack M *et al*
- Gershlick AH *see* Brack M *et al*
More RS *et al*
- Gibbons GH *see* Lewis NP *et al*
- Gibson D *see* Fujimoto S *et al*
- Gibson DG *see* Henein MY *et al*
Henein MY and Gibson DG
Jin XY *et al*
Xiao HB *et al*
- Gill JS, Anttonen O, Ward DE, Camm AJ. Increased QT dispersion relates to syncope in patients with idiopathic ventricular tachycardia, 96
- Gill JS, Blaszyk K, Kishore R, Ward DE, Camm AJ. Initiation of exercise-induced arrhythmia in patients with idiopathic ventricular tachycardia, 100
- Gill JS, Poloniecki J, Ward DE, Rowland E, Camm AJ. Survival and cardiac status in patients with idiopathic ventricular tachycardia on long term follow-up, 252
- Gillette PC *see* Balaji S *et al*
- Gladstone D *see* Nzewi O *et al*
- Glennville B *see* Senior R *et al*
- Godart F *see* Rosenthal E *et al*
- Godsland IF, Crook D, Lees B, Rosano GMC, Lindsay DC, Lefroy DC, Peters NS, Stevenson JC. Partial expression of the insulin resistance syndrome in postmenopausal women with syndrome X, 5
see also Proudler AJ *et al*; Swan JW *et al*
- Gold RG *see* Mounsey JP *et al*
- Goldman JH *see* Caforio ALP *et al*
Keeling PJ *et al*
- Goodfellow J, Ramsey MW, Luddington L, Jones CJH, Lewis MJ, Henderson AH. In normal subjects conduit artery distensibility is maintained by flow-related release of EDRF, 175 Pr
- Goodfellow J, Ramsey MW, Luddington L, Jones CJH, Lewis MJ, Henderson AH. Non-invasive screening of flow-related endothelial function using high resolution ultrasonic vessel wall tracking, 225
- Goodfellow J, Ramsey MW, Luddington L, Jones CJH, Owens D, Lewis MJ, Henderson AH. Non-insulin dependent diabetes impairs flow related increases in arterial diameter and distensibility, 348
see also Ramsey MW *et al*
- Goodfield NE, Currie PF, Wright RA, Errington ML, Jack W, Rodger A, Chetty U, Reid J, Boon NA. Radiotherapy and cardiovascular morbidity? 86 Pr
- Gordon D *see* Keeling PJ *et al*
- Górecka B *see* Woroszyńska M *et al*
- Gorgels AP *see* Sreeram N *et al*
- Gosling P *see* Crowley JJ *et al*
- Goulielmos NV, Enayat ZE, Cohen H, Flores NA, Sheridan DJ. Both sodium nitroprusside and iloprost prevent the electrophysiological effects of platelet activation during myocardial ischaemia, 273 Pr
- Graber H *see* MacRae CA *et al*
- Grace AA *see* Bethell HWL *et al*
Chauhan A *et al*
Grainger DJ *et al*
Large SR *et al*
Vandenberg JI *et al*

- Grainger DJ, Kemp P, Metcalfe JC, Liu A, Lawn R, Grace AA, Schofield PM, Chauhan A.** Active TGF- β levels in patients with triple vessel disease and patients with angiographically normal coronary arteries, 168 Pr
- Grant SCD, Khan MA, Yonan N, Brooks NH.** Technique of anastomosis and incidence of atrial tachyarrhythmias following heart transplantation, 118
- Gray D** *see* Clarke KW *et al*
- Gray HH** *see* Dawkins KD *et al*
- Green CR** *see* Peters NS *et al*
Severs NJ *et al*
- Green EK** *see* Payne MN *et al*
- Green NK, Jenkins K, Franklyn JA, MacIver DH, Ohanian V, Heagerty AM, Gammage MD.** A functional role for proto-oncogene proteins in neonatal cardiac myocytes, 147
- Green SH** *see* Bu'Lock FA *et al*
- Greenbaum R** *see* Cheng A *et al*
- Greenbaum RA, Sherringham PJ.** Reduced mortality associated with faster initiation of thrombolysis for patients with acute myocardial infarction treated in the accident and emergency department, 289 Pr
see also Cheng A *et al*
- Greenhaff P** *see* Andrews R *et al*
- Greenland H** *see* Dawkins KD *et al*
- Greenwood TW** *see* Al-Mohammad A *et al*
- Greenwood TW** *see* Stubbs P *et al*
- Griffith MJ** *see* Barker JS *et al*
Mounsey JP *et al*
- Grocott-Mason RM, Anning PB, Lewis MJ, Shah AM.** Captopril enhances left ventricular relaxation via endogenous bradykinin, 236
- Grocott-Mason RM, Anning PB, Lewis MJ, Shah AM.** Endogenous nitric oxide enhances left ventricular relaxation in the isolated heart, 40 Pr
see also Anning PB *et al*
- Groves PH** *see* Banning AP *et al*
Southgate KM *et al*
- Grubb NR, Fleming A, Sutherland GR, Campanella C, Fox KAA, Sinclair C.** Doppler tissue imaging and optimisation of stimulation parameters after cardiomyoplasty, 254
- Grubb NR, Fox KAA.** Admission serum potassium level and in-hospital mortality after out-of-hospital cardiac arrest, 302 Pr
- Grubb NR, Sutherland GR, Fleming A, Campanella C, Fox KAA, Sinclair C.** Assessment of latissimus dorsi muscle function after cardiomyoplasty by Doppler tissue imaging, 334
- Gunn J, Tsikaderis D, Ahsan A, Arafa S, Rowlands L, Bowes R, Cumberland D.** Early clinical experience with a combined coronary angioplasty and intra-luminal drug delivery device, 53 Pr
- Gunn J, Wales C, Ahsan A, Tsikaderis D, Arafa S, Bowes R, Campbell S, Oakley D, Siegel R, Myler R, Cumberland D.** Therapeutic ultrasonic coronary angioplasty: early clinical and angiographic results in single vessel disease, 327
- Habib FM, Dutka DP, Crossman DC, Oakley CM, Cleland JGF.** Basal nitric oxide production is enhanced in patients with heart failure, 241 MPr
- Hackett D** *see* Shahi M *et al*
- Haider AW** *see* Tousoulis D *et al*
- Haider Y** *see* Keavney B *et al*
- Haines DE** *see* Mounsey JP *et al*
- Hall A** *see* Kenny A *et al*
- Hall RJC** *see* Banning AP *et al*
Jones RA *et al*
Masani ND *et al*
Skinner JS *et al*
- Hampton JR** *see* Clarke KW *et al*
Henderson RA *et al*
- Hamsten A** *see* Proudler AJ *et al*
- Handler CE** *see* Mayet J *et al*
Senior R *et al*
- Harcombe AA** *see* Ramsay L *et al*
- Harding S** *see* Lefroy DC *et al*
- Harding SE** *see* Davies CH *et al*
- Hardman SMC, Lythall DA, Ito K, Nakazawa H.** Longterm success of cardioversion in patients with chronic atrial fibrillation, 36
- Harley A** *see* Brack M *et al*
- Harrison B** *see* Kenny A *et al*
- Harrison FG** *see* Horner SM *et al*
Murphy CF *et al*
Zhou BY *et al*
- Haselton P** *see* Sheldon S *et al*
- Haven LH** *see* Caforio ALP *et al*
- Hawkes DJ** *see* Seifalian AM *et al*
- Hawkins M** *see* Batin PD *et al*
- Hawkins PN** *see* Clesham GJ *et al*
- Hawkins T** *see* McComb JM *et al*
- Haworth SG** *see* Tulloh RMR and Haworth SG
- Heagerty AM** *see* Cooper A and Heagerty AM
Green NK *et al*
Roffe C *et al*
- Heald SC** *see* Rowland E *et al*
- Hearse DJ** *see* Lawson CS *et al*
- Heaton N** *see* Smith REA *et al*
- Henderson AH** *see* Banning AP *et al*
Goodfellow J *et al*
Ramsey MW *et al*
- Henderson RA, Sculpher M, Seed P, Buxton M, Pocock SJ, Parker J, Joy M, Hampton JR, for the RITA Trial Investigators.** Coronary angioplasty versus coronary artery bypass surgery: cost analysis based on the Randomised Intervention Treatment of Angina (RITA) trial, 95
- Henderson RA, Seed P, Pocock SJ, Hampton JR, for the RITA Trial Investigators.** Perceived health status in the Randomised Intervention Treatment of Angina (RITA) trial, 87 Pr
- Hendry G** *see* Patel DJ *et al*
- Henein MY, Gibson DG.** Absent early diastolic filling of the left ventricle: evidence for advanced incoordination of longitudinal function, 262
- Henein MY, Patel D, Fox K, Gibson DG.** Diastolic abnormalities of left ventricular subendocardial function in unstable angina, 25
- Henein MY, Xiao HB, Jin XY, Poole-Wilson PA, Gibson DG.** Correlations between resting electrocardiographic abnormalities and ventricular long axis function in syndrome X, 65 Pr
- Hennessy A** *see* Galvin J *et al*
- Hill P** *see* Rowland E *et al*
- Hnatkova K** *see* Murgatroyd FD *et al*
Redwood S *et al*
- Ho SY, Kilpatrick L, Anderson RH, Thompson RP.** The architecture of the atrioventricular conduction axis in dogs and humans – its significance to ablation of the atrioventricular nodal approaches, 311 Pr
see also Uemura H *et al*
- Hodge DO** *see* Connolly HM *et al*
- Holdright D** *see* Patel DJ *et al*
- Holmberg S** *see* Stafford PJ *et al*
- Holmes L, Treasure T, Loughead K, Bihari D, Morgan C, Gallivan S.** Quality of survival at three and six months in long term cardiac surgical intensive care patients, 212 Pr
see also Loughead K *et al*
- Hols DW** *see* Keeling PJ *et al*
- Holt CM, Shepherd L, Francis SE, Smith GH.** Prevention of human vascular cell proliferation by antisense oligonucleotides to c-myc mRNA, 217
- Hong Y** *see* Brown AS *et al*
- Horne LT** *see* Mounsey JP *et al*
- Horner SH** *see also* Zhou BY *et al*
- Horner SM, Murphy CF, Dick DJ, Zhou B, Harrison FG, Lab MJ.** β_1 adrenergic stimulation produces potentially arrhythmogenic increases in the expression of mechanoelectric feedback and changes in the electrical restitution curve, 13 MPr
- Horner SM, Murphy CF, Dick DJ, Zhou B, Harrison FG, Lab MJ.** The effect of stretch on the sinoatrial node – a physiological mechanism contributing to heart rate variability? 310 Pr
see also Murphy CF *et al*
- Horvath P** *see* Slavik Z *et al*
- Houston A** *see* Wilson N *et al*
- Howarth B, Klein G, McLeod A.** Comparison of a chest pain clinic with an open access exercise ECG service, 223
- Howell M** *see* Lo SSS *et al*
- Howey S** *see* Caplin JL *et al*
- Hubbard W** *see* Patel DJ *et al*
- Hubner PJB** *see* Brack M *et al*
- Hucin B** *see* Slavik Z *et al*
- Hudlicka O** *see* Brown MD *et al*
- Huehns TY, Dubrey S, Garcia EMS, Beatt KJ.** Perceived chest symptoms after angioplasty, 52 Pr
see also Al-Mohammad A *et al*; Fath-Ordoubadi F *et al*
- Hughes JMB** *see* Puri S *et al*
- Humphreys D** *see* Patel D *et al*
- Hunter AS** *see* Gardiner HM *et al*
- Hunter S** *see* Anderson J *et al*
- Hutton I** *see* Tweddell AC *et al*
- Ibrahim M** *see* Nzewi O *et al*
- Ilsley C** *see* Cowell R *et al*

- Inge K *see* Fujimoto S *et al*
 Ito K *see* Hardman SMC *et al*
 Izzat MB, West RR, Bryan AJ, Angelini GD. Coronary artery bypass surgery: current practice in the United Kingdom, 162
 Izzat MB, West R, Angelini GD. The effect of systemic vasodilators on internal mammary artery flow: implications for postoperative treatment after myocardial revascularisation, 215 Pr
- Jack W *see* Goodfield NE *et al*
 Jackson R *see* Anderson J *et al*
 Jacob AJ *see* Currie PF *et al*
 Jagtap R *see* Bu'Lock FA *et al*
 Jamieson M *see* Trent R *et al*
 Jarvis JC *see* El Oakley R and Jarvis JC
 Jeffery S *see* Keeling PJ *et al*
 Jenkins K, MacIver DH, Logan SD, Gammage MD. Endothelin increases protein synthesis in cardiomyocytes through activation of protein kinase C, 149
see also Green NK *et al*
 Jennings K *see* Lee HS *et al*
 Trent R *et al*
 Jennings KP *see* Lee HS *et al*
 Jewitt D *see* Brown AS *et al*
 Jewitt DE *see* Michalis LK *et al*
 Robinson NMK *et al*
 Jiang C *see* Chester A *et al*
 Collins P *et al*
 Jin XY, Brecker SJ, Carey J, Wong K, Albertucci M, Gibson DG, Pepper JR. Comparison of left ventricular performance immediately after aortic valve replacement using crystalloid or blood cardioplegia, 251
 Jin XY, Xiao HB, Brecker SJ, Pepper JR, Gibson DG. The effects of incoordinate tension development on left ventricular systolic function in aortic stenosis, 31
see also Henein MY *et al*; Xiao HB *et al*
 John JE *see* Mounsey JP *et al*
 Jones AF *see* Payne MN *et al*
 Jones CH *see* Banning AP *et al*
 Jones CJH *see* Goodfellow J *et al*
 Ramsey MW *et al*
 Jones EA *see* Banning AP *et al*
 Jones LR *see* Mounsey JP *et al*
 Jones RA, Masani ND, Hall RJC, Fraser AG. Does papillary muscle ischaemia cause 'dynamic' mitral regurgitation? 205 Pr
see also Masani ND *et al*
 Jones S *see* Murgatroyd FD *et al*
 Jones T *see* Rosen SD *et al*
 Joshi J *see* Clesham GJ *et al*
 Joy M *see* Henderson RA *et al*
 Varnava A *et al*
- Kallikazaros I *see* Stefanadis C *et al*
 Kane KA *see* Martynyuk A *et al*
 Kaneda Y *see* Lewis NP *et al*
 Karani S *see* Tan KH *et al*
 Karwatowski SP, Chronos NA, Forbat SM, Mohiaddin RH, Yang GZ, Firmin DN, Buller NP, Underwood SR. Regional left ventricular function during dobutamine infusion in patients with ischaemic heart disease pre and post angioplasty, 47 Pr
 Karwatowski SP, Chronos NA, Sinclair H, Black C, Sutton MStJ, Underwood SR. Duration of scleroderma correlates with left ventricular mass and impaired early diastolic function, 244 MP
 Kaski JC, Chen L, Chester MR, Poloniecki I. Progression of 'target' and 'non-target' coronary artery stenoses in patients awaiting coronary angioplasty, 56 Pr
 Kaski JC, Chen L, Chester MR, Tousoulis D. Hypertriglyceridemia is an independent predictive factor of rapid angiographic stenosis progression, 278 Pr
see also Chester M *et al*; Chester MR *et al*; Elliott PM *et al*; Rosano GMC *et al*; Tousoulis D *et al*
 Kass S *see* MacRae CA *et al*
 Katritsis D, Ahsan A, Anderson MH, Camm AJ, Ward DE, Rowland E. Catheter ablation for successful management of left posterior fascicular tachycardia. An approach guided by recording of fascicular potentials, 98
see also Rowland E *et al*
 Kautzner J, Yi G, Camm AJ, Malik M. Reproducibility of QT, QTc, and QT interval dispersion measurement in healthy subjects, 342
 Kawashima Y *see* Uemura H *et al*
 Keane D *see* Violaris AG *et al*
 Keavney B, Haider Y, McCance A, Skehan JD. What is the cost of a normal coronary arteriogram? 323 Pr
 Keegan J *see* Pennell DJ *et al*
 Keelan E *see* Galvin J *et al*
 Keeling PJ, Badorf C, Jeffery S, Caforio ALP, Booth JC, Davies MJ, McKenna WJ. Enterovirus RNA in dilated cardiomyopathic hearts, 158
 Keeling PJ, Goldman JH, Yi G, Smith G, Seo H, Bent SE, Caforio ALP, McKenna WJ. Dilated cardiomyopathy: a familial disease? 155
 Keeling PJ, Gordon D, Caforio ALP, Goldman JH, Holt DW, McKenna WJ. Elevated soluble interleukin-2 receptor in dilated cardiomyopathy: evidence of T-cell activation, 153
see also Caforio ALP *et al*
 Keenan D *see* Shaikat N *et al*
 Keeton BR *see* Slavik Z *et al*
 Kemp F *see* McKinlay S *et al*
 Kemp P *see* Grainger DJ *et al*
 Kenna JG *see* Ramsay L *et al*
 Kennedy N *see* Darbar D *et al*
 Kenny A, Crowley JJ, Shapiro LM. Non-invasive assessment of left anterior descending coronary artery blood flow following grafting with the internal mammary artery conduit, 161
 Kenny A, Shiota T, Passafini A, Pantely G, Arai A, Ge S, Hall A, Reller M, Sahn DJ. Quantifiable myocardial and left heart opacification in primates after intravenous injection of a new myocardial echo contrast agent, 228
 Kenny A, Silberbach M, Shiota T, DeGroff C, Rice M, Klas B, Harrison B, Sahn DJ. Rotational scan reconstruction techniques for transthoracic 3-dimensional echocardiography in congenital heart disease, 126
see also Crowley JJ *et al*
 Kenny RA, Scott CD, Dark JH, McComb JM. Syncope after cardiac transplantation: central mechanism or cardiac reinnervation? 337
see also Lawson J *et al*
 Kerr CR *see* Boreham PA *et al*
 Khan MA *see* Grant SCD *et al*
 Kilpatrick L *see* Ho SY *et al*
 Kinmonth AL *see* Pyke SDM *et al*
 Wood DA *et al*
 Kirk CR *see* Wilson DG *et al*
 Kishore R *see* Gill JS *et al*
 Klas B *see* Kenny A *et al*
 Klein G *see* Howarth B *et al*
 Knick BL *see* Balaji S *et al*
 Knight C *see* Patel DJ *et al*
 Konka M *see* Woroszylska M *et al*
 Kopelman P *see* Wilkinson P *et al*
 Kourouclis CV *see* Kyriakidis MK *et al*
 Kumar EB *see* Caplin JL *et al*
 Kyriakidis MK, Petropoulakis PN, Tentolouris CA, Kourouclis CV, Toutouzias PK. Phasic coronary flow velocity at rest and during stress in patients with aortic valve stenosis, 30
- Lab MJ *see* Horner SM *et al*
 Murphy CF *et al*
 Zhou BY *et al*
 Lahiri A *see* Senior R *et al*
 Sridhara BS *et al*
 Laji K, Ranjadayalan K, Wilkinson P, Timmis AD. ST elevation as a marker of prognosis in acute myocardial infarction, 297 Pr
 Laji K, Wilkinson P, Ranjadayalan K, Vaishnav S, Stevenson R, Timmis AD. Infarction-free survival in unstable angina: long-term follow-up of 544 patients, 20
see also Wilkinson P *et al*
 Lakatta EG *see* Shah AM *et al*
 Lamb RK *see* Slavik Z *et al*
 Lampe FC *see* Gandhi MM *et al*
 Landou C *see* Proudler AJ *et al*
 Laney R *see* Clark AL *et al*
 Lang CC *see* Barr CS *et al*
 Darbar D *et al*
 Lang D, Shah AM, Lewis MJ. Angiotensin converting enzyme (ACE) activity: aortic and endocardial endothelium compared, 169 Pr
 Large S *see* Parameshwar J *et al*
 Large SR, Tsui SL, Grace AA, Dardas P, Schofield PM, Page AJF, Rowland E. Maze 3 (for atrial fibrillation): two cuts too few? 159
 Lavin F *see* Shah P *et al*
 Lawn R *see* Grainger DJ *et al*
 Lawson CS, Coltart DJ, Hearse DJ. Does depletion of endogenous catecholamines play a role in the mechanism of ischaemic preconditioning? 67 Pr

- Lawson J, McIntosh S, Kenny RA.** Adverse effects of fludrocortisone in treatment of vasodepressor disorders, 183 Pr
- Lawson T** *see* Avery PG *et al*
- Layton CA** *see* Vaishnav S *et al*
- Leatham E, Bath PM, Tooze J, de Belder M, Pumphrey C, Camm AJ.** Increased monocyte tissue factor expression in ischaemic heart disease, 167 Pr
- Leatham E, Carter J, Staunton A, Pumphrey C, Bevan D, Tuddenham E, Camm AJ.** Factor VII is reduced by low-intensity anticoagulation after myocardial infarction and unstable angina, 21
- Leather RA** *see* Boreham PA *et al*
- LeBlanc JG** *see* Slavik Z *et al*
- Lee HS, Cross SJ, Jennings K, Rawles J.** Early left ventricular function in thrombolysed patients with acute myocardial infarction – correlation with the ST segment, 258
- Lee HS, Cross SJ, Rawles J, Jennings KP.** QTc dispersion in patients with coronary artery disease – effect of exercise, dobutamine and dipyridamole myocardial stress, 343
- Lees B** *see* Godsland IF *et al*
Swan JW *et al*
- Lefroy D** *see* Choudhury L *et al*
- Lefroy DC, del Monte F, Crake T, Harding S, Poole-Wilson PA.** Angiotensin II does not affect cardiomyocyte contraction, 42 Pr
- Lefroy DC, Rosano GMC, Peters NS, Lindsay DC, Sarrel P, Collins P, Poole-Wilson PA.** Reduced frequency of chest pain in response to 17 β -oestradiol in women with syndrome X, 63 Pr
see also Godsland IF *et al*; Tousoulis D *et al*
- Levy LB, Avkiran M.** Impaired skeletal muscle fatigue resistance in the absence of heart failure in rats with left ventricular hypertrophy, 268
- Lewis MJ** *see* Anning PB *et al*
Banning AP *et al*
Evans HG *et al*
Goodfellow J *et al*
Grocott-Mason RM *et al*
Lang D *et al*
Ramsey MW *et al*
- Lewis NP, von der Leyen H, Gibbons GH, Morishita R, Zhang L, Kaneda Y, Cooke JP, Dzau VJ.** Enhanced nitric oxide (NO) production after *in vivo* transfer of endothelial-type NO synthase gene into balloon-injured rat carotid arteries, 145
see also Banning AP *et al*
- Li JM** *see* Fei L *et al*
- Lim R, Dyke L, Dymond DS.** Clinical assessment of 'cardioprotection' as a prognostic guide to the management of coronary artery disease, 285 Pr
- Limousin M** *see* Murgatroyd FD *et al*
- Lindsay DC, Lovegrove CA, Pepper JR, Bennett JG, Yacoub MH, Dunn MJ, Poole-Wilson PA.** Histological abnormalities of limb and respiratory muscles in heart failure, 269
see also Godsland IF *et al*; Lefroy DC *et al*
- Lip GYH, Malik I, Luscombe C, McCarry M, Beevers DG.** Differences in dietary fat in whites, blacks and Asians: implications for heart disease prevention, 78 Pr
- Lip GYH, Metcalfe MJ, Rumley A, Dunn FG, Lowe GDO.** Intravascular fibrin turnover and thrombogenesis in atrial fibrillation is reduced by cardioversion, 33
- Lip GYH, Smith D, Lowe GDO, Dunn FG.** Endothelial dysfunction contributes to thrombogenesis in chronic atrial fibrillation, 188 Pr
- Lipworth BJ** *see* Barr CS *et al*
- Liu A** *see* Grainger DJ *et al*
- Liu PM** *see* Fei L *et al*
- Livesey SA, Monro JL.** The value of post mortem examination in early deaths after cardiac surgery, 318 Pr
see also Edwards T *et al*
- Livingstone S** *see* Clesham GJ *et al*
- Lo SSS, Teoh M, Howell M, Sutton GC.** Value of instantaneous creatine kinase-MB in patients with suspected myocardial infarction, 124
- Logan SD** *see* Jenkins K *et al*
- Loughead K, Holmes L, Treasure T, Bihari D, Morgan C, Gallivan S.** Predicting outcome after cardiac surgery using physiological variables, 160
see also Holmes L *et al*
- Love H** *see* Shaikat N *et al*
- Lovegrove CA** *see* Lindsay DC *et al*
- Lowe GDO** *see* Lip GYH *et al*
- Lu KP** *see* Mounsey JP *et al*
- Luddington L** *see* Goodfellow J *et al*
- Luddington LA** *see* Ramsey MW *et al*
- Ludlam CA** *see* Wright RA *et al*
- Lumley P** *see* Patel D *et al*
- Luscombe C** *see* Lip GYH *et al*
- Lythall DA** *see* Hardman SMC *et al*
- McCance A** *see* Keavney B *et al*
- McCarry M** *see* Lip GYH *et al*
- McCarthy C** *see* Galvin J *et al*
- McCartney R** *see* Wilson DG *et al*
- McComb JM, Hawkins T, Parry G, Dark JH.** Scintigraphic assessment of reinnervation of the transplanted human heart, 109
- McComb JM, Mitchell L, Peaston RA, Dark JH.** Cardiac nor-adrenaline release: evidence for reinnervation of the transplanted human heart, 114
see also Barker JS *et al*; Kenny RA *et al*; Scott CD *et al*
- McCrea WA, Findley LJ, Wainwright RJ.** Is carotid sinus hypersensitivity masquerading as epilepsy? 303 Pr
- McCrea WA, Foran JPM, Wainwright RJ.** Are general practitioners ready for prehospital thrombolysis? 122
- MacDiarmid-Gordon AR** *see* Roffe C *et al*
- McDicken WN** *see* Moran CM *et al*
- McDonagh TA, Davison BS, Norrie JD, Morrison CE, Brown CA, McMurray J, Tunstall-Pedoe H, Dargie HJ.** The effect of psychological depression on functional capacity, 103
- MacDonald I** *see* Andrews R *et al*
- MacDonald TM** *see* Prasad N *et al*
- McDonnell SJ** *see* Prasad N *et al*
- McEntegart D** *see* Batin PD *et al*
- McEwan J** *see* Nyamekye I *et al*
Shanahan C *et al*
- McEwan JR** *see* Montgomery HE *et al*
- MacFarlane NG** *see* Denvir MA *et al*
- McGing E** *see* Tan KH *et al*
- McGurk L** *see* Avery PG *et al*
- McIntosh S** *see* Lawson J *et al*
- MacIver DH** *see* Green NK *et al*
Jenkins K *et al*
- McKenna WJ** *see* Caforio ALP *et al*
Choudhury L *et al*
Elliott PM *et al*
Keeling PJ *et al*
Saumarez RC *et al*
Watkins HC *et al*
- McKinlay S, Foster C, Clark S, Kemp F, Denver E, Coats AJS.** Increased blood pressure variability during 24 hour blood pressure monitoring as an early sign of autonomic dysfunction in non-insulin dependent diabetics, 340
- Mackintosh AF** *see* Batin PD *et al*
- McLenachan JM** *see* Smyllie J *et al*
- McLeod A** *see* Howarth B *et al*
- McLeod KT** *see* Peters NS *et al*
- McMurray J** *see* McDonagh TA *et al*
- McNeill GP** *see* Darbar D *et al*
- McNeill J** *see* Seifalian AM *et al*
- McQuiston AM** *see* Tweddel AC *et al*
- MacRae CA, Kass S, Watkins HC, Sparks L, Graber H, Wooley C, Seidman JG, Seidman CE.** A locus for familial dilated cardiomyopathy, 249
see also Varnava A *et al*; Watkins HC *et al*
- McWean J** *see* Ray SG *et al*
- Maby IR, Shore AC, Smith LDR, Tooke JE.** Impact of atrial fibrillation on peripheral microcirculatory haemodynamics, 338
- Malik I** *see* Lip GYH *et al*
- Malik M** *see* Fei L *et al*
Kautzner J *et al*
Murgatroyd FD *et al*
Redwood S *et al*
- Mann J** *see* Chester MR *et al*
- Marakas S** *see* Stefanadis C *et al*
- Marber MS** *see* Varnava A *et al*
- Marchant B** *see* Wilkinson P *et al*
- Marshall AJ** *see* Burrell CJ *et al*
- Martin J** *see* Brown AS *et al*
Wilson DG *et al*
- Martin JF** *see* Smith REA *et al*
- Martynyuk A, Kane KA, Cobbe SM, Rankin AC.** Adenosine increases potassium conductance in isolated rabbit atrioventricular nodal myocytes, 187 Pr
- Marwick T** *see* Radvan J *et al*
Williams J *et al*
- Marwick TH** *see* Radvan J *et al*
- Masani ND, Jones RA, Hall RJC.** Exercise induced myocardial stunning: differential rates of systolic and diastolic recovery, 264
- Masani RJC** *see* Jones RA *et al*

- Mathias CJ** *see* Baliga RR *et al*
Matsuki O *see* Uemura H *et al*
Mavrogeni SI *see* Rosano GMC *et al*
Mayet J, Senior R, Doherty M, Shahi M, Anagnostou E, Sever PS, Thom SAMcG, Handler CE, Foale RA. Complex ventricular arrhythmias in elite athletes, 101
Mazeika P, Nadazdin A, Oakley CM. Factor influencing interobserver agreement in stress echocardiography: comparison with exercise electrocardiography, 139 MPr
Mebazaa A *see* Shah AM *et al*
Melkert R *see* Violaris AG *et al*
Metcalfe J *see* Shanahan C *et al*
Metcalfe JC *see* Grainger DJ *et al*
Metcalfe MJ, Dargie HJ, Norton MY, Walton S. Important considerations in the assessment of LVEF in order to correctly assign patients with LV dysfunction to ACEI therapy, 271
see also Lip GYH *et al*
Michalis LK, Thomas MR, Thomas S, Monaghan MJ, Jewitt DE. Ischaemic changes during coronary angioplasty using perfusion and standard balloon catheters, 49 Pr
see also Rees MR and Michalis LK
Milburn A *see* Yates RWM *et al*
Milla P *see* Dollery CM *et al*
Millane TA, Brooks NH. Emergency transvenous cardiac pacing 1983-1993: implications for training, 231
Miller DJ *see* Denvir MA *et al*
Mills PG *see* Fort S *et al*
Thorne SA et al
Mishra MB, Earle K, Barnes D, Viberti GC, Chambers JB. Myocardial ischaemia in asymptomatic type I diabetic patients with autonomic neuropathy, 276 Pr
Mitchell L *see* McComb JM *et al*
Mohiaddin RH *see* Karwatowski SP *et al*
Monaghan MJ *see* Michalis LK *et al*
Monro JL *see* Edwards T *et al*
Livesey SA and Monro JL
Slavik Z et al
Monson JP *see* Fort S *et al*
Montgomery HE, Anglin S, Mullins J, McEwan JR. Vascular responses to balloon catheter-induced injury in the TGR(mRen-2)²⁷ rat, 216
Moorman JR *see* Mounsey JP *et al*
Moran CM, Fuentes VL, Sutherland GR, McDicken WN. Do changes in integrated backscatter predict the onset of idiopathic dilated cardiomyopathy in dogs? A long-term prospective study, 261
Moran CM, Wright R, Fenn LN, Sutherland GR, McDicken WN. The evaluation of myocardial function and perfusion using contrast enhanced integrated backscatter studies, 263
More RS, Underwood MJ, de Bono DP, Gershlick AH. Reduction in platelet deposition and intimal hyperplasia following arterial injury using a locally delivered targeted antiplatelet agent, B2
see also Underwood MJ *et al*
Morgan C *see* Holmes L *et al*
Loughead K et al
Morgan JM *see* Dawkins KD *et al*
Edwards T et al
Morishita R *see* Lewis NP *et al*
Morris JL, Zaman AG, Cowan JC. Accelerated streptokinase in acute myocardial infarction, 256
Morris JL, Zaman AG, Cowan JC. The signal-averaged electrocardiogram after thrombolysis for acute myocardial infarction, 292 Pr
Morris JL, Zaman AG, Orchard MA, Cowan JC, Prentice CRM, Davies JA. Activation of haemostatic mechanisms and stability of reperfusion following streptokinase in acute myocardial infarction, 290 Pr
Morris JL, Zaman AG, Smyllie JG, Cowan JC. The effect of intravenous nitrate on infarct size: evidence of benefit in small but not large infarcts, 260
Morris-Thurgood J *see* Cowell R *et al*
Morrison C *see* Tunstall-Pedoe H *et al*
Morrison CE *see* McDonagh TA *et al*
Morrison WL *see* Ray SG *et al*
Moss J *see* Collins P *et al*
Mounsey JP, Griffith MJ, Gold RG, Bexton RS. Antibiotic prophylaxis reduces re-operation rate for infective complications following permanent pacemaker implantation: a prospective randomised trial, 229
Mounsey JP, Horne LT, John JE, Lu KP, Jones LR, Moorman JR. Phospholemman chloride currents are increased by co-injection of protein kinase A mRNA in xenopus oocytes, 43 Pr
Mounsey JP, Nath S, Haines DE, DiMarco JP. Normal right atrial size is required for success in radiofrequency ablation of atrial flutter, 35
Mulcahy D *see* Patel DJ *et al*
Mullins J *see* Montgomery HE *et al*
Murday A *see* Anderson J *et al*
Murdoch DL, Norrie JD, Findlay IN, Ford I, Fox KM, Dargie HJ. Exercise test variables predicting prognosis in chronic stable angina pectoris in the TIBET study, 136 MPr
Murgatroyd FD, Slade AKB, Jones S, Nitzsche R, Rowland E, Camm AJ, Limousin M, Ritter P, for the Chorus Multicentre Study Group. A new pacing algorithm for the suppression of atrial fibrillation, 32
Murgatroyd FD, Xie B, Hnatkova K, Camm AJ, Malik M. Modes of spontaneous initiation of atrial fibrillation, 195 Pr
Murphy CF, Dick DJ, Horner SM, Zhou BY, Harrison FG, Lab MJ. Load induced electromechanical alternans in the anaesthetised pig heart, 177 Pr
Murphy CF, Horner SM, Dick DJ, Zhou BY, Harrison FG, Lab MJ. Phase relationships of electromechanical alternans during acute regional ischaemia in the anaesthetised pig heart, 179 Pr
see also Horner SM *et al*; Zhou BY *et al*
Murphy JJ, Stephenson C. Survey of venous access for temporary pacing in the UK, 125
Murray RG *see* Payne MN *et al*
Myler R *see* Gunn J *et al*
Myocardial Infarction Audit Group *see* Birkhead JS
Naas AA *see* Barr CS *et al*
Nadazdin A *see* Mazeika P *et al*
Naik S *see* Denvir MA *et al*
Nakazawa H *see* Hardman SMC *et al*
Nath S *see* Mounsey JP *et al*
Nathan AW *see* Ciudin R *et al*
Cunningham AD et al
Newby AC *see* Blayney LM *et al*
George SJ et al
Southgate KM et al
Newell SA *see* Chauhan A *et al*
Newman CGH *see* Gatzoulis MA *et al*
Nihoyannopoulos P *see* Choudhury L *et al*
Clesham GJ et al
Uren NG et al
Nitzsche R *see* Murgatroyd FD *et al*
Noble MIM *see* Al-Mohammad A *et al*
Stubbs P et al
Norrie JD *see* McDonagh TA *et al*
Murdoch DL et al
Norris RM, Dixon GF, Chamberlain DA, Vincent R. Mortality from ischaemic heart disease (IHD) outside and inside hospital: the Brighton Heart Attack study, 106
Norris RM, Roy S, Dixon GF. What proportion of patients with acute myocardial infarction should receive thrombolytic therapy? 120
Norton MY *see* Metcalfe MJ *et al*
Nyamekye I, Anglin S, Bown S, Bishop C, McEwan J. Inhibition of intimal hyperplasia by photodynamic therapy in the rat carotid model of angioplasty restenosis, 44 Pr
Nzewi O, Ibrahim M, O'Kane H, Cleland J, Gladstone D, Danton M, Austin C, Sarsam M. A case for mechanical valve prostheses in the elderly, 164
Oakley CM *see* Choudhury L *et al*
Clesham GJ et al
Habib FM et al
Mazeika P et al
Puri S et al
Oakley D *see* Gunn J *et al*
O'Brien J, Brant J, Etherington M, Watkins J. The unique haemostatic defect in aortic valve stenosis, 28
Ogilvie BC *see* Dawkins KD *et al*
O'Gorman D *see* Williams J *et al*
O'Gorman DJ *see* Radvan J *et al*
Ogston SA *see* Prasad N *et al*
Oh JK *see* Connolly HM *et al*
Ohanian V *see* Green NK *et al*
Roffe C et al
O'Kane H *see* Nzewi O *et al*
Oliver F *see* Wright RA *et al*
Oliver MF *see* Felton CV *et al*
Swan JW et al
Orchard MA *see* Morris JL *et al*
Orszulak TA *see* Connolly HM *et al*
Osborn SL *see* Connolly HM *et al*
Osborn J *see* Shanahan C *et al*

- O'Sullivan JJ** *see* Gardiner HM *et al*
Owens D *see* Goodfellow J *et al*
- Page AJF** *see* Large SR *et al*
Page CA *see* Choudhury L *et al*
Pantely G *see* Kenny A *et al*
Papaconstantinou H *see* Burrell CJ *et al*
Parameshwar J, Foote J, Sharples L, Wallwork J, Large S, Schofield P. Lipoprotein A, lipids and coronary artery disease after cardiac transplantation, 333
Parameshwar J, Roberts M, Wallwork J, Large S, Schofield P. Treatment of hyperlipidaemia after cardiac transplantation, 331
see also Connolly DL *et al*
Parker DJ *see* Anderson J *et al*
Parker J *see* Henderson RA *et al*
Parker K *see* Fujimoto S *et al*
Parry G *see* McComb JM *et al*
Parry H, Ralph M, Scott CD, Dark JH. Low attrition rate in medium to long term survivors after cardiac transplantation, 332
Passafini A *see* Kenny A *et al*
Patel D, Chronos N, Humphreys D, Lumley P, Fox K. Enhanced platelet activation *in vitro* in refractory unstable angina: inhibition by GR144053, a fibrinogen receptor antagonist, 275 Pr
see also Choudhury L *et al*; Henein MY *et al*
Patel DJ, Holdright D, Knight C, Mulcahy D, Wright C, Sparrow J, Wicks M, Hubbard W, Thomas R, Sutton G, Hendry G, Purcell H, Fox K. The findings of admission ECG and continuous ECG monitoring independently predict in-hospital prognosis in unstable angina, 22
Patel DJ, Holdright D, Mulcahy D, Cunningham D, Wright C, Clarke D, Wicks M, Hubbard W, Thomas R, Sutton G, Hendry G, Purcell H, Fox K. Pathophysiology of transient myocardial ischaemia in unstable angina and non-Q myocardial infarction, 24
Patel V *see* Why H *et al*
Patel VB, Siddiq T, Richardson PJ, Why H, Preedy VR. Comparative effects of an ACE-inhibitor and a calcium channel antagonist in translational and transcriptional events of the regressed myocardium, 74 Pr
Paul V *see* Cowell R *et al*
Paulesu E *see* Rosen SD *et al*
Paulus WJ *see* Shah AM *et al*
Payne GE, Skehan JD, Garratt CJ. Efficacy of sequential 'fast' and 'slow' pathway ablation as a means of creating complete heart block in patients with atrial fibrillation, 34
Payne GE, Skehan JD, Garratt CJ. Role of prepectoral implantation of transvenous cardioverter defibrillators, 307 Pr
Payne GE, Spinelli J, Garrett CJ, Skehan JD. The true 'optimal rate' an individual parameter, 306 Pr
Payne MN, Green EK, Walker MR, Jones AF, Murray AG, Beattie JM. Modulation of coronary heart disease risk by apolipoprotein E genotype, 280 Pr
Payne MN, Saeed BT, Bartlett WA, Jones AF, Murray RG, Beattie JM. Serum angiotensin-converting enzyme activity in relation to risk of premature coronary heart disease, 76 Pr
Peaston RA *see* McComb JM *et al*
Peebles L *see* Prasad N *et al*
Pennell DJ, Bogren HG, Keegan J, Firmin DN, Underwood SR. Coronary artery stenosis: localisation and assessment of severity by magnetic resonance imaging, 142
Penny WJ *see* Banning AP *et al*
ElGaylani N et al
Pepper JR *see* Davies CH *et al*
Jin XY et al
Lindsay DC et al
Pepys MB *see* Clesham GJ *et al*
Pereira W *see* Chester MR *et al*
Perrins EJ *see* Smyllie J *et al*
Perry RA *see* Ray SG *et al*
Petch MC *see* Chauhan A *et al*
Connolly DL et al
Stephens N et al
Peters N *see* Rosano GMC *et al*
Peters NS, del Monte F, MacLeod KT, Severs NJ, Green CR, Poole-Wilson PA. Increased expression of connexin43 gap-junctional membrane by cardiac myocytes in early renovascular hypertension, 69 Pr
Peters NS, Poole-Wilson PA, Severs NJ, Wit AL. Myocardial gap junctions in the arrhythmogenic border zone of early canine infarcts, 19 MPr
see also Godsland IF *et al*; Lefroy DC *et al*; Severs NJ *et al*
Petropoulakis PN *see* Kyriakidis MK *et al*
Piepoli M *see* Amadi AA *et al*
Clark AL et al
- Pileggi F** *see* Chester MR *et al*
Pocock SJ *see* Henderson RA *et al*
Polak JM *see* Crick SJ *et al*
Poloniecki I *see* Kaski JC *et al*
Poloniecki J *see* Chester MR *et al*
Gill JS et al
Redwood S et al
Poole-Wilson PA *see* Clark AL *et al*
Davies CH et al
Henein MY et al
Lefroy DC et al
Lindsay DC et al
Peters NS et al
Rosano GMC et al
Volterrani M et al
- Prasad K** *see* Elliott PM *et al*
Prasad N, McDonnell SJ, Ogston SA, Peebles L, MacDonald TM. Ambulatory blood pressure monitoring for 24 or 48 hours? 201 Pr
Preedy V *see* Why H *et al*
Preedy VR *see* Patel VB *et al*
Pregar R *see* Crowley JJ *et al*
Prentice CRM *see* Morris JL *et al*
Priestley KA, Denne L, Chronos NAF, Sigwart U, Shore D, Buller NP. Quality of life following coronary revascularisation procedures, 316 Pr
see also Buller NP *et al*
Pringle T *see* Darbar D *et al*
Proudler A *see* Swan JW *et al*
Proudler AJ, Bavenholm P, Tornval P, Godsland IF, Landou C, de Faire Y, Hamsten A, Stevenson JC. Plasma insulin and insulin propeptides in young male survivors of myocardial infarction, 58 Pr
Pugh ND *see* Ramsey MW *et al*
Pumphrey C *see* Leatham E *et al*
Pumphrey CW *see* Chester M *et al*
Purcell H *see* Patel DJ *et al*
Puri S, Baker BL, Oakley CM, Hughes JMB, Cleland JGF. Alveolar-capillary membrane conductance can predict maximal exercise oxygen uptake in patients with left ventricular dysfunction, 89 Pr
Puri S, Baker BL, Oakley CM, Hughes JMB, Cleland JGF. Fluid loading causes impairment of gas transfer at the alveolar-capillary membrane in patients with asymptomatic left ventricular dysfunction, 312 Pr
Pyke SDM, Wood DA, Kinmonth AL, Thompson SG, on behalf of the British Family Heart Study Group. Cardiovascular risk factor changes following lifestyle intervention in families, 85 Pr
see also Wood DA *et al*
- Qureshi SA** *see* Rosenthal E *et al*
Quyuyumi AA *see* Andrews NP *et al*
- Radvan J, Camici PG, Williams J, Marwick TH, Sheridan DJ.** Training duration correlates with an increase in minimal coronary resistance in athletes with training-induced left ventricular hypertrophy, 140 MPr
Radvan J, Williams J, Marwick T, O'Gorman DJ, Uren N, Foale R, Sheridan DJ, Camici PG. Pharmacologic variability in the timing of peak coronary flow response to dipyridamole in man, 113
Raftery EB *see* Senior R *et al*
Rahman AN *see* Sheldon S *et al*
Ralph M *see* Parry G *et al*
Ramsay L, Harcombe AA, Kenna JG, Weissberg PL, Alexander GJM. Prospective study of antibodies to acetaldehyde adducts of human heart proteins in patients with alcoholic cardiomyopathy, 156
Ramsey MW, Jones CJH, Luddington LA, Lewis MJ, Henderson AH. Endothelial maintenance of conduit artery distensibility is impaired in patients with dilated cardiomyopathy, 203 Pr
Ramsey MW, Luddington LA, Carolan-Rees G, Pugh ND, Jones CJH, Avery PG, Goodfellow J, Lewis MJ, Henderson AH. Evidence against systemic endothelial dysfunction in patients with microvascular angina, 6
see also Banning AP *et al*; Goodfellow J *et al*
Ranjadayalan K *see* Laji K *et al*
Wilkinson P et al
Rankin AC *see* Martynyuk A *et al*
Raval U *see* Senior R *et al*
Rawles J *see* Lee HS *et al*
Trent R et al
Ray S *see* Brack M *et al*

- Ray SG, Dodds PA, McWean J, Wilson G, Morrison WL, Walshaw MJ, Perry RA. Pulmonary mechanics and gas exchange following successful balloon mitral valvotomy, 328
see also Aggarwal RK *et al*
- Redington A *see* Rosenthal M *et al*
- Redington AN *see* Gatzoulis MA *et al*
Weil J *et al*
- Redwood D *see* Chester M *et al*
- Redwood S, Staunton A, Hnatkova K, Poloniecki J, Camm AJ, Malik M. Multifactorial prediction of early arrhythmic events and early mortality in survivors of acute myocardial infarction, 194 Pr
- Rees MR, Michalis LK. Vibrational angioplasty. A new approach to recanalise chronic totally occluded coronary arteries, 143
- Rees P *see* Adwani S *et al*
- Reid J *see* Goodfield NE *et al*
- Rela M *see* Smith REA *et al*
- Reller M *see* Kenny A *et al*
- Revill J, Rhoden WE. Aggressive coronary risk factor modification can reduce cardiovascular mortality in the primary care setting: a prospective twelve year intervention study in a practice of 7,500 patients, 80 Pr
- Rhoden WE *see* Revill J and Rhoden WE
- Rice M *see* Kenny A *et al*
- Richardson J *see* Batin PD *et al*
- Richardson PJ *see* Patel VB *et al*
Why H *et al*
- Richens D *see* Denvir MA *et al*
- Rickards AF, on behalf of the CABRI Investigators. Coronary angioplasty and coronary surgery in the management of multivessel symptomatic coronary disease: outcomes at 1 year following randomisation in the CABRI trial, 92
see also Cunningham AD *et al*
- Ring NJ *see* Burrell CJ *et al*
- RITA Trial Investigators *see* Henderson RA *et al*
- Ritter P *see* Murgatroyd FD *et al*
- Riveros-Moreno V *see* Smith REA *et al*
- Roberts M *see* Connolly DL *et al*
Parameshwar J *et al*
- Robinson D *see* Stafford PJ *et al*
- Robinson J *see* Clarkson P *et al*
Deanfield JE *et al*
- Robinson NMK, Thomas MR, Jewitt DE, Wainwright RJ. Comparison of clinical outcome after elective and 'bail out' coronary stent insertion, 50 Pr
- Robotham JL *see* Shah AM *et al*
- Rodger A *see* Goodfield NE *et al*
- Rodger JC, Bell H. An open access Holter service, 224
- Roffe C, MacDiarmid-Gordon AR, Ohanian V, Heagerty AM. Proto-oncogene induction by pressure and angiotensin II in the isolated working rat heart, 75 Pr
- Roger VL *see* Connolly HM *et al*
- Rosano GMC, Mavrogeni SI, Kaski JC, Collins P, Peters N, Poole-Wilson PA, Underwood R. Reduced uptake and wash-out of thallium in patients with syndrome X, 64 Pr
see also Godsland IF *et al*; Lefroy DC *et al*; Volterrani M *et al*
- Rosen S *see* Tousoulis D *et al*
- Rosen SD, Corlando AP, Camici PG. Psychological assessment of syndrome X patients, 66 Pr
- Rosen SD, Paulesu E, Frith CD, Frackowiak RSJ, Jones T, Camici PG. Regional brain activation in angina pectoris, 287 Pr
- Rosenthal E, Qureshi SA, Godart F, Baker EJ, Tynan M. Early results of stent implantation for pulmonary artery and right ventricular outflow tract stenoses, 128
- Rosenthal M, Deanfield J, Bush A, Redington A. The atriopulmonary or the total cavopulmonary connection Fontan: which is better? 8
- Ross Sir JK *see* Edwards T *et al*
- Rossi AG *see* Brady A JB *et al*
- Rothman MT *see* Vaishnav S *et al*
- Rowland E, Heald SC, Garrett C, Katritsis D, Hill P, Ward DE, Davies DW. Radiofrequency catheter ablation in patients with 'Mahaim' tachycardias, 308 Pr
see also Gill JS *et al*; Katritsis D *et al*; Large SR *et al*; Murgatroyd FD *et al*
- Rowlands DJ *see* Shaukat N *et al*
- Rowlands L *see* Gunn J *et al*
- Rowley D *see* Edwards T *et al*
- Roy C *see* Xiao HB *et al*
- Roy S *see* Norris RM *et al*
- Rozkovec A *see* Crook R *et al*
- Rumley A *see* Lip GYH *et al*
- Ruzyllo W *see* Chojnowska L *et al*
Woroszyńska M *et al*
- Ryan MP *see* Choudhury L *et al*
- Ryder M *see* Batin PD *et al*
- Rytlewska-Sadowska W *see* Woroszyńska M *et al*
- Saeed BT *see* Payne MN *et al*
- Sahn DJ *see* Kenny A *et al*
- Salmon AP *see* Slavik Z *et al*
- Sarrel P *see* Lefroy DC *et al*
- Sarsam M *see* Nzewi O *et al*
- Saumarez RC, Bygrave A, Slade AKV, Camm AJ, McKenna WJ. Increased inhomogeneity of intraventricular conduction in hypertrophic cardiomyopathy is associated with risk of sudden death. Results in 104 patients, 14 MPr
- Schenke WH *see* Andrews NP *et al*
- Schofield P *see* Brack M *et al*
Parameshwar J *et al*
- Schofield PM *see* Chauhan A *et al*
Connolly DL *et al*
Grainger DJ *et al*
Large SR *et al*
Stephens N *et al*
- Scott CD, Dark JH, McComb JM. Changes in chronotropic response with time after cardiac transplantation, 115
- Scott CD, Dark JH, McComb JM. Prediction of long term pacing requirements in recipients with early sinus node dysfunction after heart transplantation, 119
- Scott CD, Dark JH, McComb JM. Sinus node function in heart transplant recipients, 117
see also Kenny RA *et al*; Parry G *et al*
- Sculpher M *see* Henderson RA *et al*
- Sedgwick ML, Dalziel K, Watson J, Carrington DJ, Cobbe SM. The causative rhythm in out of hospital cardiac arrests witnessed by the emergency medical services in the Heartstart Scotland project, 300 Pr
- Seed P *see* Henderson RA *et al*
- Seidman CE *see* MacRae CA *et al*
Watkins HC *et al*
- Seidman JG *see* MacRae CA *et al*
Watkins HC *et al*
- Seifalian AM, Stables RH, Arnold S, McNeill J, Chronos N, Buller NP, Hawkes DJ. Regional coronary blood flow waveforms measured with conventional biplane x-ray angiograms, 283 Pr
- Sellers JR *see* Shah AM *et al*
- Senior R, Glenville B, Basu S, Sridhara BS, Raval U, Raftery EB, Lahiri A. Rest thallium-201 imaging and dobutamine echocardiography accurately identify improvement in regional function following revascularisation in severe left ventricular dysfunction, 112
- Senior R, Sridhara BS, Anagnostou E, Raval U, Handler CE, Raftery EB, Lahiri A. Synergistic value of simultaneous stress dobutamine sestamibi SPECT and echocardiography in the detection of coronary artery disease, 108
- Senior R, Sridhara BS, Raval U, Basu S, Anagnostou E, Dudzic E, Crawley JCW, Cload P, Lahiri A. Dobutamine stress testing with Tc-99m tetrofosmin has high diagnostic accuracy for detection of coronary heart disease, 284 Pr
see also Mayet J *et al*; Sridhara BS *et al*
- Seo H *see* Elliott PM *et al*
Keeling PJ *et al*
- Serruys PW *see* Violaris AG *et al*
- Sethia B *see* Bu'Lock FA *et al*
Stümper O *et al*
- Sever PS *see* Mayet J *et al*
- Severs NJ, Blackburn J, Peters NS, Green CG. Enhanced expression of smooth muscle cell gap junctions in the developing atherosclerotic plaque, 1
see also Peters NS *et al*
- Seward JB *see* Connolly HM *et al*
- Shah AM, Mebazaa A, Cuda G, Dodd JM, Sellers JR, Robotham JL, Lakatta EG. Inhibition of myocardial crossbridge cycling and contraction by hypoxic endothelial cells: the mechanism underlying myocardial hibernation? 250
- Shah AM, Mebazaa A, Sollott SJ, Lakatta EG. Modulation of diastolic tone and cardiac myofilament response by endothelial cell factors, 234
- Shah AM, Vantrimpont PJ, Paulus WJ. Nitric oxide induces earlier onset of left ventricular relaxation and reduces diastolic stiffness in man, 176 Pr
see also Anning PB *et al*; Evans HG *et al*; Grocott-Mason RM *et al*; Lang D *et al*
- Shah P, Chander R, Daly K. Plasma fibrinogen level and other risk factor profiles: association with coronary artery disease, 77 Pr
- Shah P, Chander R, Lavin F, Daly K. Acute myocardial infarction and

- thrombolysis – value of bedside myoglobin kit in diagnosis and assessment, 295 Pr
- Shahi M, Skinner E, Hackett D, Davies DW, Foale RA.** Feasibility of daycase coronary angioplasty, 55 Pr
see also Mayet J *et al*
- Shanahan C, Osbourn J, McEwan J, Anglin S, Metcalfe J, Weissberg P.** Gene expression in rat vascular smooth muscle cell lesions, 173 Pr
- Shandall A** *see* ElGaylani N *et al*
- Shanit D** *see* Cheng A *et al*
- Shaper AG** *see* Walker M *et al*
Wannamethee G *et al*
- Shapiro LM** *see* Chauhan A *et al*
Crowley JJ *et al*
Kenny A *et al*
Stephens N *et al*
- Sharland GK** *see* Yates RWM *et al*
- SHARP Investigators** *see* Brack M *et al*
- Sharples L** *see* Parameshwar J *et al*
Tait S *et al*
- Shaukat N, Ashraf S, Rowlands DJ, Love H, Keenan D.** Single versus bilateral internal mammary artery grafting using the free right internal mammary artery, a comparison of early mortality and morbidity, 163
- Shaukat N, de Bono DP.** A comparison of risk factors in South Asian and Northern European coronary artery disease patients with their young male offspring, 84 Pr
- Shaukat N, de Bono DP.** Reduced physical activity in young South Asian males: a factor in their future development of hyperinsulinaemia, 82 Pr
- Shay J** *see* Collins P *et al*
- Sheldon S, Haselton P, Yonan NA, Rahman AN, Deiraniya AK, Campbell CS, Brooks NH, Dyer PA.** Heart transplant rejection correlates strongly with HLA mismatch, 330
- Shepherd L** *see* Holt CM *et al*
- Sheppard MN** *see* Crick SJ *et al*
- Sheridan DJ** *see* Goulielmos NV *et al*
Radvan J *et al*
Siminiak T *et al*
- Sherringham PJ** *see* Greenbaum RA and Sherringham PJ
- Shiota T** *see* Kenny A *et al*
- Shore AC** *see* Mahy IR *et al*
- Shore D** *see* Priestley KA *et al*
- Siddiq T** *see* Patel VB *et al*
- Sideris A** *see* Stefanadis C *et al*
- Siegel R** *see* Gunn J *et al*
- Sigwart U** *see* Brady AJB *et al*
Buller NP *et al*
Priestley KA *et al*
- Silberbach M** *see* Kenny A *et al*
- Silove ED** *see* Bu'Lock FA *et al*
Stümper O *et al*
- Siminiak T, Fluck D, Dye J, Sheridan DJ.** Effect of modification of the cyclooxygenase pathway on plasma-mediated stimulation of neutrophil CD18 adhesion molecule expression during reperfusion, 291 Pr
- Simpson CC** *see* Wright RA *et al*
- Simpson IA** *see* Dawkins KD *et al*
Edwards T *et al*
- Simpson JM** *see* Yates RWM *et al*
- Sinclair C** *see* Grubb NR *et al*
- Sinclair H** *see* Karwatowski SP *et al*
- Singh R** *see* Cooke RA *et al*
- Skehan JD** *see* Brack M *et al*
Keavney B *et al*
Payne GE *et al*
- Skinner E** *see* Shahi M *et al*
- Skinner JS, Albers C, Hall RJC, Adams PC.** Consecutive patients aged 55 years or less with acute myocardial infarction (MI) before routine thrombolysis: outcome at 7 years and beyond, 293 Pr
- Skovranek J** *see* Slavik Z *et al*
- Slade AKB** *see* Murgatroyd FD *et al*
- Slade AKV** *see* Saumarez RC *et al*
- Slavik Z, Salmon AP, LeBlanc JG, Horvath P, Hucin B, Skovranek J, Lamb RK, Monro JL, Keeton BR, Webber SA.** The influence of competitive pulmonary blood flow on the bidirectional superior cavopulmonary shunt: a multi-institutional study, 7
- Smeeton NC** *see* Cooke RA *et al*
- Smeets JLRM** *see* Sreeram N *et al*
- Smith D** *see* Lip GYH *et al*
- Smith EEJ** *see* Anderson J *et al*
- Smith G** *see* Keeling PJ *et al*
- Smith GH** *see* Holt CM *et al*
- Smith JA, Babuji RJ.** Endothelial cell protein kinase C is differentially activated by oxidised low density lipoprotein and lysophosphatidyl choline, 220
- Smith LDR** *see* Mahy IR *et al*
- Smith REA, Desai JB, Forsyth AT, Martin JF.** Nitric oxide reduces contractility of isolated human myocardium, 235
- Smith REA, Rela M, de Belder AJ, Villa LM, Wong A, Beesley JE, Riveros-Moreno V, Heaton N, Tan KC, Martin JF.** Nitric oxide synthase induction and cardiac transplant rejection, 237
- Smyllie J, Welsh CJP, McLenachan JM, Perrins EJ.** Elective coronary artery stenting via left brachial arteriotomy: a feasibility study, 324
- Smyllie JH** *see* Morris J L *et al*
- Sollott SJ** *see* Shah AM *et al*
- Somerville J** *see* Clark AL *et al*
Weil J *et al*
- Sood M** *see* Bu'Lock FA *et al*
- Sorensen K** *see* Deanfield JE *et al*
- Soroka M** *see* Woroszylska M *et al*
- Southall E, Carey CM, Dewhurst NG.** The implications of screening for atrial fibrillation in general practice, 102
- Southgate KM, Banning AP, Groves PH, Cheadle H, Newby AC.** Upregulation of basement-membrane-degrading metalloproteinases by balloon angioplasty in pigs, 219
- Sowton E** *see* Tan KH *et al*
- Sparks L** *see* MacRae CA *et al*
- Sparrow J** *see* Patel DJ *et al*
- Speechly-Dick ME, Baxter GF, Yellon DM.** Ischaemic preconditioning protects hypertrophied myocardium, 68 Pr
- Spiegelhalter D** *see* Bull C *et al*
- Spiegelhalter DJ** *see* de Leval M *et al*
- Spinelli J** *see* Payne GE *et al*
- Spyt PAC** *see* De Souza AC *et al*
- Sreeram N, Cheriex EC, Smeets JLRM, Gorgels AP, Wellens HJJ.** The value of the 12 lead electrocardiogram at hospital admission in patients with acute pulmonary embolism, 200 Pr
- Sridhara BS, Dudzic E, Basu S, Senior R, Lahiri A.** Reverse redistribution on thallium-201 imaging in post-myocardial infarction suggests successful thrombolysis, 110
see also Senior R *et al*
- Stables RH** *see* Seifalian AM *et al*
- Stafford PJ, Holmberg S, Vincent R.** The signal averaged P wave predicts maintenance of sinus rhythm after cardioversion from atrial fibrillation, 37
- Stafford PJ, Robinson D, Vincent R.** Improved prediction of paroxysmal atrial fibrillation by analysis of multiple signal averaged P wave variables, 15 MPr
- Statters DJ** *see* Fei L *et al*
- Staunton A** *see* Leatham E *et al*
Redwood S *et al*
- Stearse SE, Yellon DM.** The effects of heat stress on cardiac antioxidants and resistance to oxidant stress, 41 Pr
- Steel SA** *see* Caplin JL *et al*
- Stefanadis C, Stratos C, Kallikazaros I, Tsiamis E, Vlachopoulos C, Marakas S, Boudoulas H, Toutouzas P.** A new steerable catheter using emission of ultrasounds for the in vivo determination of pressure-diameter relationship of the aorta in humans, 226
- Stefanadis C, Stratos C, Kallikazaros I, Tsiamis E, Vlachopoulos C, Sideris A, Toutouzas C, Toutouzas P.** Retrograde nontransseptal balloon mitral valvuloplasty using the Inoue balloon catheter, 329
- Stenhouse F** *see* Wright RA *et al*
- Stephens N, Petch MC, Schofield PM, Shapiro LM, Weissberg PL.** A changing pattern of cause of death in myocardial infarction: thrombolysis alone may not prevent ventricular rupture, 288 Pr
- Stephenson C** *see* Murphy JJ and Stephenson C
- Stevenson JC** *see* Godsland IF *et al*
Proudler AJ *et al*
- Stevenson R** *see* Laji K *et al*
- Stone DL** *see* Chauhan A *et al*
- Stratos C** *see* Stefanadis C *et al*
- Struthers AD** *see* Barr CS *et al*
Barr CS and Struthers AD
Darbar D *et al*
- Stuart AG** *see* Wilson DG *et al*
- Stubbs P, Collinson P, Greenwood TW, Noble MIM.** Can a rapid biochemical measurement service have an effect on the efficient use of coronary care unit beds? 123
- Stubbs P, Collinson P, Greenwood TW, Noble MIM.** Do biochemical measurements have a place in thrombolysis protocols? 255
- Stümper O, Wright JGC, De Giovanni JV, Silove ED, Sethia B, Brawn WJ.** Combined atrial and arterial switch procedure for congenital corrected transposition with ventricular septal defect, 10
see also Bu'Lock FA *et al*

- Sugrue D** *see* Galvin J *et al*
Sulke N *see* Tan KH *et al*
Sullivan ID *see* Dollery CM *et al*
Sutherland GR *see* Currie PF *et al*
 Grubb NR *et al*
 Moran CM *et al*
Sutton G *see* Patel DJ *et al*
Sutton GC *see* Lo SSS *et al*
Sutton MSTJ *see* Karwatowski SP *et al*
Swan J *see* Clark AL *et al*
Swan JS *see* Clark AL *et al*
Swan JW, Lees B, Proudler A, Coats AJS. Skeletal muscle and total body fat in chronic heart failure: relationship with tumour necrosis factor and severity of heart failure, 243 MP
Swan JW, Walton C, Godsland IF, Clark AL, Coats AJS, Oliver MF. Insulin resistance in chronic heart failure: relationship to severity and aetiology of the heart failure, 267
see also Amadi AA *et al*
- Tait S, Caine N, Sharples L, Wallwork J**. Outcome of cardiac surgery in the elderly – survival and quality of life: a prospective study, 211 Pr
Tajik AJ *see* Connolly HM *et al*
Tan KC *see* Smith REA *et al*
Tan KH, Sulke N, McGing E, Bucknall C. Dual sensor VVIR pacing: is it worth it? 232
Tan KH, Sulke N, Taub N, Karani S, Watts E, Sowton E. Coronary angioplasty in patients 70 years of age or older: twelve years experience, 51 Pr
Taub N *see* Tan KH *et al*
Taylor KM *see* Clesham GJ *et al*
Tentolouris C *see* Tousoulis D *et al*
Tentolouris CA *see* Kyriakidis MK *et al*
Teoh M *see* Lo SSS *et al*
Thierfelder LH *see* Watkins HC *et al*
Thom SAMcG *see* Mayet J *et al*
Thomas MR *see* Michalis LK *et al*
 Robinson NMK *et al*
Thomas O *see* Clarkson P *et al*
 Deanfield JE *et al*
Thomas R *see* Patel DJ *et al*
Thomas S *see* Michalis LK *et al*
Thompson RP *see* Ho SY *et al*
Thompson SG *see* Pyke SDM *et al*
 Wood DA *et al*
Thorne SA, Abbot SE, Blake DR, Mills PG. Monocyte adhesion to human coronary artery smooth muscle and endothelial cells: the role of modified LDL, C7
Thurston H *see* De Souza AC *et al*
Thurston VJ *see* George SJ *et al*
Timmis AD *see* Laji K *et al*
 Vaishnav S *et al*
 Wilkinson P *et al*
Todd J *see* Cooke RA *et al*
Toner C *see* Underwood MJ *et al*
Tooke JE *see* Mahy IR *et al*
Tooze J *see* Leatham E *et al*
Tornval P *see* Proudler AJ *et al*
Tousoulis D, Chen L, Davies G, Kaski JC. Relationship between coronary stenosis morphology and degree of vasomotion in patients with variant angina, 23
Tousoulis D, Crake T, Kaski JC, Lefroy DC, Haider AW, Rosen S, Clarke J, Davies G. Coronary stenosis morphology and vasomotor responses to acetylcholine, 279 Pr
Tousoulis D, Crake T, Lefroy DC, Tentolouris C, Toutouzas P, Davies G. Epicardial coronary artery diameter changes during atrial pacing are dependent on nitric oxide synthesis in patients with coronary artery disease, 180 Pr
see also Chester M *et al*; Kaski JC *et al*
Toutouzas C *see* Stefanadis C *et al*
Toutouzas P *see* Stefanadis C *et al*
 Tousoulis D *et al*
Toutouzas PK *see* Kyriakidis MK *et al*
Townsend P *see* Brown MD *et al*
Treasure J *see* Cooke RA *et al*
Treasure T *see* Anderson J *et al*
 Cooke RA *et al*
 Holmes L *et al*
 Loughhead K *et al*
Trent R, Rawles J, Jamieson M, Adams J, Jennings K. The relative saving-of-life by resuscitation and thrombolysis in acute myocardial infarction, 299 Pr
- Tsiamis E** *see* Stefanadis C *et al*
Tsikaderis D *see* Gunn J *et al*
Tsui SL *see* Large SR *et al*
Tuddenham E *see* Leatham E *et al*
Tulloch RMR, Haworth SG. Chronic hypoxia alters contractile and relaxant responses in neonatal porcine intrapulmonary arteries, 172 Pr
Tunstall-Pedoe H, Morrison C, Brown CA. Failure of case fatality from myocardial infarction in the Glasgow MONICA population to change with changing medication 1985-91, 296 Pr
see also McDonagh TA *et al*
Tweddel AC, McQuiston AM, Hutton I. Exercise induced white cell aggregation, 132 MP
see also Denvir MA *et al*
Tynan M *see* Rosenthal E *et al*
- Uemura H, Anderson RH, Ho SY, Yagihara T, Matsuki O, Kawashima Y**. Left ventricular structures in atrioventricular septal defect with right isomerism compared to similar features with unusual atrial arrangement, 207 Pr
Underwood MJ, Cooper GJ, More RS, Toner C, Coumbe A, de Bono DP. The effect of locally applied tPA on the fibrinolytic activity of vein grafts, 214 Pr
see also More RS *et al*
Underwood R *see* Rosano GMC *et al*
Underwood SR *see* Karwatowski SP *et al*
 Pennell DJ *et al*
Uren N *see* Radvan J *et al*
Uren NG, Crake T, Williams J, de Silva R, Nihoyannopoulos P, Davies GJ. Microvascular injury and myocardial stunning occur independently after infarction, 259
- Vaishnav S, Aziz S, Davies SW, Rothman MT, Timmis AD, Balcon R, Layton CA**. Intra-coronary stenting: is it worthwhile? 325
see also Laji K *et al*
Valencia O *see* Anderson J *et al*
Vallance PJT *see* Calver AL *et al*
van Beusekom HMM *see* Violaris AG *et al*
van der Giessen WJ *see* Violaris AG *et al*
van Meegen J *see* Violaris AG *et al*
Vandenberg JI, Carter ND, Grace AA. Membrane-bound carbonic anhydrase and cardiac pH regulation, 38 Pr
see also Bethell HWL *et al*
Vantrimpont PJ *see* Shah AM *et al*
Varnava A, Joy M, Doherty J, Marber MS, MacRae CA. A 15 year review of the need for tertiary cardiac services by a district general hospital, 321 Pr
Vassilikos V *see* Ciudin R *et al*
Verdouw PD *see* Violaris AG *et al*
Viberti GC *see* Mishra MB *et al*
Vigushin DM *see* Clesham GJ *et al*
Villa LM *see* Smith REA *et al*
Vincent R *see* Norris RM *et al*
 Stafford PJ *et al*
Violaris AG, Melkert R, Foley DP, Keane D, Serruys PW. A quantitative angiographic analysis of restenosis following successful coronary angioplasty of total occlusions, 91
Violaris AG, van Beusekom HMM, di Mario C, van Meegen J, Serruys PW, Verdouw PD, van der Giessen WJ. Local drug delivery in porcine coronary arteries using a new balloon catheter allowing prolonged inflation, 170 Pr
Vlachopoulos C *see* Stefanadis C *et al*
Volterrani M, Rosano GMC, Poole-Wilson PA, Coats A, Collins P. Estradiol-17 β increases forearm blood flow in menopausal women. A double blind randomized study, 349
see also Amadi AA *et al*; Clark AL *et al*
von der Leyen H *see* Lewis NP *et al*
- Wainwright RJ** *see* McCrea WA *et al*
 Robinson NMK *et al*
Wales C *see* Gunn J *et al*
Walker DM, Walker JM, Yellon DM. Preconditioning in human isolated muscle, D11
Walker JM *see* Walker DM *et al*
Walker M, Wannamethee G, Whincup PH, Shaper AG. Weight change and risk of myocardial infarction in middle-aged British men, 81 Pr
see also Wannamethee G *et al*
Walker MR *see* Payne MN *et al*

- Wallwork J** *see* Parameshwar J *et al*
Tait S *et al*
- Walsh KP, Abrams SE.** A device for all lesion. The button occluder, 130
- Walsh KP, Abrams SE, Brown C.** Results of radiofrequency catheter ablation in young children, 191 Pr
see also Abrams SE *et al*
- Walshaw MJ** *see* Ray SG *et al*
- Walton C** *see* Swan JW *et al*
- Walton S** *see* Metcalfe MJ *et al*
- Wannamethee G, Whincup PH, Shaper AG, Walker M.** 'Who dies from a heart attack' – factors influencing case fatality in myocardial infarction, 83 Pr
see also Walker M *et al*
- Ward DE** *see* Chester M *et al*
Chester MR *et al*
Gill JS *et al*
Katritsis D *et al*
Rowland E *et al*
- Watkins HC, Thierfelder LH, MacRae CA, Yeon H, McKenna WJ, Seidman JG, Seidman CE.** Analysis of genetic locus heterogeneity in hypertrophic cardiomyopathy, 154
see also MacRae CA *et al*
- Watkins J** *see* O'Brien J *et al*
- Watson J** *see* Sedgwick ML *et al*
- Watson L** *see* Baliga RR *et al*
- Watt PAC** *see* De Souza AC *et al*
- Watts E** *see* Tan KH *et al*
- Weaver JU** *see* Fort S *et al*
- Webber SA** *see* Slavik Z *et al*
- Weil J, Somerville J, Redington AN.** Self-expanding stents in congenital heart disease, 129
- Weissberg P** *see* Shanahan C *et al*
- Weissberg PL** *see* Ramsay L *et al*
Stephens N *et al*
- Wellens HJJ** *see* Sreeram N *et al*
- Welsh CJP** *see* Smyllie J *et al*
- Wenzlaff P, Amende I.** Progression of coronary artery disease following cessation of cigarette smoking, 141
- West R** *see* Izzat MB *et al*
- West RR.** Time to thrombolysis in representative hospitals throughout UK, 248
see also Izzat MB *et al*
- Wharton J** *see* Crick SJ *et al*
- Wheatley DJ** *see* Denvir MA *et al*
- Whincup PH** *see* Walker M *et al*
Wannamethee G *et al*
- Whitehead B** *see* Adwani S *et al*
- Whitmore P** *see* Adwani S *et al*
- Why H, Patel V, Richardson PJ, Preedy V.** Left ventricular collagen content and lisinopril therapy: is regression of left ventricular hypertrophy really beneficial? 148
see also Patel VB *et al*
- Wickens M** *see* Batin PD *et al*
- Wicks M** *see* Patel DJ *et al*
- Wilkinson P, Laji K, Ranjadayan K, Marchant B, Kopelman P, Timmis AD.** Case fatality in Asians after acute myocardial infarction, 105
see also Laji K *et al*
- Williams J, O'Gorman D, Foale R, Marwick R.** Exercise echocardiography is the optimal non-invasive test for the prediction of coronary artery disease in women, 59 Pr
see also Radvan J *et al*; Uren NG *et al*
- Wilson DG, McCartney R, Farr R, Kirk CR, Martin J, Davies S, Stuart AG.** Medication errors in a paediatric cardiac unit: a prospective audit, 320 Pr
- Wilson G** *see* Ray SG *et al*
- Wilson N, Houston A, Fadley F.** Balloon expandable stents in the treatment of branch pulmonary artery stenosis, 131
- Wit AL** *see* Peters NS *et al*
- Wong A** *see* Smith REA *et al*
- Wong K** *see* Jin XY *et al*
- Wood DA, Kinmonth AL, Pyke SDM, Thompson SG, on behalf of the British Family Heart Study Group.** A comparison of cholesterol versus no cholesterol testing in a cardiovascular screening and lifestyle intervention programme, 79 Pr
- Wood DA, Kinmonth AL, Pyke SDM, Thompson SG, on behalf of the British Family Heart Study Group.** The British Family Heart Study: principal results of a randomised controlled trial of cardiovascular screening and lifestyle intervention in primary care, 104
see also Gandhi MM *et al*; Pyke SDM *et al*
- Wooley C** *see* MacRae CA *et al*
- Woroszyńska M, Konka M, Soroka M, Górecka B, Dabrowski M, Chmielak Z, Rydlewska-Sadowska W, Ruzyllo W.** Long-term follow-up after percutaneous mitral commissurotomy with the Inoue balloon, 26
see also Chojnowska L *et al*
- Wren C** *see* Gardiner HM *et al*
- Wright C** *see* Patel DJ *et al*
- Wright JGC** *see* Bu'Lock FA *et al*
Stümper O *et al*
- Wright R** *see* Moran CM *et al*
- Wright RA, Flapan AD, Simpson CC, Stenhouse F, Oliver F, Ludlam CA, Fox KAA.** Effects of captopril on endogenous fibrinolysis in men with recent myocardial infarction, 257
see also Goodfield NE *et al*
- Wu W** *see* Fei L *et al*
- Xiao HB, Faiek AHA, Gibson DG.** Re-evaluation of normal splitting of the second heart sound in patients with left bundle branch block, 341
- Xiao HB, Jin XY, Gibson DG.** A validation study on the reconstructed left ventricular pressure from Doppler signals of functional mitral regurgitation, 266
- Xiao HB, Roy C, Gibson DG.** 'Bilateral bundle branch block' – a common finding in patients with dilated cardiomyopathy, 190 Pr
see also Henein MY *et al*; Jin XY *et al*
- Xie B** *see* Murgatroyd FD *et al*
- Yacoub M** *see* Chester A *et al*
- Yacoub MH** *see* Lindsay DC *et al*
- Yagihara T** *see* Uemura H *et al*
- Yan T** *see* Fei L *et al*
- Yang GZ** *see* Karwatowski SP *et al*
- Yates RWM, Milburn A, Simpson JM, Sharland GK.** Long term outlook for tachyarrhythmias detected in utero, 18 MPr
- Yellon DM** *see* Speechly-Dick ME *et al*
Stearse SE and Yellon DM
Walker DM *et al*
- Yeon H** *see* Watkins HC *et al*
- Yeung-Lai-Wah J** *see* Boreham PA *et al*
- Yi G** *see* Kautzner J *et al*
Keeling PJ *et al*
- Yonan N** *see* Grant SCD *et al*
- Yonan NA** *see* Sheldon S *et al*
- Young GD** *see* Boreham PA *et al*
- Zaman AG** *see* Morris JL *et al*
- Zhang L** *see* Lewis NP *et al*
- Zhang X** *see* Fei L *et al*
- Zhou B** *see* Horner SM *et al*
- Zhou BY, Lab MJ, Dick D, Horner SH, Murphy CF, Harrison FG.** Are there different mechanisms for stretch-induced ventricular premature contraction and fibrillation? 12 MPr
see also Murphy CF *et al*