

HEART

Editorials

- 453** Introducing new treatments in clinical practice: the Italian approach to β blockers in heart failure *A P Maggioni, L Tavazzi*
- 455** A Napoleonic future for cardiology? *P Sleight*
- 456** Opening the window of opportunity: encouraging patients to stop smoking *R Richmond*
- 459** Wine and health *J-P Broustet*

Papers

- 461** Audit of cardiac catheterisation in a district general hospital: implications for training *L D R Smith, G Spyer, J W Dean*
- 465** Diagnostic cardiac catheterisation in a hospital without on-site cardiac surgery *H D Papaconstantinou, A J Marshall, C J Burrell*
- 470** Appropriateness of referral of coronary angiography patients in Sweden *S J Bernstein, B Brorsson, T Åberg, H Emanuelsson, R H Brook, L Werkö, on behalf of the SECOR/SBU Project Group*
- 478** Hospital mortality of acute myocardial infarction in the thrombolytic era *N G Mahon, C O'Rourke, M B Codd, H A McCann, K McGarry, D D Sugrue*
- 483** Plasma adrenomedullin as an indicator of prognosis after acute myocardial infarction *N Nagaya, T Nishikimi, M Uematsu, Y Yoshitomi, Y Miyao, S Miyazaki, Y Goto, S Kojima, M Kuramochi, H Matsuo, K Kangawa, H Nonogi*
- 488** High apolipoprotein AI concentrations are associated with lower mortality and myocardial infarction five years after coronary artery bypass graft surgery *J S Skinner, M Farrer, C J Albers, H A W Neil, P C Adams*
- 495** Intraoperative cardiac troponin T release and lactate metabolism during coronary artery surgery: comparison of beating heart with conventional coronary artery surgery with cardiopulmonary bypass *T W Koh, G S Carr-White, A C DeSouza, F D Ferdinand, J Hooper, M Kemp, D G Gibson, J R Pepper*
- 501** Abnormalities of vascular endothelial function may contribute to increased coronary heart disease risk in UK Indian Asians *J C Chambers, A McGregor, J Jean-Marie, J S Kooner*
- 505** Effects of L- and D-arginine on the basal tone of human diseased coronary arteries and their responses to substance P *D Tousoulis, C Tentolouris, T Crake, G Katsimaglis, C Stefanadis, P Toutouzas, G J Davies*
- 512** Effects of L-arginine on lower limb vasodilator reserve and exercise capacity in patients with chronic heart failure *Y Kanaya, M Nakamura, N Kobayashi, K Hiramori*
- 518** Methylene tetrahydrofolate reductase genotype and the risk and extent of coronary artery disease in a population with low plasma folate *S L Tokgözoğlu, M Alikashişoğlu, İ Ünsal, E Atalar, K Aytemir, N Özer, K Övünç, Ö Usal, S Kes, E Tunçbilek*
- 523** Low dose dobutamine stress echocardiography predicts the improvement of left ventricular systolic function in dilated cardiomyopathy *H Kitaoka, J Takata, T Yabe, N Hitomi, T Furuno, Y L Doi*
- 528** Long lasting spasticity in controlled vasospastic angina *O Ueda, K Kohchi, Y Kishi, F Numano*
- 533** QT dispersion is not related to infarct size or inducibility in patients with coronary artery disease and life threatening ventricular arrhythmias *J De Sutter, R Tavernier, C Van de Wiele, J De Backer, J Kazmierczak, G De Backer, R Dierckx, L Jordaens*
- 539** The feasibility of complete anatomical correction in the setting of discordant atrioventricular connections *C Alva, E Horowitz, S Y Ho, M L Rigby, R H Andersons*

