

Author index

- Abdel-Massih T** see Beghetti M *et al*
Aburawi EH see Thomson JDR *et al*
Agetsuma H see Yasuda N *et al*
Aggoun Y see Hausse AO *et al*
Ahmed N see Douglas H *et al*
Aizawa Y see Naganuma K *et al*
Akar E see Tutar E *et al*
Akar N see Tutar E *et al*
Akashi YJ *et al*. Reversible left ventricular dysfunction "takotsubo" cardiomyopathy associated with pneumothorax, **e1**
Akdemir I *et al*. Intermittent Brugada syndrome misdiagnosed as acute myocardial infarction and unmasked with propafenone: *Filler*, **543**
Akin M see Gürgün C *et al*
Aksoy M see Akdemir I *et al*
Al-Adhi B see Al-Motarreb A *et al*
Al-Kebisi M see Al-Motarreb A *et al*
Almange C see Boulmier D *et al*
Al-Motarreb A *et al*. Khat chewing and acute myocardial infarction, **279**
Anderson RH see Cook AC and Anderson RH
Andersson B *et al*. Longitudinal myocardial contraction improves early during titration with metoprolol CR/XL in patients with heart failure, **23**
Andreassi MG see Colombo MG *et al*
Andreotti F *et al*. Inflammatory gene polymorphisms and ischaemic heart disease: review of population association studies: *review*, **107**
Andrássy P *et al*. Myocardial blood volume and the amount of viable myocardium early after mechanical reperfusion of acute myocardial infarction: prospective study using venous contrast echocardiography, **350**
Andrássy P see Müller I *et al*
Angelini A *et al*. Active versus borderline myocarditis: clinicopathological correlates and prognostic implications, **210**
Anyanwu AC *et al*. Intrathoracic organ transplantation in the United Kingdom 1995–99: results from the UK cardiothoracic transplant audit, **449**
Apostolo A see Niroomand F *et al*
Arakawa N see Nakamura M *et al*
Archer N see Franklin O *et al*
Atalay S see Tutar E *et al*
Atiq M see Dhakam S *et al*
Ayusawa M see Noto N *et al*
- Baan CC** see de Groot-Kruseman HA *et al*
Baba HA see Kuhn M *et al*
Baker CSR *et al*. Repetitive myocardial stunning in pigs is associated with an increased formation of reactive nitrogen species, **77**
Bali MA see Velez-Roa S *et al*
Balk AH see de Groot-Kruseman HA *et al*
Ball SG. Thrombolysis: too old and too young: *editorial*, **312**
Banning AP see Blackman DJ *et al*
see Kelion AD *et al*
Baque J, Paul J-F. Evaluation of pulmonary atresia with magnetic resonance imaging: *Filler*, **159**
Barentsz JO see Nollen GJ *et al*
Barkhausen J see Numann T *et al*
Bartel T see Neumann T *et al*
Bartolotti M see Biffi M *et al*
Barton PJR see Brand NJ and Barton PJR
Batchvarov V see Malik M *et al*
Baumbach A see Schroeder S *et al*
Baumgart D see Herrmann J *et al*
Bedossa M see Boulmier D *et al*
Beek AM see Kühl HP *et al*
Been M see Constantinides S *et al*
Beghetti M *et al*. Thoraco-omphalagus twins: heart to heart: *Filler*, **278**
Behr ER see McKenna WJ and Behr ER
Belcher E *et al*. Myocardial dysfunction in sepsis: no role for NO?: *editorial*, **507**
Bella PD see Niroomand F *et al*
Bennett MR. Apoptosis in the cardiovascular system, **480**
Bernardi G see Morocutti G *et al*
Bernstein SJ see Brorsson B *et al*
Berry C see Petrie MC *et al*
Beswick A see Blackman DJ *et al*
Betts TR, Simpson IA. Inhibition of temporary pacing by a mobile phone: *Filler*, **130**
Bezold LI see McMahon CJ *et al*
Biagini A see Colombo MG *et al*
- Bickel C** *et al*. Glycoprotein IIb/IIIa induced coronary thrombolysis: *Filler*, **442**
Bierman FZ see Reddy TD *et al*
Biffi M *et al*. Atrial fibrillation recurrence after internal cardioversion: prognostic importance of electrophysiological parameters, **443**
Björkander I see Forslund L *et al*
Blackman DJ *et al*. Day-case transfer for percutaneous coronary intervention with adjunctive abciximab in acute coronary syndromes, **375**
Blake R see McMahon CJ *et al*
Blanksma PK see Muntinga HJ *et al*
Bloomfield P. Choice of heart valve prosthesis, **583**
Bloomfield P see Boon NA and Bloomfield P
see Newby DE *et al*
Boffa GM see Angelini A *et al*
Bonhoeffer P see Beghetti M *et al*
Bonnet D see Hausse AO *et al*
Boon NA, Bloomfield P. The medical management of valvar heart disease, **395**
Boon NA see Newby DE *et al*
Bordachar P see Garrigue S *et al*
Boriani G see Biffi M *et al*
Bosch HG see Nijland F *et al*
Bostock J see Rinaldi CA *et al*
Botto N see Colombo MG *et al*
Boulmier D *et al*. Large fistula between right coronary artery and right atrium in a 50 year old asymptomatic woman: *Filler*, **454**
Brady AJ see Quinn FR and Brady AJ
Brand NJ, Barton PJR. Myocardial molecular biology: an introduction, **284**
Branzi A see Biffi M *et al*
Brecker SJD see Varma C *et al*
Breithardt G see Eckardt L *et al*
Bricker JT see McMahon CJ *et al*
Brindle NPJ see Cotton JM *et al*
Broadley KJ see Al-Motarreb A *et al*
Brodie BR, Stuckey TD. Mechanical reperfusion therapy for acute myocardial infarction: Stent PAMI, ADMIRAL, CADILLAC and beyond: *editorial*, **191**
Brook RH see Brorsson B *et al*
Brooks NH see Densem CG *et al*
Broomhall J see Struthers AD *et al*
Brorsson B *et al*. Quality of life of patients with chronic stable angina before and four years after coronary revascularisation compared with a normal population, **140**
Brull DJ *et al*. Impact of angiotensin converting enzyme inhibition on post-coronary artery bypass interleukin 6 release, **252**
Bryant J see Parkes J *et al*
Bucknall CA see Rinaldi CA *et al*
Burch M see Franklin O *et al*
Burke JF see Lankipalli RS *et al*
Burri H *et al*. Erdheim-Gsell cystic medial necrosis as a cause of giant aneurysm of the ascending aorta: *Filler*, **22**
Bury RW see Kumar S *et al*
Busch R see Andrássy P *et al*
Byrne J see Lane I and Byrne J
- Calabrese F** see Angelini A *et al*
Callum KG see Gray HH and Callum KG
Calzolari V see Angelini A *et al*
Camici PG see Baker CSR *et al*
see Rosen SD *et al*
Camm AJ see Malik M *et al*
see Varma C *et al*
Carbucicchio C see Niroomand F *et al*
Carter AJ see Serruys PW *et al*
Caruana L see Petrie MC *et al*
Cemry M *et al*. Misleading appearance of a left atrial thrombus as a cystic mass on transoesophageal echocardiography: *Filler*, **112**
Cengel A see Cemry M *et al*
Chan HCK see Fung JWH *et al*
Chanbay A see Neumann T *et al*
Chau AKT see Cheung YF *et al*
Chayama K see Fukuda Y *et al*
Cheatle L see Mitchell ARJ *et al*
Cheung VYW see Cheung YF *et al*
Cheung YF *et al*. Outcome of infants with right atrial isomerism: is prognosis better with normal pulmonary venous drainage?, **146**
Chioin R see Angelini A *et al*
Chirillo F *et al*. Biventricular hypertrophic cardiomyopathy with lone obstruction to right ventricular outflow: *Filler*, **565**
Chiu CSW see Cheung YF *et al*

- Chrysomallis N** see Kyriakides ZS *et al*
Clark AL see Muir DF *et al*
Clarke NR see Blackman DJ *et al*
Claussen CD see Schroeder S *et al*
Clementy J see Garrigue S *et al*
Clerico A see Colombo MG *et al*
Colombo MG *et al*. Evidence for association of a common variant of the endothelial nitric oxide synthase gene (Glu²⁹⁸→Asp polymorphism) to the presence, extent, and severity of coronary artery disease, **525**
Comi LI see Nigro G *et al*
Constantinides S *et al*. Early experience with a helical coronary thrombectomy device in patients with acute coronary thrombosis., **455**
Conti JB see Sears Jr SF and Conti JB
Cook AC, Anderson RH. Attitudinally correct nomenclature: *editorial*, **503**
Coppock D see Blackman DJ *et al*
Corbineau H see D'Alonnes FR *et al*
Cortigiani L see Lorenzoni R *et al*
Cotton JM *et al*. Angiogenesis in chronically ischaemic human heart following percutaneous myocardial revascularisation, **281**
Crake T see Tousoulis D *et al*
Crea F see Andreotti F *et al*
Crijns HJGM see Muntinga HJ *et al*
Cromie N *et al*. Anaemia in chronic heart failure: what is its frequency in the UK and its underlying causes?, **377**
Crosato M see Angelini A *et al*
Crossman D see Weissberg P *et al*
Cumberledge B see Zaglavara T *et al*
Curtis J see Palmer ND *et al*
- Dahdal MT** see Tan R-S *et al*
Daliento L see Angelini A *et al*
D'Alonnes FR *et al*. Isolated left main coronary artery stenosis: long term follow up in 106 patients after surgery, **544**
Daubert C see D'Alonnes FR *et al*
Davies GJ see Douglas H *et al*
 see Tousoulis D *et al*
Davies MK, Hollman A. British Heart Foundation: *Filler*, **100**
 Cardiac risk factors: *Filler*, **5**
 Conferences: *Filler*, **200**
 History of cardiac surgery: *Filler*, **509**
 Myocardial infarction: *Filler*, **315**
 Werner Forssmann: *Filler*, **409**
Davutoglu V see Akdemir I *et al*
de Feyter PJ, Nieman K. New coronary imaging techniques: what to expect?: *editorial*, **195**
de Groot-Kruseman HA *et al*. Intragraft interleukin 2 mRNA expression during acute cellular rejection and left ventricular total wall thickness after heart transplantation, **363**
de Luca F see Nigro G *et al*
de Voogt WG see Nijland F *et al*
Deaner A see Varnava AM *et al*
Deng MC. Cardiac transplantation, **177**
Dengler TJ see Licka M *et al*
Densem CG *et al*. Tumour necrosis factor α gene polymorphism: a predisposing factor to non-ischaemic myocardial dysfunction?, **153**
Dhakam S *et al*. Single coronary artery and tetralogy of Fallot: *Filler*, **432**
Dhillon R *et al*. Transcatheter closure of atrial septal defect preserves right ventricular function, **461**
di Mario C see Ribichini F *et al*
Didier D see Burri H *et al*
Dielbold-Berger S see Burri H *et al*
Djukic M see Thanopoulos BD *et al*
Dodds PA see Mann P *et al*
Doi K see Tambara K *et al*
Doi Y see Matsumura Y *et al*
Donnan PT see Struthers AD *et al*
Donnelly R see Harrop J *et al*
Douglas H *et al*. Platelet membrane glycoprotein Ibx gene -5T/C Kozak sequence polymorphism as an independent risk factor for the occurrence of coronary thrombosis, **70**
Doyal L. Good clinical practice and informed consent are inseparable, **103**
Dubrey SW, Grocott-Mason R. Spontaneous recovery from prolonged cardiac arrest: *Filler*, **432**
Dunmore BJ see Cotton JM *et al*
Durante-Mangoni E see Douglas H *et al*
- Eagle KA** see Froehlich JB and Eagle KA
Eckardt L *et al*. Idiopathic left ventricular tachycardia localised at the distal end of the posterior fascicle by non-contact activation mapping: *Filler*, **374**
Eggebrecht H see Herrmann J *et al*
Ehler E see Kuhn M *et al*
Eleftherakis NG see Thanopoulos BD *et al*
El-Gendi H *et al*. Endogenous, local, vascular endothelial growth factor production in patients with chronic total coronary artery occlusions: further evidence for its role in angiogenesis, **158**
- Elliott PM** see Matsumura Y *et al*
Emmertsen K see Pedersen EM *et al*
Endo H see Nakamura M *et al*
Enriquez-Sarano M. Timing of mitral valve surgery, **79**
Erbel R see Herrmann J *et al*
Ericson M see Forslund L *et al*
Erkan A see Cemry M *et al*
Estess JM, Topol EJ. Fibrinolytic treatment for elderly patients with acute myocardial infarction: *editorial*, **308**
Evans T see Belcher E *et al*
- Fallen H** see Bickel C *et al*
Fassini G see Niroomand F *et al*
Feltes TF see McMahon CJ *et al*
Färbom P see Malik M *et al*
Firschke C see Andrassy P *et al*
 see Müller I *et al*
Flachskampf F see Yalçin F *et al*
Foale R see El-Gendi H *et al*
Foley JB see Mulvihill NT and Foley JB
Forslund L *et al*. Prognostic implications of autonomic function assessed by analyses of catecholamines and heart rate variability in stable angina pectoris, **415**
Fox KAA see Newby DE *et al*
Fraleigh JK see McMahon CJ *et al*
Franklin O *et al*. Prenatal diagnosis of coarctation of the aorta improves survival and reduces morbidity, **67**
Friedman PA. Novel mapping techniques for cardiac electrophysiology, **575**
Fründ T see Pedersen EM *et al*
Froehlich JB, Eagle KA. Anaesthesia and the cardiac patient: the patient versus the procedure, **91**
Frost MT see Baker CSR *et al*
Fujita M see Tambara K *et al*
Fukuda Y *et al*. Tetrahydrobiopterin restores endothelial function of coronary arteries in patients with hypercholesterolaemia, **264**
Fung JWH *et al*. Ablation of haemodynamically unstable right ventricular outflow tract ventricular tachycardia guided by non-contact mapping: *Filler*, **15**
Fung JWH see Yip G *et al*
Furberg CD. To whom do the research findings apply?, **570**
- Gaggini G** see Garrigue S *et al*
Garcia M see Yalçin F *et al*
Gardner MA see Kelion AD *et al*
Garrigue S *et al*. Comparison of permanent left ventricular and biventricular pacing in patients with heart failure and chronic atrial fibrillation: prospective haemodynamic study, **529**
Gatzoulis MA see Wong T *et al*
Gelsomino S see Morocutti G *et al*
Georgiadis M see Kyriakides ZS *et al*
Gershlick AH. Intracoronary stenting: developments since the NICE report: *editorial*, **187**
Gibbs JL see Thomson JDR *et al*
Gilbertson JA see Gribbin GM *et al*
Gill JS see Rinaldi CA *et al*
Gorog DA see Douglas H *et al*
Gould S see Franklin O *et al*
Gray HH, Callum KG. Death following coronary angioplasty: *editorial*, **185**
Green M see Nichol G *et al*
Gürgün C *et al*. Paraoesophageal hiatal hernia as a rare cause of dyspnoea: *Filler*, **275**
Gribbin GM *et al*. Diagnosis of amyloidosis by histological examination of subcutaneous fat sampled at the time of pacemaker implantation, **e7**
Griffith M see Lo TSN *et al*
Grifka RG see McMahon CJ *et al*
Grobbee DE see Mosterd A *et al*
Grocott-Mason R see Dubrey SW and Grocott-Mason R
Groeninck M see Nollen GJ *et al*
Gupta AK see Toal SC *et al*
- Haass M** see Juenger J *et al*
Haaverstad R see Zaglavara T *et al*
Haissaguerre M see Garrigue S *et al*
 see Shah DC *et al*
Hagman EM see de Groot-Kruseman HA *et al*
Hakim FA see Thanopoulos BD *et al*
Hall R. Death following coronary angioplasty: *review*, **185**
Hall RJC see Baker CSR *et al*
Halliwell B see Baker CSR *et al*
Hanlo-Ploeger E see Noordzij M *et al*
Hanrath P see Ortlepp JR *et al*
 see Reffelmann T *et al*
Harada K see Noto N *et al*
Harrop J *et al*. Improvements in total mortality and lipid levels after acute myocardial infarction in an English health district (1995–1999), **428**
Hart D. Some reflections on how not to get bitten by a clinical guideline: *editorial*, **501**
Hasegawa K see Miura K *et al*

- Haude M** see Herrmann J *et al*
Haunstetter A see Juenger J *et al*
Hause AO *et al*. Idebeneone and reduced cardiac hypertrophy in Friedreich's ataxia, **346**
Haverkamp W see Eckardt L *et al*
Hawkins PN see Gribbin GM *et al*
Heber ME see Lo TSN *et al*
Held C see Forslund L *et al*
Henein M see Dhillon R *et al*
Henkel B see Bickel C *et al*
Henriksen JH see Møller S and Henriksen JH
Herdeg C see Schroeder S *et al*
Herrmann J *et al*. Prognostic implication of cardiac troponin T increase following stent implantation, **549**
Herzog W see Juenger J *et al*
Hiramori K see Nakamura M *et al*
Hjemdahl P see Forslund L *et al*
Hjordal VE see Pedersen EM *et al*
Hnatkova K see Malik M *et al*
 see Varma C *et al*
Ho PY see Yip G *et al*
Hollman A see Davies MK and Hollman A
Holmberg SRM see James PR *et al*
Holt M see Harrop J *et al*
Holtwick R see Kuhn M *et al*
Honma H see Miura K *et al*
Houliand K see Pedersen EM *et al*
Humphries SE see Brull DJ *et al*
Hutchinson IV see Densem CG *et al*
- Inaba Y** see Miura K *et al*
Irvine T see Zaglavara T *et al*
Ishiki R see Yasuda N *et al*
Ito M see Naganuma M *et al*
lung B see Prendergast BD *et al*
Iwaki T *et al*. A case of spontaneous closure of coronary artery fistula with familial hypercholesterolaemia: *Filler*, **219**
Iwakura A see Tambara K *et al*
- Jaïs P** see Garrigue S *et al*
 see Shah DC *et al*
James PR *et al*. Aortic abscess to right atrium fistula: *Filler*, **263**
John LCH. Anomalous origin of the posterior descending artery from the left anterior descending coronary artery: cardiac surgeons beware: *Filler*, **161**
Jørgensen S see Kjølner E *et al*
Josen M see Dhillon R *et al*
Juenger J *et al*. Health related quality of life in patients with congestive heart failure: comparison with other chronic diseases and relation to functional variables, **235**
Jummun M see Muir DF *et al*
- Kaftan A** see Yalçin F *et al*
Kahan T see Forslund L *et al*
Kajiyama A see Saito D *et al*
Kamp O see Nijland F *et al*
Kamphuis M *et al*. Health related quality of life and health status in adult survivors with previously operated complex congenital heart disease, **356**
Kamphuis RP see Kamphuis M *et al*
Kanamaru H see Noto N *et al*
Kangawa K see Tambara K *et al*
Kapur A, Malik IS. Is surgery still the preferred option for coronary revascularisation in diabetics with multivessel coronary disease?: *editorial*, **407**
Karasawa K see Noto N *et al*
Karsch KR see Schroeder S *et al*
Karvounis H see Zaglavara T *et al*
Katsuki K see Nakatani S *et al*
Katus HA see Licka M *et al*
Kawamura T see Miura K *et al*
Kazmi K see Dhakam S *et al*
Kelion AD *et al*. Does a selective adenosine A₁ receptor agonist protect against exercise induced ischaemia in patients with coronary artery disease?, **115**
Kenny A see Zaglavara T *et al*
Kilner P see Sievers B *et al*
Kilner PJ see Wong T *et al*
King L, Wilkins MR. Natriuretic peptide receptors and the heart: *editorial*, **314**
Kjølner E *et al*. Short and long term prognostic importance of regional dyskinesia versus akinesia in acute myocardial infarction, **410**
Klein WW. Current and future relevance of guidelines: *editorial*, **497**
Kloner RA see Reffelmann T and Kloner RA
Klues HG see Ortlepp JR *et al*
 see Reffelmann T *et al*
Kobeissi A see Garrigue S *et al*
Køber L see Kjølner E *et al*
Komajda M. Are angiotensin II receptor blockers indicated in chronic heart failure?: *editorial*, **1**
- Komamura K, Miyatake K**. Transthoracic Doppler flow images detect cardiac angiosarcoma earlier than other imaging modalities: *Filler*, **28**
Komeda M see Tambara K *et al*
Konorza TFM see Herrmann J *et al*
Kopp AF see Schroeder S *et al*
Korkmaz ME see Yalçin F *et al*
Kraemer S see Juenger J *et al*
Kremastinos DT see Kyriakides ZS *et al*
Krishnamani R *et al*. Mechanism of transient exercise induced ST segment elevation in non-Q wave lead: a scintigraphic co-relation: *Filler*, **8**
Kromann O see Pedersen EM *et al*
Kübler W see Licka M *et al*
Kuettner A see Schroeder S *et al*
Kühl HP *et al*. Myocardial viability by contrast enhanced MRI in a patient with left bundle branch block showing a severe defect on FDG-PET: *Filler*, **319**
Kuhn M *et al*. Progressive cardiac hypertrophy and dysfunction in atrial natriuretic peptide receptor (GC-A) deficient mice, **368**
Kübler W see Licka M *et al*
Kumar KJ see Mulasari AS *et al*
Kumar S *et al*. Unusual case of refractory hypertension: Late presentation of the mid-aortic syndrome, **e3**
Kyotani S see Nagaya N *et al*
Kyriakides ZS *et al*. Type II diabetes does not prevent the recruitment of collateral vessels and the normal reduction of myocardial ischaemia on repeated balloon inflations during angioplasty, **61**
- Lahiri A** see Krishnamani R *et al*
Lane I, Byrne J. Carotid artery surgery for people with existing coronary artery disease, **86**
Lang D. Cardiac hypertrophy and oxidative stress: a leap of faith or stark reality?: *editorial*, **316**
Lankipalli RS *et al*. Magnetic resonance angiography in the evaluation of aortic pseudoaneurysm: *Filler*, **157**
Large SR see Satchithananda DK *et al*
Laupacis A see Nichol G *et al*
le Breton H see Boulmier D *et al*
 see D'Almonnes FR *et al*
Leclercq C see D'Almonnes FR *et al*
Lee C see Cromie N *et al*
Lee LS see James PR *et al*
Leguerrier A see D'Almonnes FR *et al*
Leung MP see Cheung YF *et al*
Lewis CT see McGavin CR *et al*
Licka M *et al*. Troponin T concentrations 72 hours after myocardial infarction as a serological estimate of infarct size, **520**
Lindsay P see Struthers AD *et al*
Lo TSN, Wilmschurst PT. Anomalous left main stem stenosis: *Filler*, **335**
Lo TSN *et al*. Pyoderma gangrenosum presented as a refractory wound infection following permanent pacemaker implantation: *Filler*, **414**
Lo TSN see Constantinides S *et al*
Loke-Gie H see Schroeder S *et al*
Lokhandwala YY see Toal SC *et al*
Lorenzoni R *et al*. Cardiac involvement in idiopathic hypereosinophilic syndrome: *Filler*, **553**
Louridas G see Zaglavara T *et al*
Lowie GD see Brull DJ *et al*
Ludlam CA see Newby DE *et al*
- Maat AP** see de Groot-Kruseman HA *et al*
Mabuchi H see Iwaki T *et al*
MacDonald TM see Struthers AD *et al*
Mahon NG see Ortlepp JR *et al*
 see Varma C *et al*
Malik I see Cemrý M *et al*
 see Fung JWH *et al*
Malik IS see Kapur A and Malik IS
Malik M *et al*. Relation between QT and RR intervals is highly individual among healthy subjects: implications for heart rate correction of the QT interval, **220**
Malyar N see Herrmann J *et al*
Manfredi S see Colombo MG *et al*
Mann P *et al*. Embolism of an idiopathic pulmonary artery aneurysm: *Filler*, **135**
Manning N see Franklin O *et al*
Marshall AJ see McGavin CR *et al*
Maseri A see Andreotti F *et al*
Masetti S see Colombo MG *et al*
Matsuda K see Fukuda Y *et al*
Matsumori A see Miura K *et al*
Matsumura Y *et al*. Left ventricular diastolic function assessed using Doppler tissue imaging in patients with hypertrophic cardiomyopathy: relation to symptoms and exercise capacity, **247**
Matsuura H see Fukuda Y *et al*
McAlister F see Nichol G *et al*

- McGavin CR** *et al.* Churg-Strauss syndrome with critical endomyocardial fibrosis: 10 year survival after combined surgical and medical management, **e5**
- McKenna W** *see* Varma C *et al*
- McKenna WJ, Behr ER.** Hypertrophic cardiomyopathy: management, risk stratification, and prevention of sudden death, **169**
- McKenna WJ** *see* Matsumura Y *et al*
see Ortlepp JR *et al*
- McMahon CJ** *et al.* Natural history of growth of secundum atrial septal defects and implications for transcatheter closure, **256**
- McMurray JJV** *see* Petrie MC *et al*
- McNaughton D** *see* Struthers AD *et al*
- Meijboom EJ** *see* Noordzij M *et al*
- Melosi A** *see* Lorenzoni R *et al*
- Michaelides K** *see* Douglas H *et al*
- Michaels L** *see* Watson A and Michaels L
- Milne R** *see* Parkes J *et al*
- Mitchell ARJ** *et al.* Effect of atrial antitachycardia pacing treatments in patients with an atrial defibrillator: randomised study comparing subthreshold and nominal pacing outputs, **433**
- Mitchell J** *see* Belcher E *et al*
- Miura K** *et al.* Epidemiology of idiopathic cardiomyopathy in Japan: results from a nationwide survey, **126**
- Miura K** *et al.* Interception of aortic regurgitation by vegetation plug in a patient with infective endocarditis: *Filler*, **362**
- Miyake F** *see* Akashi *et al*
- Miyamoto S** *see* Tambara K *et al*
- Miyatake K** *see* Komamura K and Miyatake K
see Nagaya N *et al*
see Nakatani S *et al*
- Müller I** *et al.* Left ventricular pseudoaneurysm: a mechanical complication of acute myocardial infarction: *Filler*, **569**
- Mobini R** *see* Andersson B *et al*
- Mohiaddin RH** *see* Tan R-S *et al*
- Mohiaddin R** *see* Sievers B *et al*
- Mol WM** *see* de Groot-Kruseman HA *et al*
- Møller S, Henriksen JH.** Cirrhotic cardiomyopathy: a pathophysiological review of circulatory dysfunction in liver disease: *review*, **9**
- Montefusco A** *see* Nigro G *et al*
- Montgomery HE** *see* Brull DJ *et al*
- Moore K** *see* Baker CSR *et al*
- Morgan-Hughes G, Motwani J.** Mitral valve endocarditis in hypertrophic cardiomyopathy: case report and literature review, **e8**
- Morikawa Y** *see* Miura K *et al*
- Morocutti G** *et al.* Covered stent for iatrogenic coronary arteriovenous fistula in heart transplant recipient: *Filler*, **339**
- Mosterd A** *et al.* Angiotensin converting enzyme inhibition and hospitalisation rates for heart failure in the Netherlands, 1980 to 1999: the end of an epidemic?, **75**
- Motwani J** *see* Morgan-Hughes G and Motwani J
- Muderrisoğlu H** *see* Yalçın F *et al*
- Muir DF** *et al.* Diagnostic accuracy of technician supervised and reported exercise tolerance tests, **381**
- Mulder BJM** *see* Nollen GJ *et al*
- Mullasari AS** *et al.* Transcatheter closure of coronary artery to pulmonary artery fistula using covered stents: *Filler*, **60**
- Mulvihill NT, Foley JB.** Inflammation in acute coronary syndromes: *review*, **201**
- Munnich A** *see* Hausse AO *et al*
- Muntinga HJ** *et al.* Left ventricular diastolic function after electrical cardioversion of atrial fibrillation, **379**
- Murday AJ** *see* Anyanwu AC *et al*
- Naganuma K** *et al.* Pneumomediastinum: a cause of chest pain: *Filler*, **448**
- Nagaya N** *et al.* Oral beraprost sodium improves exercise capacity and ventilatory efficiency in patients with primary or thromboembolic pulmonary hypertension, **340**
- Nagaya N** *see* Tambara K *et al*
- Nakagawa H** *see* Miura K *et al*
- Nakamura M** *et al.* Value of plasma B type natriuretic peptide measurement for heart disease screening in a Japanese population, **131**
- Nakamura Y** *et al.* Imaging of a rupture line of an aortic aneurysm by spiral CT scan: *Filler*, **496**
- Nakanishi N** *see* Nagaya N *et al*
- Nakatani S** *et al.* Unroofed coronary sinus: *Filler*, **278**
- Naqvi N** *see* Suresh V *et al*
- Nasu M** *see* Nakamura M *et al*
- Neumann T** *et al.* Paracardial lipodystrophy versus pericardial effusion in HIV positive patients, **e4**
- Newby DE** *et al.* Hypercholesterolaemia and lipid lowering treatment do not affect the acute endogenous fibrinolytic capacity in vivo, **48**
- Nägele H** *et al.* Dual chamber pacing in patients with severe heart failure on β blocker and amiodarone treatment: preliminary results of a randomised study, **566**
- Nichol G** *et al.* Meta-analysis of randomised controlled trials of the effectiveness of antiarrhythmic agents at promoting sinus rhythm in patients with atrial fibrillation, **535**
- Nieman K** *see* de Feyter PJ and Nieman K
- Niemeyer MG** *see* Muntinga HJ *et al*
- Niesters HG** *see* de Groot-Kruseman HA *et al*
- Nigro G** *et al.* Is the value of QT dispersion a valid method to foresee the risk of sudden death? A study in Becker patients, **156**
- Nigro G** *see* Nigro G *et al*
- Nijland F** *et al.* Myocardial viability: impact on left ventricular dilatation after acute myocardial infarction, **17**
- Niroomand F** *et al.* Electrophysiological characteristics and outcome in patients with idiopathic right ventricular arrhythmia compared with arrhythmogenic right ventricular dysplasia, **41**
- Nishimura K** *see* Tambara K *et al*
- Nollen GJ** *et al.* Pulmonary artery root dilatation in Marfan syndrome: quantitative assessment of an unknown criterion, **470**
- Noordzij M** *et al.* Ruptured thoracic aneurysm in a 10 year old boy: *Filler*, **404**
- Northridge DB** *see* Prendergast BD *et al*
- Noto N** *et al.* Non-invasive measurement of coronary flow reserve in children with Kawasaki disease, **559**
- O'Callaghan P** *see* Varma C *et al*
- Ohe T** *see* Nakamura Y *et al*
- Ohme F** *see* Ortlepp JR *et al*
- Ohnesorge B** *see* Schroeder S *et al*
- Ohnishi N** *see* Saito D *et al*
- Ohno Y** *see* Miura K *et al*
- Oka T** *see* Saito D *et al*
- Okada T** *see* Noto N *et al*
- Ormerod OJM** *see* Kelion AD *et al*
- Orr WP** *see* Blackman DJ *et al*
- Ortlepp JR** *et al.* Genetic polymorphisms in the renin-angiotensin-aldosterone system associated with expression of left ventricular hypertrophy in hypertrophic cardiomyopathy: a study of five polymorphic genes in a family with a disease causing mutation in the myosin binding protein C gene, **270**
- Ottenkamp J** *see* Kamphuis M *et al*
- Oya H** *see* Nagaya N *et al*
- Palmer ND** *et al.* Localised cardiac tamponade caused by intrapericardial haematoma: a rare cause of ascites presenting 10 years after open heart surgery: *Filler*, **60**
- Panico F** *see* Nigro G *et al*
- Papp L** *see* Tomcsányi J *et al*
- Paradossi U** *see* Colombo MG *et al*
- Parharidis G** *see* Zaglavara T *et al*
- Parkes J** *et al.* Implantable cardioverter-defibrillators in arrhythmias: a rapid and systematic review of effectiveness, **438**
- Passamano L** *see* Nigro G *et al*
- Patel N** *see* Rinaldi CA *et al*
- Paul J-F** *see* Baque J and Paul J-F
- Paulesu E** *see* Rosen SD *et al*
- Pedersen EM** *et al.* Flow during exercise in the total cavopulmonary connection measured by magnetic resonance velocity mapping, **554**
- Pellecchia M** *see* Lankipalli RS *et al*
- Perriard JC** *see* Kuhn M *et al*
- Petch MC.** Heart disease, guidelines, regulations, and the law, **472**
- Petersen B** *see* Nägele H *et al*
- Petretta VR** *see* Nigro G *et al*
- Petrie MC** *et al.* "Diastolic heart failure" or heart failure caused by subtle left ventricular systolic dysfunction?, **29**
- Pham B** *see* Nichol G *et al*
- Polad JE, Wilson LM.** Myocardial infarction during adenosine stress test, **e2**
- Polak JM** *see* Baker CSR *et al*
- Politano L** *see* Nigro G *et al*
- Poole-Wilson PA.** NICE: guessing is not guidance, **510**
- Porto I** *see* Andreotti F *et al*
- Prendergast BD** *et al.* Contemporary criteria for the selection of patients for percutaneous balloon mitral valvuloplasty: *editorial*, **401**
- Psychari S** *see* Kyriakides ZS *et al*
- Pugno F** *see* Ribichini F *et al*
- Quinn FR, Brady AJ.** Post-infarction ventricular septal defect with aneurysm: *Filler*, **567**
- Ranjadayalan K** *see* Varnava AM *et al*
- Ray S** *see* Suresh V *et al*
- Reddy TD** *et al.* Atrioventricular septal defect with cor triatriatum: *Filler*, **215**
- Redington A** *see* Dhillon R *et al*
- Reffelmann T, Kloner RA.** The "no-reflow" phenomenon: basic science and clinical correlates, **162**

- Reffellmann T et al.** Post-stenotic coronary blood flow at rest is not altered by therapeutic doses of the oral antidiabetic drug glibenclamide in patients with coronary artery disease, **54**
- Regar E** see Serruys PW *et al*
- Reggiani LB** see Biffi M *et al*
- Rehnqvist N** see Forslund L *et al*
- Reith S** see Ortlepp JR *et al*
- Reitsma JB** see Mosterd A *et al*
- Renard M** see Velez-Roa S *et al*
- Reuter S** see Garrigue S *et al*
- Rödiger W** see Nägele H *et al*
- Rötig A** see Hausse AO *et al*
- Ribichini F et al.** Microscopic evidence of effective ablation of calcium and metal from coronary arteries treated with directional coronary atherectomy using the Flexicut device: *Filler*, **283**
- Rimoldi O** see Baker CSR *et al*
- Rinaldi CA et al.** Beneficial effects of biventricular pacing in a patient with hypertrophic cardiomyopathy and intraventricular conduction delay, **e6**
- Rinaldi CA et al.** Determinants of procedural outcome of chronically implanted pacemaker and defibrillator leads using the Excimer laser sheath, **160**
- Riva S** see Niroomand F *et al*
- Roberts DH** see Kumar S *et al*
- Rodrigues EA** see Palmer ND *et al*
- Rogers CA** see Anyanwu AC *et al*
- Rosen SD et al.** Central neural contribution to the perception of chest pain in cardiac syndrome X, **513**
- Rossi G** see Colombo MG *et al*
- Rowbottom A** see Harrop J *et al*
- Rowland E** see Varma C *et al*
- Rumley A** see Brull DJ *et al*
- Rustin P** see Hausse AO *et al*
- Saito D et al.** Factors predicting compensatory vascular remodelling of the carotid artery affected by atherosclerosis, **136**
- Sakaguchi G** see Tambara K *et al*
- Sakakibara M** see Akashi YJ *et al*
- Salisbury J** see Cotton JM *et al*
- Salmasi AM** see Krishnamani R *et al*
- San S** see Nakamura Y *et al*
- Sanders J** see Brull DJ *et al*
- Sanderson JE** see Fung JWH *et al*
see Yip G *et al*
- Santangelo L** see Nigro G *et al*
- Sasayama S** see Miura K *et al*
- Satchithananda DK et al.** Haemodynamically insignificant fast ventricular tachycardia: *Filler*, **469**
- Sato N** see Nagaya N *et al*
- Satoh T** see Nagaya N *et al*
- Sbarouni E** see Kyriakides ZS *et al*
- Schellberg D** see Juenger J *et al*
- Schömig A** see Andrassy P *et al*
- Schilling RJ.** Replacement of extracted permanent pacemaker or defibrillator leads by cannulation of veins using the femoral "drag through" technique, **276**
Which patient should be referred to an electrophysiologist: supraventricular tachycardia, **299**
- Schleich J-M.** Development of the human heart: days 15–21: *Filler*, **487**
- Schmitz W** see Kuhn M *et al*
- Schomburg R** see Nägele H *et al*
- Schröder D** see Ortlepp JR *et al*
- Schroeder S et al.** Virtual coronary angiography using multislice computed tomography, **205**
- Schwarz ER** see Reffellmann T *et al*
- Scott AR** see Harrop J *et al*
- Sears Jr SF, Conti JB.** Quality of life and psychological functioning of ICD patients, **488**
- Sedgwick JEC** see Varnava AM *et al*
- Segawa T** see Nakamura M *et al*
- Seino Y** see Miura K *et al*
- Seriki D** see Mann P *et al*
- Serruys PW et al.** Rapamycin eluting stent: the onset of a new era in interventional cardiology: *editorial*, **305**
- Shah AM** see Cotton JM *et al*
- Shah DC et al.** Current perspectives on curative catheter ablation of atrial fibrillation: *editorial*, **6**
- Shaper AG** see Wannamethee SG and Shaper AG
- Sharma HS** see El-Gendi H *et al*
- Shaw TRD** see Prendergast BD *et al*
- Shea B** see Nichol G *et al*
- Shepherd GL** see Kelion AD *et al*
- Sheridan DJ** see El-Gendi H *et al*
- Shimizu M** see Iwaki T *et al*
- Shimizu Y** see Nagaya N *et al*
- Shiraki T** see Saito D *et al*
- Shiu MF** see Constantinides S *et al*
- Sidi D** see Hausse AO *et al*
- Sievers B et al.** Magnetic resonance angiography showing bilateral subclavian artery aneurysm and stenosis in Marfan's syndrome: *Filler*, **437**
- Simeunovic SD** see Thanopoulos BD *et al*
- Simor T** see Tomcsányi J *et al*
- Simpson IA** see Betts TR and Simpson IA
- Sleeman K** see Franklin O *et al*
- Sorajja P** see Matsumura Y *et al*
- Sørensen KE** see Pedersen EM *et al*
- Springs DC** see Blackman DJ *et al*
- Spurrell PAR** see Mitchell ARJ *et al*
- Stables RH.** Observational research in the evidence based environment: eclipsed by the randomised controlled trial?: *editorial*, **101**
- Stenbøg EV** see Pedersen EM *et al*
- Stewart DJ** see Muir DF *et al*
- Stoker J** see Nollen GJ *et al*
- Stritoni P** see Chirillo F *et al*
- Struthers AD et al.** Effect of allopurinol on mortality and hospitalisations in chronic heart failure: a retrospective cohort study, **229**
- Struthers AD.** Introducing a new role for BNP: as a general indicator of cardiac structural disease rather than a specific indicator of systolic dysfunction only: *editorial*, **97**
- Struthers AD** see Cromie N *et al*
- Stuckey TD** see Brodie BR and Stuckey TD
- Sulke N** see Mitchell ARJ *et al*
- Sullivan ID.** Prenatal diagnosis of structural heart disease: does it make a difference to survival?: *editorial*, **405**
- Sumitomo N** see Noto N *et al*
- Suresh V et al.** Successful coronary artery stenting for spontaneous coronary artery dissection: *Filler*, **241**
- Sveälv BG** see Andersson B *et al*
- Takagi M et al.** Histological gap between ablation lesions detected by phased array intracardiac echocardiography: *Filler*, **567**
- Takeuchi K** see Takagi M *et al*
- Tamakoshi A** see Miura K *et al*
- Tambara K et al.** Increased pericardial fluid concentrations of the mature form of adrenomedullin in patients with cardiac remodelling, **242**
- Tan R-S et al.** Contrast enhanced magnetic resonance angiography of severe aortic coarctation: *Filler*, **98**
- Tang A** see Nichol G *et al*
- Teragawa H** see Fukuda Y *et al*
- Täng MS** see Andersson B *et al*
- Thanopoulos BD et al.** Transcatheter closure of high pulmonary artery pressure persistent ductus arteriosus with the Amplatzer muscular ventricular septal defect occluder, **260**
- Thiene G** see Angelini A *et al*
- Thomas JD** see Yalçin F *et al*
- Thomas MR** see Cotton JM *et al*
- Thompson GR.** Screening relatives of patients with premature coronary heart disease, **390**
- Thomson JDR et al.** Surgical and transcatheter (Amplatzer) closure of atrial septal defects: a prospective comparison of results and cost, **466**
- Timmermans J** see Nollen GJ *et al*
- Timmis AD** see Varnava AM *et al*
- Toal SC et al.** Adenosine induced PR jump on surface ECG to differentiate atrioventricular nodal re-entrant tachycardia from concealed accessory pathway mediated tachycardia: a bedside test, **37**
- Toivonen L.** More light on QT interval measurement: *editorial*, **193**
- Tomai F.** Warm up phenomenon and preconditioning in clinical practice: *editorial*, **99**
- Tomcsányi J et al.** Haemopericardium and Brugada-like ECG pattern in rheumatoid arthritis: *Filler*, **234**
- Tondo C** see Niroomand F *et al*
- Topol EJ** see Estess JM and Topol EJ
- Tortoriello TA** see McMahon CJ *et al*
- Tousoulis D et al.** Vasomotion and nitric oxide bioactivity in diseased coronary arteries: *review*, **320**
- Toutouzas PC** see Tousoulis D *et al*
- Trevisi N** see Niroomand F *et al*
- Triedman JK.** Arrhythmias in adults with congenital heart disease, **383**
- Tsaousis GS** see Thanopoulos BD *et al*
- Tsui S** see Satchithananda DK *et al*
- Tuddenham EGD** see Douglas H *et al*
- Tutar E et al.** Familial Mediterranean fever gene (MEFV) mutations in patients with rheumatic heart disease, **568**
- Uematsu M** see Nagaya N *et al*
- Umesan CV** see Mulasari AS *et al*
- Vahanian A** see Prendergast BD *et al*
- Vajifdar BU** see Toal SC *et al*
- Valderrama E** see Reddy TD *et al*
- van de Weert AP** see Kühl HP *et al*
- van den Berg F** see Muntinga HJ *et al*
- van der Wall EE** see Muntinga HJ *et al*

- see Nollen GJ *et al*
van Doorn C see Thomson JDR *et al*
van Rossum AC see Kühl HP *et al*
van Schijndel KE see Nollen GJ *et al*
Varma C *et al*. Effect of multisite pacing on ventricular coordination, **322**
Varnava AM *et al*. Restricted weekend service inappropriately delays discharge after acute myocardial infarction, **216**
Velez-Roa S *et al*. Gastric perforation complicating direct current cardioversion: *Filler*, **558**
Verhorst PMJ see Nijland F *et al*
Verloove-Vanhorick SP see Kamphuis M *et al*
Violaris AG see El-Gendi H *et al*
Virdee MS see Matsumura Y *et al*
Visser CA see Nijland F *et al*
Visser FC see Kühl HP *et al*
Vliegen HW see Kamphuis M *et al*
Vogels T see Kamphuis M *et al*
Volbracht L see Herrmann J *et al*
von Birgelen C see Herrmann J *et al*
Vora AM see Toal SC *et al*
Vosberg HP see Ortlepp JR *et al*

Wang M see Yip G *et al*
Wannamethee SG, Shaper AG. Taking up regular drinking in middle age: effect on major coronary heart disease events and mortality, **32**
Ward C. The need for palliative care in the management of heart failure, **294**
Watkins H see Weissberg P *et al*
Watson A, Michaels L. Incorrect administration of buccal glyceryl trinitrate: *Filler*, **209**
Watterson KG see Thomson JDR *et al*
Webb DJ see Newby DE *et al*
Webb TP see Kelion AD *et al*
Weimar W see de Groot-Kruseman HA *et al*
Weissberg P *et al*. Training in academic cardiology: prospects for a better future, **198**
Wells G see Nichol G *et al*
Werkö L see Brorsson B *et al*
White HD see Wong C-K and White HD
Wilkins MR see King L and Wilkins MR
Wilkinson E see Blackman DJ *et al*

Wilmshurst PT see Lo TSN and Wilmshurst PT
Wilson LM see Polad JE and Wilson LM
Wilson-Poole P see Weissberg P *et al*
Wise RJS see Rosen SD *et al*
Witherow FN see Newby DE *et al*
Wong C-K, White HD. Recognising “painless” heart attacks: *editorial*, **3**
Wong T *et al*. Asymptomatic aortic dissection in Marfan syndrome: *Filler*, **66**
Wright RA see Newby DE *et al*

Yalçinkaya F see Tutar E *et al*
Yalçin F *et al*. Is Doppler tissue velocity during early left ventricular filling preload independent?, **336**
Yamagata T see Fukuda Y *et al*
Yasuda N *et al*. Single large metastatic tumor growing progressively and occupying right ventricular cavity: *Filler*, **328**
Yavuzgil O see Gürgün C *et al*
Yeo KR, Yeo WW. Lipid lowering in patients with diabetes mellitus: what coronary heart disease risk threshold should be used?, **423**
Yeo WW see Yeo KR and Yeo WW
Yilmaz E see Tutar E *et al*
Yip G *et al*. Left ventricular long axis function in diastolic heart failure is reduced in both diastole and systole: time for a redefinition?, **121**
Yonan N see Densem CG *et al*
Yoshikawa J see Takagi M *et al*
Yung TC see Cheung YF *et al*
Zaglavra T *et al*. Dobutamine stress echocardiography for the detection of myocardial viability in patients with left ventricular dysfunction taking β blockers: accuracy and optimal dose, **329**

Zannoli R see Biffi M *et al*
Zecchel R see Chirillo F *et al*
Zehelein J see Licka M *et al*
Zhang Y see Yip G *et al*
Zielinska M see Andrassy P *et al*
Zimmermann R see Licka M *et al*
Zondervan PE see de Groot-Kruseman HA *et al*
Zugck C see Juenger J *et al*
Zwinderman KH see Kamphuis M *et al*