

# Author index

- Abdul-Khalik H** see Dittrich H *et al*
- Abe Y, Kondo M.** Apical ballooning of the left ventricle: a distinct entity?, **974**
- Abildstrom SZ** *et al.* Trends in incidence and case fatality rates of acute myocardial infarction in Denmark and Sweden, **507**
- Achenbach S** see Pohle K *et al*
- Ackland F** *et al.* Flecainide induced ventricular fibrillation in a neonate, **1261**
- Adachi H** see Sakurai S *et al*
- Adachi Y** see Shimoyama M *et al*
- Adams PC** see Awad-Elkarim AA *et al*
- Adelmann GA** see Finet G *et al*
- Adgey AAJ** see Maynard SJ *et al*
- Adriaenssens BFM** see Desmet WJR *et al*
- Aggoun Y** see Agnoletti G *et al*
- Agnoletti G** *et al.* Fontan conversion to total cavopulmonary connection and arrhythmia ablation: clinical and functional results, **193**
- Agnoletti G** *et al.* Use of 3 French catheters for diagnostic and interventional procedures in newborns and small infants, **1350**
- Aguadé-Bruix S** see Candell-Riera J *et al*
- Aguerri AM** see Basquiera AL *et al*
- Ahmed N** see Gorog DA *et al*
- Aihara N** see Takagi M *et al*  
see Tomita T *et al*
- Airoidi F** *et al.* Clinical and angiographic outcome of directional atherectomy followed by stent implantation in de novo lesions located at the ostium of the left anterior descending coronary artery, **1050**
- Ajani AE** see Finet G *et al*
- Akar N** see Gülec S *et al*
- Akasaka T** see Hozumi T *et al*  
see Watanabe N *et al*
- Akintuerk H** see Michel-Behnke I *et al*
- Akiyama M** see Watanabe N *et al*
- Akowuah E** see Shrivastava V *et al*
- Akowuah EF** *et al.* Prosthetic valve endocarditis: early and late outcome following medical or surgical treatment, **269**
- Akyürek Ö** see Gülec S *et al*
- Al-Benna S** see Fisher C *et al*
- Albers CJ** see Awad-Elkarim AA *et al*
- Aldershvile J** see Bay M *et al*
- Aldington S** see James M *et al*
- Alemparte MR** see Rodriguez A *et al*
- Alfonso F** see Barrera-Ramirez CF *et al*
- Alkotob ML** see Tiong IY *et al*
- Allan LD** see Huggon IC *et al*
- Allan TF** see Quirke TP *et al*
- Allcock RJ** *et al.* Atrial septostomy for pulmonary arterial hypertension, **1344**
- Allen J** see Maynard SJ *et al*
- Almeida PB** see Quiles J *et al*
- Almeria C** see Moreno R *et al*
- Al-Mohammad A** see Eged M *et al*
- Almoznino-Sarafian D** see Cohen N *et al*
- Al-Nahhas A** see Malik IS *et al*
- Alon I** see Cohen N *et al*
- Alp NJ** *et al.* In-stent restenosis and atherosclerosis in a human saphenous vein graft, **132**
- Al-Ruzzeh S** *et al.* Validation of four different risk stratification systems in patients undergoing off-pump coronary artery bypass surgery: a UK multicentre analysis of 2223 patients, **432**
- Alwi M** see Duke C and Alwi M
- Ambler G** see Al-Ruzzeh S *et al*
- Ambrose JA** see Tousoulis D *et al*
- Amrani M** see Al-Ruzzeh S *et al*
- Andersen HR** see Terkelsen CJ *et al*
- Anderson JM** see Maynard SJ *et al*
- Anderson RH** *et al.* Development of the heart: (2) Septation of the atriums and ventricles, **949**
- Development of the heart: (3) Formation of the ventricular outflow tracts, arterial valves, and intrapericardial arterial trunks, **1110**
- Anderson RH** see Moorman A *et al*
- Anderson B** see Bollano E *et al*  
arrhythmological implications, **1**
- Andrews R** see Gunatunga IP *et al*
- Andrews RE** *et al.* Concordance for hypoplastic left heart syndrome in a monozygotic twin pregnancy, **e13**
- Androne AS** *et al.* Acetylcholinesterase inhibition with pyridostigmine improves heart rate recovery after maximal exercise in patients with chronic heart failure, **854**
- Anivarro I** see Rodés-Cabau J *et al*
- Angel J** see Rodés-Cabau J *et al*
- Angelini A** see Dimopoulos K *et al*
- Angelini G** see Taylor F *et al*
- Angelini GD** see Taylor FC *et al*
- Ansari J** see Gunatunga IP *et al*
- Antonatos P** see Chrissos D *et al*
- Antonios TFT** *et al.* Rarefaction of skin capillaries in normotensive offspring of individuals with essential hypertension, **175**
- Antunes MJ** see Antunes PE *et al*
- Antunes PE** *et al.* Coronary surgery with non-cardioplegic methods in patients with advanced left ventricular dysfunction: immediate and long term results, **427**
- Aoki H** see Nonaka-Sarukawa M *et al*
- Apostolopoulou SC** *et al.* Acute endothelin A receptor antagonism improves pulmonary and systemic haemodynamics in patients with pulmonary arterial hypertension that is primary or autoimmune and related to congenital heart disease, **1221**
- Appel J** see Raymond I *et al*
- Aragaki Y** see Sumitomo N *et al*
- Arakawa H** *et al.* Decreased serum vascular endothelial growth factor concentrations in patients with congestive heart failure, **207**
- Aras Ö** see Gülec S *et al*
- Archbold RA, Curzen NP.** Off-pump coronary artery bypass graft surgery: the incidence of postoperative atrial fibrillation, **1134**
- Aretz HT** see Bouma BE *et al*
- Arimura K** see Nohtomi Y *et al*
- Armstrong PW.** Do guidelines influence practice?, **349**
- Arnold M** see Wallmann D *et al*
- Arnold RH** *et al.* Relation between heart rate, heart rhythm, and reverse left ventricular remodelling in response to carvedilol in patients with chronic heart failure: a single centre, observational study, **293**
- Arwady A** see Androne AS *et al*
- Ascione R** see Taylor F *et al*  
see Taylor FC *et al*
- Asher CR** see Troughton RW *et al*
- Asimakopoulos G** see Al-Ruzzeh S *et al*
- Aspromonte N** see Coletta C *et al*
- Atalay S** see Tutar E *et al*
- Atar D** see Raymond I *et al*
- Atar S** *et al.* Mitral annular calcification: a marker of severe coronary artery disease in patients under 65 years old, **161**
- Athanasopoulos GD** see Karagiannis SE *et al*
- Atkinson EJ** see Michels VV *et al*
- Atmaca Y** see Gülec S *et al*
- Attie F** see Zabal C *et al*
- Auer J** *et al.* Left ventricular microaneurysms as a cause of apparently idiopathic ventricular fibrillation, **644**
- Augustin LS** see Tavani A *et al*
- Avanzas P** see Quiles J *et al*
- Avanzas P** *et al.* Echocardiographic detection of systemic air embolism during positive pressure ventilation, **1321**
- Averbukh Z** see Cohen N *et al*
- Avezum A** see Santopinto JJ *et al*
- Awad-Elkarim AA** *et al.* A prospective study of long term prognosis in young myocardial infarction survivors: the prognostic value of angiography and exercise testing, **843**
- Awano K** see Seguchi O *et al*
- Ayres JG** see Routledge HC *et al*

- Babu JK** see Reddy GM *et al*
- Bae EJ** see Lee JY *et al*
- Bagger JP** see Awad-Elkarim AA *et al*
- Bal ET** see Brueren BRG *et al*
- Baldi J** see Rodriguez A *et al*
- Balié-Volkers C** see van den Berg MP *et al*
- Balli E** see Maggioni AP *et al*
- Bando K** see Okamura H *et al*
- Bång A** see Herlitz J *et al*
- Banks M** see Eccleshall SC *et al*
- Banning AP** see Mitchell ARJ *et al*
- Banning AP** *et al*. Same day discharge following elective percutaneous coronary intervention in patients with stable angina, **665**
- Bannister W** see Ye S *et al*
- Barakat K** *et al*. Bangladeshi patients present with non-classic features of acute myocardial infarction and are treated less aggressively in east London, UK, **276**
- Barral JM** see Basquiera AL *et al*
- Barrera-Ramirez CF** *et al*. Apical thrombus associated with left ventricular apical ballooning, **927**
- Bartlett C** *et al*. Women, older persons, and ethnic minorities: factors associated with their inclusion in randomised trials of statins 1990 to 2001, **327**
- Bashir Y** see Banning AP *et al*  
see Lever N *et al*
- Basquiera AL** *et al*. Risk progression to chronic Chagas cardiomyopathy: influence of male sex and of parasitaemia detected by polymerase chain reaction, **1186**
- Basso C** *et al*. Primary cardiac valve tumours, **1259**
- Bateman AC** see Brooks A *et al*
- Bauer A, Schmidt G** Imitating ventricular tachycardia, **1382**
- Bauer J** see Michel-Behnke I *et al*
- Bauersachs J** see Schanzenbächer P and Bauersachs J
- Baumann G** see Borges AC *et al*
- Baumann M** see Raymond I *et al*
- Baumgart D** see Eggebrecht H *et al*  
see Schiele TM *et al*
- Bax JJ** see Bigi R *et al*  
see Bountiokos M *et al*  
see Kertai MD *et al*
- Baxter GF** see D'Souza SP and Baxter GF
- Bay M** *et al*. NT-proBNP: a new diagnostic screening tool to differentiate between patients with normal and reduced left ventricular systolic function, **150**
- Beatt K** see Malik IS *et al*
- Becher H** see Timperley J *et al*
- Becker A** see Leber AW *et al*
- Becker C** see Leber AW *et al*
- Becker R** see Meyborg M *et al*
- Been M** see Bilku RS *et al*  
see Constantinides SS *et al*  
see Doshi SN *et al*
- Beghetti M** see Jaecklin T *et al*
- Belgore F** see Chung NA *et al*
- Bell RE, Reidy JF**. Endovascular treatment of thoracic aortic disease, **823**
- Bell W** see Fitchet A *et al*
- Bellinger DC**. Cardiac surgery and the brain: differences between adult and paediatric studies, **365**
- Benedik J** see Grijalva M *et al*
- Bengel FM** see Hauser M *et al*
- Bennett MR**. In-stent stenosis: pathology and implications for the development of drug eluting stents, **218**
- Beran G** *et al*. Improved myocardial viability following intramyocardial autologous bone marrow injection after acute myocardial infarction, **930**
- Berent R** see Auer J *et al*
- Berger A** see MacCarthy P *et al*
- Bergfeldt L**. Differential diagnosis of cardiogenic syncope and seizure disorders, **353**
- Bermejo J** see Quiles J *et al*
- Bernardi V** see Rodriguez A *et al*
- Berry C** see Fisher C *et al*
- Berthier F, Boulay F**. Lower myocardial infarction mortality in French men the day France won the 1998 World Cup of football, **555**
- Beygui F** *et al*. Myocardial viability, coronary flow reserve, and in-hospital predictors of late recovery of contractility following successful primary stenting for acute myocardial infarction, **179**
- Bhandari M** see McArdle H *et al*
- Bhatt DL** see Gurm HS *et al*
- Bigi R** see Coletta C *et al*
- Bigi R** *et al*. Prognostic and clinical correlates of angiographically diffuse non-obstructive coronary lesions, **1009**
- Bigras JL** see Fouron J-C *et al*
- Bilku RS** *et al*. Images in cardiology: Subclavian artery stenosis as a cause for recurrent angina after LIMA graft stenting, **1429**
- Billinger M** see Seiler C *et al*
- Bird D** see Nagarajan DV *et al*
- Birkel J** see Kuon E *et al*
- Birkhead J**. Where are we today? Early results from MINAP, the national audit of myocardial infarction project, **ii13**
- Birnie DH** see Smith J *et al*
- Birrell G** see Wren C *et al*
- Blackledge HM** *et al*. Prognosis for patients newly admitted to hospital with heart failure: survival trends in 12 220 index admissions in Leicestershire 1993–2001, **615**
- Blackman DJ, Channon KM**. Prevention of embolisation during percutaneous vein graft intervention using a Filter Wire distal protection device, **376**
- Blann AD** see Chung NA *et al*  
see Kamath S *et al*
- Block M** see Bode-Schnurbus L *et al*
- Bloomfield P** see Oxenham H *et al*
- Blue L** see Fisher C *et al*
- Bo S** *et al*. Warfarin for non-valvar atrial fibrillation: still underused in the 21st century?, **553**
- Bochowicz A** see Pruszczyk P *et al*
- Böcker D** see Bode-Schnurbus L *et al*
- Bode C** see Nordt TK and Bode C
- Boden L** see Vinereanu D *et al*
- Bode-Schnurbus L** *et al*. QRS duration: a simple marker for predicting cardiac mortality in ICD patients with heart failure, **1157**
- Boersma E** see Kertai MD *et al*  
see Roos-Hesselink JW *et al*
- Boesgaard S** see Bay M *et al*
- Bogers AJJC** see Hokken RB *et al*  
see Roos-Hesselink JW *et al*
- Bollano E** *et al*. Different responses to dobutamine in the presence of carvedilol or metoprolol in patients with chronic heart failure, **621**
- Bonan R** see Schiele TM *et al*
- Bonato R** see Basso C *et al*
- Bonnet D** see Agnoletti G *et al*  
see Butera G *et al*
- Bonow RO** see Rajamannan NM *et al*
- Bonsante E** see Bosi G *et al*
- Bordachar P** *et al*. Interventricular and intra-left ventricular electromechanical delays in right ventricular paced patients with heart failure: implications for upgrading to biventricular stimulation, **1401**
- Borges AC** see Koehler F *et al*
- Borges AC** *et al*. Isolated left ventricular non-compaction: cardiomyopathy with homogeneous transmural and heterogeneous segmental perfusion, **e21**
- Thirty years after percutaneous closure of patent ductus arteriosus, **650**
- Borggrefe M** see Bode-Schnurbus L *et al*
- Borghini A** see Agnoletti G *et al*
- Bosetti C** see Tavani A *et al*
- Bosi G** *et al*. Left ventricular remodelling, and systolic and diastolic function in young adults with  $\beta$  thalassaemia major: a Doppler echocardiographic assessment and correlation with haematological data, **762**
- Bottio T** see Basso C *et al*
- Boudjemline Y** see Agnoletti G *et al*
- Boulay F** see Berthier F and Boulay F
- Boulton B** see Banning AP *et al*
- Bouma BE** *et al*. Evaluation of intracoronary stenting by intravascular optical coherence tomography, **317**
- Bountiokos M** *et al*. Quantification of regional left ventricular function in Q wave and non-Q wave dysfunctional regions by tissue Doppler imaging in patients with ischaemic cardiomyopathy, **1322**
- Boutin C** see Fouron J-C *et al*

- Bouvy ML** *et al.* Predicting mortality in patients with heart failure: a pragmatic approach, **605**
- Bozoglu T** *see* Ortlepp JR *et al*
- Bozovich G** *see* Gurfinkel EP *et al*
- Bozsik B** *see* Tomcsányi J *et al*
- Bracke FA** *et al.* Symptomatic occlusion of the access vein after pacemaker or ICD lead extraction, **1348**
- Brassard M** *see* Fouron J-C *et al*
- Breithardt G** *see* Bode-Schnurbus L *et al*
- Bremner SA** *see* Dewilde S *et al*
- Briguori C** *see* Airolodi F *et al*
- Brilakis ES, Nishimura RA.** Severe pulmonary hypertension in a patient with hypertrophic cardiomyopathy: response to alcohol septal ablation, **790**
- Brink I** *see* Schindler TH *et al*
- Brooks A** *et al.* Interstitial fibrosis in the dilated non-ischaemic myocardium, **1255**
- Brophy JM.** Misplaced pacemaker wire as a cause of mitral regurgitation, **246**
- Brown A** *see* Olenchock SA *et al*
- Brown C** *see* Rerkpattanapit P *et al*
- Brown DL.** Deaths associated with platelet glycoprotein IIb/IIIa inhibitor treatment, **535**
- Brown MJ.** A rational basis for selection among drugs of the same class, **687**
- Brown N** *see* Melville MR *et al*
- Brown NA** *see* Anderson RH *et al*  
*see* Moorman A *et al*
- Browne SM** *see* Taggart DP *et al*
- Brueren BRG** *et al.* Long term follow up after elective percutaneous coronary intervention for unprotected non-bifurcational left main stenosis: is it time to change the guidelines?, **1336**
- Bruneval P** *see* Durand E *et al*
- Bruschke AVG** *see* Mulder HJGH *et al*
- Bucciarelli T** *see* Cipollone F *et al*
- Budaj A** *see* Santopinto JJ *et al*
- Budts W** *see* Stümper O *et al*
- Buendía-Hernández A** *see* Zabal C *et al*
- Buettner HJ** *see* Mueller C *et al*
- Bührer C** *see* Dittrich H *et al*
- Bundy C** *see* Fitchet A *et al*
- Buonadonna AL** *see* Volpe P *et al*
- Burakowska B** *see* Pruszczyk P *et al*
- Burgersdijk C** *see* Sybrandy KC *et al*
- Burri H** *et al.* A diagnostic pitfall in a patient with an implantable cardioverter-defibrillator, **470**
- Burri H** *et al.* Images in cardiology: Complications of pacemaker leads, **1421**
- Burstow DJ** *see* Palka P *et al*
- Busch-Sorensen M** *see* Raymond I *et al*
- Butchart EG** *see* Ionescu A *et al*
- Butera G** *et al.* Heart rate variability in children with hypertrophic cardiomyopathy, **205**
- Bye P** *see* Greaves K *et al*
- Cademartiri F** *et al.* An unusual case of chest murmur demonstrated with three dimensional volume rendering with 16 row multislice spiral computed tomography, **586**  
The dynamics of an ascending aorta dissection by 16 row multislice computed tomography, **970**
- Cadigan PJ** *see* Sosin MD *et al*
- Caeiro TF** *see* Basquiera AL *et al*
- Calabrò R** *see* Limongelli G *et al*  
*see* Sarubbi B *et al*
- Cale A** *see* Al-Ruzzeh S *et al*
- Çalışkan M** *see* Topsakal R *et al*
- Camm AJ** *see* Yap YG and Camm AJ
- Campbell I.** The obesity epidemic: can we turn the tide?, **ii22**
- Campbell S** *et al.* The prevalence of haemochromatosis gene mutations in the West of Scotland and their relation to ischaemic heart disease, **1023**
- Candell-Riera J** *et al.* Usefulness of myocardial perfusion SPECT in patients with left bundle branch block and previous myocardial infarction, **1039**
- Canepa-Anson R** *see* Rao ACR *et al*
- Capewell S** *see* Stewart S *et al*
- Carey F** *see* Petrou M *et al*
- Carey IM** *see* Dewilde S *et al*
- Carlino M** *see* Airolodi F *et al*
- Carroll R** *see* Eccleshall SC *et al*
- Carter R** *see* Gardner RS *et al*
- Caruso G** *see* Volpe P *et al*
- Casarotto D** *see* Basso C *et al*
- Casolo G** *et al.* Anomalous origin of the circumflex artery and patent foramen ovale: a rare cause of myocardial ischaemia after percutaneous closure of the defect, **e23**
- Casserly IP, Topol EJ.** The primacy of clinical effectiveness for cost effectiveness analysis, **249**
- Castagna MT** *see* Finet G *et al*
- Castell-Conesa J** *see* Candell-Riera J *et al*
- Cate FJT** *see* Vourvouri EC *et al*
- Ceci V** *see* Coletta C *et al*
- Celermajer DS** *see* Greaves K *et al*
- Cerasuolo F** *see* Limongelli G *et al*
- Cerveri I** *et al.* Pulmonary thromboendarterectomy almost 50 years after the first surgical attempts, **369**
- Chachashvily S** *see* Cohen N *et al*
- Chakrabarti S** *et al.* Acquired combined immunodeficiency associated with protein losing enteropathy complicating Fontan operation, **1130**  
Congenital coronary artery dilatation, **595**
- Chalmers R** *see* Sorajja P *et al*
- Chan GSW** *see* Lee CH *et al*
- Chan WM** *see* Lee CH *et al*
- Channer KS, Jones TH.** Cardiovascular effects of testosterone: implications of the "male menopause"?, **121**
- Channon K** *see* Banning AP *et al*
- Channon KM** *see* Alp NJ *et al*  
*see* Blackman DJ and Channon KM  
*see* Lever N *et al*
- Chatterjee T** *see* Miyamoto T *et al*
- Chatterjee T** *et al.* Successful brachytherapy of coronary vasospasm, **e25**
- Chaturvedi N.** Ethnic differences in cardiovascular disease, **681**
- Chau AKT** *see* Cheung EWY *et al*  
*see* Hui L *et al*
- Chaudhari M** *see* Stümper O *et al*
- Chauhan A** *see* Hobbs WJ *et al*  
*see* Velavan P and Chauhan A
- Chello M** *et al.* Simvastatin attenuates leucocyte-endothelial interactions after coronary revascularisation with cardiopulmonary bypass, **538**
- Chen W-H** *see* Lee P-Y *et al*
- Chen-Levy Z** *see* Cohen N *et al*
- Chessa M** *see* Stümper O *et al*
- Cheung EWY** *et al.* Pericardial effusion after open heart surgery for congenital heart disease, **780**
- Cheung MMH** *et al.* Long term somatic growth after repair of tetralogy of Fallot: evidence for restoration of genetic growth potential, **1340**
- Cheung YF** *see* Cheung EWY *et al*  
*see* Hui L *et al*
- Chevalier P** *see* Burri H *et al*
- Chi JS, Kloner RA.** Stress and myocardial infarction, **475**
- Chiarelli F** *see* Cipollone F *et al*
- Chieffo A** *see* Airolodi F *et al*
- Chin BSP** *see* Kamath S *et al*
- Chiu CSW** *see* Cheung EWY *et al*
- Cho S-Y** *see* Ha J-W and Cho S-Y
- Chrissos D** *et al.* Transoesophageal echocardiography imaging of a large left atrium thrombus: a two and a half year follow up, **1061**
- Chung NA** *et al.* Angiogenesis, thrombogenesis, endothelial dysfunction and angiographic severity of coronary artery disease, **1411**
- Cianflone D** *see* Galiuto L *et al*
- Ciccione G** *see* Bo S *et al*
- Cipollone F** *et al.* High preprocedural non-HDL cholesterol is associated with enhanced oxidative stress and monocyte activation after coronary angioplasty: possible implications in restenosis, **773**
- Ciurzynski M** *see* Pruszczyk P *et al*
- Clark AL** *see* Witte KKA *et al*
- Clark SC** *see* Lord SW and Clark SC
- Clarke H** *see* Kennon S *et al*
- Cleland JGF** *see* Poole-Wilson PA *et al*  
*see* Witte KKA *et al*
- Clementy J** *see* Bordachar P *et al*
- Clune M** *see* Queiroga A *et al*
- Coats AJS** *see* Williams SG *et al*

- Cobbe SM** see Pell JP *et al*  
**Coch M** see Schwab JO *et al*  
**Cohen N** *et al*. Serum magnesium aberrations in furosemide (frusemide) treated patients with congestive heart failure: pathophysiological correlates and prognostic evaluation, **411**  
**Cohen RA** see Gowda RM *et al*  
**Cokkinos DV** *et al*. Coronary flow: clinical considerations, **361**  
**Cokkinos DV** see Apostolopoulou SC *et al*  
 see Karagiannis SE *et al*  
**Coletta C** *et al*. Influence of contractile reserve and inducible ischaemia on left ventricular remodelling after acute myocardial infarction, **1138**  
**Collinson** Factors associated with coronary artery calcification in young female patients with SLE, **1284**  
**Collinson PO** see Rao ACR *et al*  
**Collinson PO** *et al*. Multicentre evaluation of the diagnostic value of cardiac troponin T, CK-MB mass, and myoglobin for assessing patients with suspected acute coronary syndromes in routine clinical practice, **280**  
**Collinson PO, Stubbs PJ** Are troponins confusing?, **1285**  
**Colombo A** see Airoidi F *et al*  
 see Sangiorgi G and Colombo A  
 see Schiele TM *et al*  
**Colombo P** see Bigi R *et al*  
**Condon M** see Thaman R *et al*  
**Connolly DL** see Sosin MD *et al*  
**Constantinides SS** *et al*. Predictors of mortality in patients with acute coronary syndrome undergoing percutaneous coronary intervention, **1245**  
**Cook AC** see Andrews RE *et al*  
**Cook DG** see Dewilde S *et al*  
**Cooke JE** see Heath M *et al*  
**Cooper G** see Akowuah EF *et al*  
**Cooper GJ** see Shrivastava V *et al*  
**Cooper J** see Foo K *et al*  
 see Kennon S *et al*  
**Corbi P** see Coisne D *et al*  
**Corris PA** see Allcock RJ *et al*  
**Cortigiani L** see Bigi R *et al*  
**Costantini F** see Cipollone F *et al*  
**Cotrufo M** see Limongelli G *et al*  
**Coussement P** see Dens JA *et al*  
**Covino E** see Chello M *et al*  
**Cowen M** see Al-Ruzzeh S *et al*  
**Cowie MR**. Estimating prognosis in heart failure: time for a better approach, **587**  
**Cracowski J-L**. The putative role of isoprostanines in human cardiovascular physiology and disease: following the fingerprints, **821**  
**Crake T** see Tousoulis D *et al*  
**Cramer J**. Medicine partnerships, **ii19**  
**Cramer MJM** see Sybrandy KC *et al*  
**Crea F** see Galiuto L *et al*  
 see Lanza GA *et al*  
**Crea F, Lanza GA**. The elusive link between stenosis severity and prognosis in stable ischaemic heart disease, **961**  
**Crepaz R** see Bosi G *et al*  
**Crijns HJGM** see van den Berg MP *et al*  
**Crossman DC** see Gunn J *et al*  
 see Pollard SD *et al*  
**Crupi G** see Agnoletti G *et al*  
**Cuccurullo F** see Cipollone F *et al*  
**Cumberland DC** see Gunn J *et al*  
 see Pollard SD *et al*  
**Cunningham J** see Oxenham H *et al*  
**Curb JD** see Sekikawa A *et al*  
**Curzen NP** see Archbold RA and Curzen NP  
**Dahm JB** see Kuon E *et al*  
**Daida H** see Miyazaki T *et al*  
 see Yasuda M *et al*  
**D'Ambrosio A** see Chello M *et al*  
**D'Andrea A** see Limongelli G *et al*  
**Daniel WG** see Pohle K *et al*  
**D'Annunzio E** see Cipollone F *et al*  
**Dargie HJ** see Campbell S *et al*  
**D'Armini AM** see Cerveri I *et al*  
**Davey P** see Bartlett C *et al*  
**Davies G** see Tousoulis D *et al*  
**Davies GJ** see Gorog DA *et al*  
 see Tousoulis D *et al*  
**Davies W** see Akowuah EF *et al*  
**Davis AM** see Cheung MMH *et al*  
**Davis B** see Kotschet E *et al*  
**Davis M**. Current targets: where are we going?, **ii6**  
**Davis R** see Sosin MD *et al*  
**Davutoglu V** *et al*. Himalayan P waves in a patient with combined tricuspid and pulmonic stenosis, **1216**  
**Dawkins KD** see Wong YK *et al*  
**Dawkins S** see Wong YK *et al*  
**Day INM** see Ye S *et al*  
**Day LB** see Ye S *et al*  
**de Belder MA** see Halmey N *et al*  
**de Boo T** see van Wissen S *et al*  
**de Bruyne B** see McCarthy P *et al*  
**de Candia E** see Lanza GA *et al*  
**de Caro E** *et al*. Transoesophageal atrial pacing combined with transthoracic two dimensional echocardiography: experience in patients operated on with arterial switch operation for transposition of the great arteries, **91**  
**de Castro CRP** *et al*. Pulmonary arteriovenous fistula, **41**  
**de Cesare D** see Cipollone F *et al*  
**de Feo M** see Limongelli G *et al*  
**de Feyter PJ** see Nieman K *et al*  
**De Freitas S** *et al*. A case of rheumatic fever, **1405**  
**de Groot NMS** *et al*. Area ablation of ventricular tachycardia in a patient with arrhythmogenic right ventricular cardiomyopathy, **703**  
**de Nigris F** see Napoli C *et al*  
**de Oliveira JMF** see Antunes PE *et al*  
**de Scheerder I** see Diamantopoulos L *et al*  
**de Scheerder IK** see Dens JA *et al*  
**Deaner A** see Foo K *et al*  
**Dearani JA** see Veldtman GR *et al*  
**Deepak SM** *et al*. Congenitally corrected transposition of the great arteries (L transposition), **976**  
**Defigueiredo DB** see Huggon IC *et al*  
**Delacasa A** see Rodriguez A *et al*  
**Delacretaz E** see Rotter M *et al*  
 see Wallmann D *et al*  
**Demircan S** see Sagkan O *et al*  
**Dendis M** see Grijalva M *et al*  
**Denizet A** see Hamon M *et al*  
**Dens JA** *et al*. Long term effects of nisoldipine on the progression of coronary atherosclerosis and the occurrence of clinical events: the NICOLE study, **887**  
**Dens JAY** see Desmet WJR *et al*  
**Dent Z** see Perera D *et al*  
**Dernellis JM, Panaretou MP** Effects of digoxin on left atrial function in heart failure, **1308**  
**Desideri A** see Bigi R *et al*  
**Desmet WJ** see Dens JA *et al*  
**Desmet WJR** *et al*. Apical ballooning of the left ventricle: first series in white patients, **1027**  
**Desouza A** see Al-Ruzzeh S *et al*  
**Deubner H** see Heath M *et al*  
**Dewilde S** *et al*. Evolution of statin prescribing 1994–2001: a case of agism but not of sexism?, **417**  
**Dhakam S, Jafary F**. Pulmonary valve endocarditis, **480**  
**Dhillon S** see Ye S *et al*  
**di Mario C** see Airoidi F *et al*  
 see Liistro F and di Mario C  
**di Sciascio G** see Chello M *et al*  
**Diamantopoulos L** *et al*. A thermal view of the arterial wall after coronary angioplasty, **604**  
**Didier D** see Jaecklin T *et al*  
**Dieppe P** see Bartlett C *et al*  
**Dimopoulos K** *et al*. Multiple coronary rupture after blunt chest trauma, **594**  
**Dinckal MH** see Davutoglu V *et al*  
**Dirsch O** see Eggebrecht H *et al*  
**Dittrich H** *et al*. Neurodevelopment at 1 year of age in infants with congenital heart disease, **436**  
**Dittrich S** see Dittrich H *et al*

- Dixon AJ** see West NEJ *et al*  
**Dixon SR** see Greaves K *et al*  
**Dobbie R** see Pell JP *et al*  
**Doherty PJ** see Fitchet A *et al*  
**Dohi Y** see Goto T *et al*  
**Doi A** *et al*. Real time quantification of low temperature radiofrequency ablation lesion size using phased array intracardiac echocardiography in the canine model: comparison of two dimensional images with pathological lesion characteristics, **923**  
**Doi Y** *et al*. Sisters with atypical Fabry's disease with complete atrioventricular block, **e2**  
**Domingo E** see Rodés-Cabau J *et al*  
**Dominiczak A** see Pell JP *et al*  
**Dos L** see Ferreira I *et al*  
**Doshi SN** *et al*. Intermittent opening of a mitral valve tilting disc prosthesis 23 years after implantation caused by circumferential pannus, **1049**  
**Douglas D** see Wong KYK *et al*  
**Douglas H** see Gorog DA *et al*  
**Doyal L** see Bartlett C *et al*  
**Driscoll DJ** see Michels VV *et al*  
**D'Souza SP, Baxter GF**. B Type natriuretic peptide: a good omen in myocardial ischaemia?, **707**  
**Dubois CL, Herijgers P**. Imaging of a huge atrial myxoma, **99**  
**Dubois-Randé JL** see Garot P *et al*  
**Dubrey S** see Syed H *et al*  
**Dubrey SW** see Mahmoudi M *et al*  
 see O'Neil M *et al*  
**Ducceschi V** see Limongelli G *et al*  
**Duke C** *et al*. The efficacy and safety of stent redilatation in congenital heart disease, **905**  
**Duke C, Alwi M**. Transcatheter closure of direct communication between right pulmonary artery and left atrium using Amplatzer device, **1210**  
**Dumont F** see Kefer J *et al*  
**Dunleavy L** see Ye S *et al*  
**Durand E** *et al*. Cardiogenic shock in a young woman revealing juvenile haemochromatosis, **870**  
  
**Eber B** see Auer J *et al*  
**Ebrahim S** see Bartlett C *et al*  
**Eccleshall SC** *et al*. Implementation of a diagnostic and interventional transradial programme: resource and organisational implications, **561**  
**Edmundowicz D** see Sekikawa A *et al*  
**Edwards C** see Hyde TA *et al*  
**Edwards WD** see Ommen SR *et al*  
**Eeckhout E** see Schiele TM *et al*  
**Enggebrecht H** *et al*. Percutaneous balloon fenestration of the intimal flap for management of limb threatening ischaemia in acute aortic dissection, **973**  
**Egger M** see Bartlett C *et al*  
**Egred M** *et al*. Detection of scarred and viable myocardium using a new magnetic resonance imaging technique: blood oxygen level dependent (BOLD) MRI, **738**  
**Ehara S** see Shimada K *et al*  
**Eichner G** see Schwab JO *et al*  
**Ekim M** see Tutar E *et al*  
**Elami A** see Gotsman I *et al*  
**Eleftherakis NG** see Thanopoulos BD *et al*  
**El-Gamel A** see Al-Ruzzeh S *et al*  
**Elliott P** see Pellerin D *et al*  
**Elliott PM** see Sorajja P *et al*  
 see Thaman R *et al*  
**Endoh S** see Hayashi T *et al*  
**Engdahl J** see Herlitz J *et al*  
**Erbel R** see Eggebrecht H *et al*  
 see Naber CK and Erbel R  
**Erbel R**. Spontaneous and interventional coronary microembolisation, **986**  
**Erdogan F** see Yilmaz M *et al*  
**Erne P** see Chatterjee T *et al*  
 see Miyamoto T *et al*  
**Ernst JM, Rensing BJ**. Percutaneous closure of a false aneurysm of the superficial femoral artery under fluoroscopic guidance, **326**  
**Ernst JMPG** see Brueren BRG *et al*  
**Eryol NK** see Topsakal R *et al*  
**Esteban J** see Santopinto JJ *et al*  
  
**Eykyn SJ** see Lamas CC and Eykyn SJ  
  
**Fabri B** see Al-Ruzzeh S *et al*  
**Faerstrand S** see Schuster P *et al*  
**Fagard R** Athlete's heart, **1455**  
**Fahrbach K** see Nalysnyk L *et al*  
**Falk E, Thuesen L**. Pathology of coronary microembolisation and no reflow, **983**  
**Farb A** see Virmani R *et al*  
**Fazia M** see Cipollone F *et al*  
**Federman J** see Kotschet E *et al*  
**Feher MD**. Lipid lowering to delay the progression of coronary artery disease, **451**  
**Fejka M** see Greaves K *et al*  
**Ferguson JD** see Lever N *et al*  
**Fernández-Avilés F** see Román JAS *et al*  
**Fernandez-Ortiz A** see Moreno R *et al*  
**Ferreira I** *et al*. Experience with enoxaparin in patients with mechanical heart valves who must withhold acenocumarol, **527**  
**Filippi-Codaccioni E** see Hamon M *et al*  
**Finet G** *et al*. Mechanism of lumen enlargement with direct stenting versus predilatation stenting: influence of remodelling and plaque characteristics assessed by volumetric intracoronary ultrasound, **84**  
**Firoozi S** see Thaman R *et al*  
**Firoozi S** *et al*. Risk of competitive sport in young athletes with heart disease, **710**  
**Fischer G** see Schneider MBE *et al*  
**Fischer G** *et al*. Experience with transcatheter closure of secundum atrial septal defects using the Amplatzer septal occluder: a single centre study in 236 consecutive patients, **199**  
**Fischer Hansen J** see Wendelboe Nielsen O *et al*  
**Fisher C** *et al*. N-terminal pro B type natriuretic peptide, but not the new putative cardiac hormone relaxin, predicts prognosis in patients with chronic heart failure, **879**  
 Transcardiac and transpulmonary gradients in the putative new cardiovascular hormone relaxin, **789**  
**Fisher M**. Diabetes: can we stop the time bomb?, **ii28**  
**Fitchet A** *et al*. Comprehensive cardiac rehabilitation programme for implantable cardioverter defibrillator patients: a randomised controlled trial, **155**  
**Fitzpatrick AP** see Fitchet A *et al*  
**Foo K** *et al*. A single serum glucose measurement predicts adverse outcomes across the whole range of acute coronary syndromes, **512**  
 Effect of diabetes on serum potassium concentrations in acute coronary syndromes, **31**  
**Ford I** see Pell JP *et al*  
**Forfar JC** see Banning AP *et al*  
**Fortini M** see Bosi G *et al*  
**Fotuhi PC** see Koehler F *et al*  
**Fournier A** see Fouron J-C *et al*  
**Fouron J-C** *et al*. Management of fetal tachyarrhythmia based on superior vena cava/aorta Doppler flow recordings, **1211**  
**Fox KAA** see Santopinto JJ *et al*  
**Fradin S** see Hamon M *et al*  
**Francis CM** see Shaw TRD *et al*  
**Francis DP** see Gibson DG and Francis DP  
**Franke A** see Hoffmann R *et al*  
**Frankton S** see De Freitas S *et al*  
**Fraser AG** see Ionescu A *et al*  
 see Vinereanu D *et al*  
**Fraser D** see Eccleshall SC *et al*  
**Fraser HW** see Wong KYK *et al*  
**French JK** see Hyde TA *et al*  
**Frenneaux MP** see Thaman R *et al*  
**Fuhrer J** see Wallmann D *et al*  
**Fujii E** see Matsuoka K *et al*  
**Fujii H** *et al*. Unusual morphologic changes in apical hypertrophic cardiomyopathy, **1290**  
**Fujimoto K** see Kojima S *et al*  
**Fukuda D** see Shimada K *et al*  
**Fukuda N** see Soeki T *et al*  
**Fukui S** see Kinjo K *et al*  
**Fukunami M** see Kinjo K *et al*  
**Funabashi N** *et al*. Fibromuscular dysplasia in renovascular hypertension demonstrated by multislice CT: comparison with conventional angiogram and intravascular ultrasound, **639**

- Multiple cystic aneurysms in aortitis demonstrated by three dimensional volume rendering images of multislice computed tomography, **257**
- Multi-vessel dissections in Marfan syndrome demonstrated by multislice computed tomography, **1146**
- Patency of coronary artery lumen surrounded by metallic stent evaluated by three dimensional volume rendering images using ECG gated multislice computed tomography, **388**
- Patency of multiple coronary artery bypass grafts demonstrated by multislice CT, **818**
- Thinned myocardial fibrosis with thrombus in the dilated form of hypertrophic cardiomyopathy demonstrated by multislice computed tomography, **858**
- Three dimensional images with ECG gated multislice computed tomography revealed stenosis of the descending aorta in 2 month old baby, **444**
- Funahashi T** see Kojima S *et al*
- Gaku S** *et al.* A case of bepridil induced interstitial pneumonitis, **1415**
- Galasko G** see Senior R *et al*
- Galati A** see Coletta C *et al*
- Galiuto L** *et al.* Temporal evolution and functional outcome of no reflow: sustained and spontaneously reversible patterns following successful coronary recanalisation, **731**
- Gallagher PJ** see Brooks A *et al*
- Gamache S** see Fouron J-C *et al*
- Gamberini MR** see Bosi G *et al*
- Gammage MD** see Queiroga A *et al*
- Garcia SL** see Sarmento-Leite R *et al*
- García-Fernández MÁ** see Quiles J *et al*
- García-Montes JA** see Zabal C *et al*
- García-Fernández MA** see Avanzas P *et al*
- García-Rubira JC** see Moreno R *et al*
- Gardner RS** *et al.* Importance of  $\beta$  blockade in the treatment of advanced heart failure, **1442**
- Garot J** see Garot P *et al*
- Garot P** *et al.* Impact of microvascular integrity and local viability on left ventricular remodelling after reperfused acute myocardial infarction, **393**
- Garratt CJ** see Fitchet A *et al*
- Garrigue S** see Bordachar P *et al*
- Garzia FM** see Olenchock SA *et al*
- Gaspardone A** see Ando' G *et al*
- Gaster AL** *et al.* Continued improvement of clinical outcome and cost effectiveness following intravascular ultrasound guided PCI: insights from a prospective, randomised study, **1043**
- Gatzoulis MA** see Swan L *et al*
- Gauthier DD** see Bouma BE *et al*
- Geitner P** see Pohle K *et al*
- Gembruch U** see Krapp M *et al*
- Gensini GF** see Casolo G *et al*
- Gentile M** see Volpe P *et al*
- George DK** see Campbell S *et al*
- Geraci E** see Maggioni AP *et al*
- Gerber B** see Kefer J *et al*
- Gerdes JC** see Terkelsen CJ *et al*
- Gersh B** see Rajamannan NM *et al*
- Gershlick A** see Schiele TM *et al*
- Gewillig M** see Stümper O *et al*
- Görge G, Kunz T.** Management of complex, two chamber false aneurysm by thrombin injections, **564**
- Ghaffari S** see Peikert T *et al*  
see Tiong IY *et al*
- Gibson DG, Francis DP.** Clinical assessment of left ventricular diastolic function, **231**
- Giddings J** see Ionescu A *et al*
- Gieowarsingh S** see Constantinides SS *et al*
- Gill EA** see Heath M *et al*
- Gill PS** see Quirke TP *et al*
- Gimbel JR.** Novel use of an "insertable" loop recorder, **e18**
- Gimbel JR, Wilkoff BL.** Artefact mimicking tachycardia during magnetic resonance imaging in a patient with an implantable loop recorder, **e10**
- Gimeno JR** see Thaman R *et al*
- Gülec S** *et al.* Deletion polymorphism of the angiotensin I converting enzyme gene is a potent risk factor for coronary artery ectasia, **213**
- Gliech V** see Borges AC *et al*
- Glogar D** see Beran G *et al*
- Goethals M** see Vanderheyden M *et al*
- Goetze S** see Peikert T *et al*
- Goldberg RJ** see Santopinto JJ *et al*
- Goldsmith R** see Androne AS *et al*
- Golik A** see Cohen N *et al*
- Goode GK** see Deepak SM *et al*
- Gordillo E** see Moreno R *et al*
- Gore JM** see Santopinto JJ *et al*
- Gorelik O** see Cohen N *et al*
- Gorini M** see Maggioni AP *et al*
- Gorog DA** *et al.* Coronary angioplasty enhances platelet reactivity through von Willebrand factor release, **329**
- Goto T** *et al.* Circulating concentrations of cardiac proteins indicate the severity of congestive heart failure, **1303**
- Goto Y** see Tomita T *et al*
- Gotsman I** *et al.* Transoesophageal echocardiography of a large tricuspid valve vegetation: a perfect image of reality, **696**
- Goumas G** see Tousoulis D *et al*
- Gowda RM** see Sinval RM *et al*
- Gowda RM** *et al.* Toad venom poisoning: resemblance to digoxin toxicity and therapeutic implications, **e14**
- Goyal NK** see Kothari SS and Goyal NK
- Goyal S** see Swan L *et al*
- Gradaus R** see Bode-Schnurbus L *et al*
- Gray D** see Melville MR *et al*
- Gray RH** see Ung T *et al*
- Greaves K** *et al.* Clinical criteria and the appropriate use of transthoracic echocardiography for the exclusion of infective endocarditis, **273**
- Myocardial contrast echocardiography is superior to other known modalities for assessing myocardial reperfusion after acute myocardial infarction, **139**
- Prevalence of haemoptysis in adults with pulmonary atresia and ventricular septal defect, and the role of mammary artery collateral vessels, **937**
- Green A** see Raymond I *et al*
- Griffin S** see Al-Ruzzeh S *et al*
- Grijalva M** *et al.* Molecular diagnosis of culture negative infective endocarditis: clinical validation in a group of surgically treated patients, **263**
- Grimes R** see Wong YK *et al*
- Grimmer I** see Dittrich H *et al*
- Grinda JM** see Durand E *et al*
- Grocott-Mason R** see O'Neil M *et al*
- Groenning BA** see Raymond I *et al*
- Grollier G** see Hamon M *et al*
- Grona E** see Maggioni AP *et al*
- Groves AM, Tasker AD.** Computed tomography imaging of cardiac tamponade secondary to a posterior pericardial abscess, **364**
- Grunkemeier GL** see Ionescu A *et al*
- Guéret P** see Garot P *et al*
- Gulba D** see Santopinto JJ *et al*
- Gunatunga IP** *et al.* Acute anterior myocardial infarction obscured by diaphragmatic eventration, **556**
- Gunn J** *et al.* Drug eluting stents: maximising benefit and minimising cost, **127**
- Gunn J** see Alp NJ *et al*  
see Pollard SD *et al*
- Gunn J, Taggart DP.** Revascularisation for acute coronary syndromes: PCI or CABG?, **967**
- Gunnarsson J** see Herlitz J *et al*
- Gurfinkel EP** see Santopinto JJ *et al*
- Gurfinkel EP** *et al.* International comparison of mortality rates in patients with non-ST elevation acute coronary events, **1083**
- Gurlertop Y** see Yilmaz M *et al*
- Gurm HS** *et al.* Impact of preprocedural white blood cell count on long term mortality after percutaneous coronary intervention: insights from the EPIC, EPILOG, and EPISTENT trials, **1200**
- Guzmán S** see Basquiera AL *et al*
- Ha J-W, Cho S-Y.** Prolonged sinus arrest after coronary artery spasm, **558**
- Ha SY** see Hui L *et al*
- Haager P** see Hoffmann R *et al*
- Haberl R** see Leber AW *et al*
- Hackett D** How many cath labs do we need?, **827**
- Hagel KJ** see Michel-Behnke I *et al*

- Hager A** see Hauser M *et al*  
**Haghefelt TH** see Gaster AL *et al*  
**Hainsworth R**. Syncope: what is the trigger?, 123  
**Haïssaguerre M** see Bordachar P *et al*  
**Hakami A** *et al*. Unruptured congenital aneurysm of the left sinus of Valsalva in an adult with complex left heart malformations, e3  
**Halim M** see Constantinides SS *et al*  
**Hall R**. Cased based learning on the web, 979  
**Hall RJC** see Awad-Elkarim AA *et al*  
**Halligan PW** see Taggart DP *et al*  
**Halmey N** *et al*. Femoral vein delivery of contrast improves transoesophageal detection of intracardiac shunting through a patent foramen ovale, 784  
**Halpern EF** see Bouma BE *et al*  
**Haluska B** see Khoury VK *et al*  
**Hamid MS** see Thaman R *et al*  
**Hamid SM** see Thaman R *et al*  
**Hammerstingl C** see Illien S *et al*  
**Hamon M** *et al*. Prospective evaluation of the effect of an angiotensin I converting enzyme gene polymorphism on the long term risk of major adverse cardiac events after percutaneous coronary intervention, 321  
**Hanania G**. Which heart valve prosthesis for patients aged between 60 and 70 years?, 481  
**Handa S** see Sosin MD *et al*  
**Hanna M** see Sorajja P *et al*  
**Hannah A** see Smith J *et al*  
**Hanrath P** see Hoffmann R *et al*  
 see Ortlepp JR *et al*  
**Hanson NQ** see Gülec S *et al*  
**Hara Y** see Tomita T *et al*  
**Harada K** see Sumitomo N *et al*  
**Harare O** see Malik IS *et al*  
**Hartung W** see Heublein B *et al*  
**Hasan R** see Al-Ruzzeh S *et al*  
**Hasegawa A** see Sakurai S *et al*  
**Hassager C** see Bay M *et al*  
**Hassink RJ** see van den Berg MP *et al*  
**Hauser M**. Exercise blood pressure in congenital heart disease and in patients after coarctation repair, 125  
**Hauser M** *et al*. Impaired myocardial blood flow and coronary flow reserve of the anatomical right systemic ventricle in patients with congenitally corrected transposition of the great arteries, 1231  
**Haverich A** see Heublein B *et al*  
**Hawthorne G** see Wren C *et al*  
**Hayakawa S** see Sumitomo N *et al*  
**Hayashi K** see Sakata K *et al*  
**Hayashi T** *et al*. Angiotensin II receptor blockade prevents microangiopathy and preserves diastolic function in the diabetic rat heart, 1236  
**Hayashi T** see Sakata K *et al*  
**Hayward C** see Arnold RH *et al*  
**Heath M** *et al*. A 28 year old woman with ventricular tachycardia and an abnormal chest radiograph, e19  
**Hechter S** see Swan L *et al*  
**Heerdink ER** see Bouvy ML *et al*  
**Heijdra RJ** see Roos-Hesselink JW *et al*  
**Heijdenbrok-Kal MH** see Kertai MD *et al*  
**Heinecke A** see Bode-Schnurbus L *et al*  
**Helft G** see Beygui F *et al*  
**Henriksen PA, Newby DE**. Therapeutic inhibition of tumour necrosis factor  $\alpha$  in patients with heart failure: cooling an inflamed heart, 14  
**Herijgers P** see Dubois CL and Herijgers P  
**Herlitz J** *et al*. Factors associated with survival to hospital discharge among patients hospitalised alive after out of hospital cardiac arrest: change in outcome over 20 years in the community of Göteborg, Sweden, 25  
**Hernández AM** see Pascual M *et al*  
**Hertzberger DP** see Lamfers EJP *et al*  
**Hess J** see Hauser M *et al*  
**Hetzer R** see Hakami A *et al*  
**Heublein B** *et al*. Biocorrosion of magnesium alloys: a new principle in cardiovascular implant technology?, 651  
**Heusch G**. Coronary microembolisation: introduction, 980  
**Heusch G, Schulz R**. Pathophysiology of coronary microembolisation, 981  
**Higashi M** see Okamura H *et al*  
**Hildebrandt P** see Raymond I *et al*  
**Hildebrandt PR** see Raymond I *et al*  
**Hilden J** see Wendelboe Nielsen O *et al*  
**Hilton SR** see Dewilde S *et al*  
**Hirai M** see Kondo T *et al*  
**Hirose M** see Shimada K *et al*  
**Hishida E** see Kinjo K *et al*  
**Hitchcock T** *et al*. Observational study of prehospital delays in patients with chest pain, 1008  
**Hjalmarsen Å** see Bollano E *et al*  
**Ho H-H** see Tse H-F and Ho H-H  
**Ho SA** see Cheung EWY *et al*  
**Hobbs WJ** *et al*. Iatrogenic left coronary artery dissection, 886  
**Hoepfer MM** *et al*. Lack of association between angiotensin converting enzyme (ACE) genotype, serum ACE activity, and haemodynamics in patients with primary pulmonary hypertension, 445  
**Hoes AW** see Bouvy ML *et al*  
**Hoffmann R** see Ortlepp JR *et al*  
**Hoffmann R** *et al*. Relation of coronary flow pattern to myocardial blush grade in patients with first acute myocardial infarction, 1147  
**Hoffmann U** see Fischer G *et al*  
**Hojo Y** see Arakawa H *et al*  
**Hokamaki J** see Kojima S *et al*  
**Hokken RB** *et al*. Excessive pulmonary autograft dilatation causes important aortic regurgitation, 933  
**Homma S** see Hozumi T *et al*  
**Honda T** see Funabashi N *et al*  
**Hooghoudt TEH** see Lamfers EJP *et al*  
**Hooper J** see Kennon S *et al*  
**Horan PG** *et al*. Single coronary artery: a familial clustering, e27  
**Hori M** see Kinjo K *et al*  
**Horiuchi BY** see Sekikawa A *et al*  
**Horváth R** see Grijalva M *et al*  
**Hoshizaki H** see Sakurai S *et al*  
**Houser SL** see Bouma BE *et al*  
 see Lowe HC *et al*  
**Hozumi T** *et al*. Coronary flow velocity analysis during short term follow up after coronary reperfusion: use of transthoracic Doppler echocardiography to predict regional wall motion recovery in patients with acute myocardial infarction, 1163  
**Hozumi T** see Muro T *et al*  
**Hryniewicz K** see Androne AS *et al*  
**Hsia C** see Swan L *et al*  
**Huggon IC** *et al*. Tricuspid regurgitation in the diagnosis of chromosomal anomalies in the fetus at 11–14 weeks of gestation, 1071  
**Hughes A** see Mayet J and Hughes A  
**Hui L** *et al*. Early detection of left ventricular dysfunction in patients with  $\beta$  thalassaemia major by dobutamine stress echocardiography, 669  
**Hung C-R** see Wang T-L and Hung C-R  
**Hunink MGM** see Kertai MD *et al*  
**Hyde TA** *et al*. Associations between ST depression, four year mortality, and in-hospital revascularisation in unselected patients with non-ST elevation acute coronary syndromes, 490  
**Iazzi A** see Cipollone F *et al*  
**Iii JFR** see Olenchock SA *et al*  
**Iino S** see Kondo T *et al*  
**Ikari NM** see de Castro CRP *et al*  
**Ikeda U** see Arakawa H *et al*  
 see Nonaka-Sarukawa M *et al*  
**Illien S** *et al*. Atrial fibrillation: relation between clinical risk factors and transoesophageal echocardiographic risk factors for thromboembolism, 165  
**Inden Y** see Kondo T *et al*  
**Ino H** see Sakata K *et al*  
**Inoue I** see Kurisu S *et al*  
**Inoue M** see Sakata K *et al*  
**Ionescu A** *et al*. Incidence of embolism and paravalvar leak after St Jude Silzone valve implantation: experience from the Cardiff Embolic Risk Factor Study, 1055  
**Ionescu A** *et al*. Prevalence and clinical significance of incidental paraprosthesis valvar regurgitation: a prospective study using transoesophageal echocardiography, 1316  
**Ishibashi-Ueda H** see Nojima Y *et al*  
**Iskander AS** *et al*. Spontaneous pneumopericardium, 1250  
**Ito K** see Funabashi N *et al*

**lung B.** Management of ischaemic mitral regurgitation, **459**

**Jackson G** see Solomon H *et al*

**Jacobs S** see Khan AM and Jacobs S

**Jacobsen J** see Raymond I *et al*

**Jaecklin T** *et al.* Levoatriocardinal vein without cardiac malformation and normal pulmonary venous return, **1444**

**Jafary F** see Dhakam S and Jafary F

**Jaïs P** see Bordachar P *et al*

**James M** *et al.* An unusual complication of transvenous temporary pacing, **448**

**James M** see Ung T *et al*

**Jang I-K** see Bouma BE *et al*

**Janzon M** *et al.* Cost effectiveness of extended treatment with low molecular weight heparin (dalteparin) in unstable coronary artery disease: results from the FRISC II trial, **287**

**Jatene FB** see de Castro CRP *et al*

**Jaumdally R** see Eccleshall SC *et al*

**Jenkins DJA** see Tavani A *et al*

**Jenni R** see van der Loo B and Jenni R

**Jensen S** see Gaster AL *et al*

**Jeon DS** see Atar S *et al*

**Jessurun GAJ** see Wijckema JS *et al*

**Jia G** see Gurm HS *et al*

**Jimenez-Mazuecos JM** see Barrera-Ramirez CF *et al*

**John C** see Rao ACR *et al*

**Johnson J** see Santopinto JJ *et al*

**Johnston NR** see Apostolopoulou SC *et al*

**Jokinen E** see Poutanen T *et al*

**Jones CJH** see Vinereanu D *et al*

**Jones TH** see Channer KS and Jones TH

**Jordaens L** see Scholten M *et al*

**Jordaens LJ** see Kimman GP *et al*

**Joseph G, Pati PK.** Transcatheter embolisation of a large unilateral pulmonary arteriovenous malformation, **737**

**Joseph SP** see Rao ACR *et al*

**Jouo K** see Sumitomo N *et al*

**Juelke PD** see Chatterjee T *et al*

**Just H** see Schindler TH *et al*

**Kachaner J** see Butera G *et al*

**Kadowaki T** see Sekikawa A *et al*

**Kaemmerer H** see Hauser M *et al*

**Kaese V** see Heublein B *et al*

**Kaji S** see Watanabe N *et al*

**Kajiwara I** see Kojima S *et al*

**Kamakura S** see Takagi M *et al*

**Kamath S** *et al.* Platelet activation, haemorheology and thrombogenesis in acute atrial fibrillation: a comparison with permanent atrial fibrillation, **1093**

**Kanzaki Y** see Hozumi T *et al*

**Karagiannis SE** *et al.* Increased distance between mitral valve coaptation point and mitral annular plane: significance and correlations in patients with heart failure, **1174**

**Karanasios E** see Thanopoulos BD *et al*

**Karatasakis GT** see Karagiannis SE *et al*

**Karlson BW** see Herlitz J *et al*

**Kashiwagi A** see Sekikawa A *et al*

**Kasprzak JD** see Kidawa M *et al*

**Kastelein JJP** see van Wissen S *et al*

**Kastelijin K** see van de Poll SWE *et al*

**Katalinic A** see Krapp M *et al*

**Katsouras CS** see Kolettis TM *et al*

**Katsuki T** see Nonaka-Sarukawa M *et al*

**Katz SD** see Androne AS *et al*

**Kauffman CR** see Bouma BE *et al*

**Kawagoe T** see Kurisu S *et al*

**Keavney B.** Outcome following percutaneous coronary intervention: not so far, in our genes, **247**

**Keenan D** see Al-Ruzzeq S *et al*

**Keeton BR** see Chakrabarti S *et al*

**Kefer J** *et al.* Right atrium and testis tumour: is there a link?, **1129**

**Kelbaek H** see Lund J and Kelbaek H

**Kennon S** *et al.* C reactive protein for risk stratification in acute coronary syndromes? Verdict: unproven, **1288**

**Kennon S** *et al.* Cumulative risk assessment in unstable angina: clinical, electrocardiographic, autonomic, and biochemical markers, **36**

The central role of platelet activation in determining the severity of acute coronary syndromes, **1253**

**Kent KM** see Finet G *et al*

**Keogh AM** see Arnold RH *et al*

**Keogh B** see Petrou M *et al*

**Kerdsinchai P** see Dens JA *et al*

**Kereiakes DJ** see Gurm HS *et al*

**Kern MJ.** Assessment of myocardial viability: using coronary pressure and flow after acute myocardial infarction, **9**

**Kertai MD** *et al.* A meta-analysis comparing the prognostic accuracy of six diagnostic tests for predicting perioperative cardiac risk in patients undergoing major vascular surgery, **1327**

**Kessler A-C** see Collinson PO *et al*

**Khan AM, Jacobs S.** Trash feet after coronary angiography, **e17**

**Khan IA** see Gowda RM *et al*

see Sinval RM *et al*

**Khogali SS** see Bilku RS *et al*

**Khogali SS** *et al.* Ventricular tachycardia following head injury, **829**

**Khoury VK** *et al.* Effects of glucose-insulin-potassium infusion on chronic ischaemic left ventricular dysfunction, **61**

**Khunti K, Samani NJ.** Improving the delivery of coronary care for ethnic minorities, **479**

**Kidawa M** *et al.* Arterial dysfunction in syndrome X: results of arterial reactivity and pulse wave propagation tests, **422**

**Kihara S** see Kojima S *et al*

**Kilinc M** see Davutoglu V *et al*

**Kim YJ** see Lee JY *et al*

**Kimman GP** *et al.* Comparison of radiofrequency versus cryotherapy catheter ablation of septal accessory pathways, **1091**

**Kinjo K** *et al.* Variation during the week in the incidence of acute myocardial infarction: increased risk for Japanese women on Saturdays, **398**

**Kinra S** *et al.* Is maternal transmission of coronary heart disease risk stronger than paternal transmission?, **834**

**Kinsman R** see Petrou M *et al*

**Kirk A** see Fisher C *et al*

**Kirk R** see Wong MNL *et al*

**Kirk V** see Bay M *et al*

**Kirkels JH** see Simmers TA and Kirkels JH

**Kisacik HL** see Yilmaz MB *et al*

**Kitagawa A** see Kojima S *et al*

**Kitakaze M** see Fujii H *et al*

**Kitaura Y** see Hayashi T *et al*

**Kitzman DW** see Rerkpattanapipat P *et al*

**Kivelitz D** see Borges AC *et al*

**Kiyama M** see Sakata K *et al*

**Kleiman NS** see Gurm HS *et al*

**Klein AL** see Troughton RW *et al*

**Kloner RA** see Chi JS and Kloner RA

**Klootwijk P** see Scholten M *et al*

**Knez A** see Leber AW *et al*

**Knight C** see Foo K *et al*

see Kennon S *et al*

**Knight CJ.** Antiplatelet treatment in stable coronary artery disease, **1273**

**Knight CJ** see Lovell MJ and Knight CJ

**Kobayashi Y** see Shimada K *et al*

**Koch A, Singer H.** Normal values of B type natriuretic peptide in infants, children, and adolescents, **875**

**Koehler F** *et al.* Large B cell lymphoma with cardiac infiltration, **1282**

**Kohl T** see Krapp M *et al*

**Kojima S** *et al.* The variation of plasma concentrations of a novel, adipocyte derived protein, adiponectin, in patients with acute myocardial infarction, **667**

**Kolettis TM** *et al.* Haemodynamic and catecholamine response to simulated ventricular tachycardia in man: effect of baseline left ventricular function, **306**

**Kolodgie FD** see Virmani R *et al*

**Komiyama N** see Funabashi N *et al*

**Komuro I** see Funabashi N *et al*

**Kondo M** see Abe Y and Kondo M

**Kondo S** see Nohtomi Y *et al*

**Kondo T** *et al.* CD14 promoter polymorphism is associated with acute myocardial infarction resulting from insignificant coronary artery stenosis, **931**

**Konishi S** see Sumitomo N *et al*

**Korkmaz S** see Yilmaz MB *et al*



- Koroleva LY** see Vourvouri EC *et al*  
**Korsholm L** see Gaster AL *et al*  
**Kostopoulos K** see Dens JA *et al*  
**Kothari SS, Goyal NK** Anomalous origin of the pulmonary artery from the left coronary artery, **1436**  
**Kotlyar E** see Arnold RH *et al*  
**Kotooka N** *et al*. Pulmonary artery sarcoma, **1388**  
**Kotschet E** *et al*. Valved conduit from the left ventricular apex to ascending aorta for recurrent congenital subaortic stenosis: 25 years later, **666**  
**Koujiro M** see Sumitomo N *et al*  
**Koutsogiannis N** see Karagiannis SE *et al*  
**Koutsounis H** see Soon K *et al*  
**Kovac J** see McArdle H *et al*  
**Kramer HH** see Fischer G *et al*  
**Krapp M** *et al*. Review of diagnosis, treatment, and outcome of fetal atrial flutter compared with supraventricular tachycardia, **913**  
**Kremastinos DT** see Apostolopoulou SC *et al* see Sbarouni E *et al*  
**Kreuder J** see Michel-Behnke I *et al*  
**Krogsgaard K** see Bay M *et al*  
**Krzeminska-Pakula M** see Kidawa M *et al*  
**Kucher N** see Wallmann D *et al*  
**Kuehn A** see Hauser M *et al*  
**Kula S** *et al*. Giant right atrial thrombosis associated with Hickman catheter, **1252**  
**Kuller LH** see Sekikawa A *et al*  
**Kumar P** see Massey R *et al*  
**Kumar SP** see Reddy GM *et al*  
**Kuntz-Hehner S** see Illien S *et al*  
**Kunz T** see Gorge G and Kunz T  
**Kuon E** *et al*. Radiation exposure benefit of a lead cap in invasive cardiology, **1205**  
**Kurabayashi M** see Sakurai S *et al*  
**Kuribayashi S** see Takagi M *et al*  
**Kurisu S** *et al*. A novel form of spontaneous coronary vasospasm: bead-like vasospasm in an elderly man, **18**  
**Kurita T** see Takagi M *et al*  
**Kurosaki K** see Sumitomo N *et al*  
**Kurotobi T** see Kinjo K *et al*  
**Kurzyna M** see Pruszczyk P *et al*  
**Kusus M** see Pohle K *et al*  
**Kuwata K** see Nohtomi Y *et al*  
**Kyriakides ZS** see Apostolopoulou SC *et al* see Kolettis TM *et al* see Sbarouni E *et al*
- L' Italien GJ** see Kertai MD *et al*  
**Lafitte S** see Bordachar P *et al*  
**Lafont A**. Basic aspects of plaque vulnerability, **1262**  
**Lafont A** see Virmani R *et al*  
**Lahiri A** see Sabharwal NK and Lahiri A  
**Laird JR** see Finet G *et al*  
**Lam K-H** see Tsui K-L *et al*  
**Lamarche J** see Fourn J-C *et al*  
**Lamas CC, Eykyn SJ**. Blood culture negative endocarditis: analysis of 63 cases presenting over 25 years, **258**  
**Lamers W** see Anderson RH *et al* see Moorman A *et al*  
**Lamfers EJP** *et al*. Abortion of acute ST segment elevation myocardial infarction after reperfusion: incidence, patients' characteristics, and prognosis, **496**  
**Landolfi R** see Lanza GA *et al*  
**Lang IM** see Beran G *et al*  
**Lang RM** see Sugeng L *et al*  
**Lange A** see Palka P *et al*  
**Lange PE** see Dittrich H *et al* see Schneider MBE *et al*  
**Lanti M** see Menotti A and Lanti M  
**Lanza GA** see Crea F and Lanza GA  
**Lanza GA** *et al*. Increased platelet sodium-hydrogen exchanger activity in patients with variant angina, **935**  
**Lara B** see Rodés-Cabau J *et al*  
**Largen E** see Agnoletti G *et al*  
**Lari MA** see Melville MR *et al*  
**Larsen J** see Gaster AL *et al*  
**Lassen JF** see Terkelsen CJ *et al*
- Lau C-P**. Pacing for atrial fibrillation, **106**  
**le Feuvre C** see Beygui F *et al*  
**Lebeau R** see Ly QH and Lebeau R  
**Leber AW** *et al*. Non-invasive intravenous coronary angiography using electron beam tomography and multislice computed tomography, **633**  
**Lee CH** *et al*. Acquired coronary artery fistula leading to acute myocardial infarction after endomyocardial biopsy, **495**  
 Unexplained recurrent pericardial effusion: a lethal warning?, **e11**  
**Lee JR** see Lee JY *et al*  
**Lee JY** *et al*. Preoperative left ventricular end systolic dimension as a predictor of postoperative ventricular dysfunction in children with mitral regurgitation, **1243**  
**Lee P-Y** *et al*. Suspected bilateral renal artery stenosis, **1070**  
**Lee RJ** see Oxenham H *et al*  
**Lefroy DC** see Gorog DA *et al*  
**Lemos PA** see Lee CH *et al*  
**Lepper W** see Hoffmann R *et al*  
**Lerman A** see Napoli C *et al*  
**Lerman LO** see Napoli C *et al*  
**Leufkens HGM** see Bouvy ML *et al*  
**Leung MP** see Hui L *et al*  
**Lever N** *et al*. Prolonged temporary cardiac pacing using subcutaneous tunnelled active-fixation permanent pacing leads, **209**  
**Levin AB** see Iskander AS *et al*  
**Levin L** see Janzon M *et al*  
**Levy R** see Suresh V and Levy R  
**Li S-K** see Tsui K-L *et al*  
**Lichtinghagen R** see Hoepfer MM *et al*  
**Liew C-C** see Woo A *et al*  
**Liew JC** see Woo A *et al*  
**Liistro F** see Airoldi F *et al*  
**Liistro F, di Mario C**. Carotid artery stenting, **944**  
**Limongelli G** see Sarubbi B *et al*  
**Limongelli G** *et al*. Risk factors for pacemaker implantation following aortic valve replacement: a single centre experience, **901**  
**Lin H** see Yu C-M *et al*  
**Lincoff AM** see Gurm HS *et al*  
**Lindqvist J** see Herlitz J *et al*  
**Lip GYH** see Chung NA *et al* see Kamath S *et al*  
**Li-Saw-Hee FL** see Chung NA *et al*  
**Liu X** see Diamantopoulos L *et al*  
**Lombardo A** see Galiuto L *et al*  
**Loong CY** *et al*. Significant inducible perfusion abnormality in an asymptomatic patient with hypertrophic cardiomyopathy demonstrated by radionuclide myocardial perfusion imaging, **989**  
**Lord SW, Clark SC**. Pacing the left ventricle through the coronary sinus in a patient with a prosthetic tricuspid valve replacement, **1444**  
**Loupa C** see Chrissos D *et al*  
**Lovell MJ, Knight CJ**. Invasive assessment of myocardial bridges, **699**  
**Lowe HC** *et al*. Histopathology of coronary in-stent restenosis following  $\gamma$  brachytherapy, **11**  
**Lucci D** see Maggioni AP *et al*  
**Lüderitz B** see Illien S *et al*  
**Lund J, Kelbaek H**. Coronary arterial sling operation, **744**  
**Luo H** see Atar S *et al*  
**Ly QH, Lebeau R**. Myocardial infarction with myocardial rupture, **1077**  
**Lydakis C** see Chung NA *et al*
- M'Comb JM** see Plummer CJ and M'Comb JM  
**Mabuchi H** see Sakata K *et al*  
**Macaya C** see Moreno R *et al*  
**MacCallum PK** see Kennon S *et al*  
**MacCarthy P** *et al*. Low output, low gradient aortic stenosis, **474**  
**Macdonald PS** see Arnold RH *et al*  
**Macey M** see Kennon S *et al*  
**MacGregor GA** see Antonios TFT *et al*  
**Machado PRM** see Sarmiento-Leite R *et al*  
**MacIntyre K** see Stewart S *et al*  
**MacNeill BD** see Bouma BE *et al*  
**Madden BP** see Yusuf S *et al*  
**Madoery RJ** see Basquiera AL *et al*  
**Madsen M** see Abildstrom SZ *et al*  
**Mäffert R** see Pohle K *et al*

- Maggioni AP** *et al.* Treatment of chronic heart failure with  $\beta$  adrenergic blockade beyond controlled clinical trials: the BRING-UP experience, **299**
- Magosaki N** see Schindler TH *et al*
- Mahmoudi M** *et al.* Obstacles to the initiation of  $\beta$  blockers for heart failure in a specialised clinic within a district general hospital, **442**
- Mairesse GH, Marchand B.** Prolonged asymptomatic sinus pause indicated by implantable loop recording, **244**
- Maisch B, Ristić AD.** Practical aspects of the management of pericardial disease, **1096**
- Majó J** see Rodés-Cabau J *et al*
- Makiyama T** see Sato Y *et al*
- Malik GA** see West M *et al*
- Malik IS** *et al.* Takayasu's arteritis: management of left main stem stenosis, **e9**
- Man J** see Solomon H *et al*
- Man JW** see Solomon H *et al*
- Manginas A** see Cokkinos DV *et al*
- Mankad PS** see Slight RD *et al*
- Manoharan G** see Maynard SJ *et al*
- Mant JW** see Quirke TP *et al*
- Marasini M** see de Caro E *et al*  
see Volpe P *et al*
- Marber MS** see Greaves K *et al*
- Marchand B** see Mairesse GH and Marchand B
- Mark EJ** see Lowe HC *et al*
- Markandu ND** see Antonios TFT *et al*
- Markides V, Schilling RJ.** Atrial fibrillation: classification, pathophysiology, mechanisms and drug treatment, **939**
- Maron BJ.** Contemporary considerations for risk stratification, sudden death and prevention in hypertrophic cardiomyopathy, **977**
- Maroto-Järvinen S** see Illien S *et al*
- Marquardt I** see Michel-Behnke I *et al*
- Marsden AK** see Pell JP *et al*
- Marshall AJ** see Morgan-Hughes GJ *et al*
- Marshall H** see Khogali SS *et al*
- Marshall AJ** see Morgan-Hughes G *et al*  
see Morgan-Hughes GJ *et al*
- Marshall HJ** see Queiroga A *et al*
- Marshall P** see Williams SG *et al*
- Martin E** see Solomon H *et al*
- Martin W** see Gardner RS *et al*
- Martinelli P** see Volpe P *et al*
- Marwick TH** Clinical applications of tissue Doppler imaging: a promise fulfilled, **1377**  
see Khoury VK *et al*
- Marwick TH.** Stress echocardiography, **113**
- Marwick TH** Techniques for comprehensive two dimensional echocardiographic assessment of left ventricular systolic function, **iii2**
- Marzullo A** see Volpe P *et al*
- Maseri A** see Galiuto L *et al*  
see Lanza GA *et al*
- Mason J** see Malik IS *et al*
- Massey R** *et al.* Innocent victim of a localised outbreak: legionella endocarditis, **e16**
- Massie BM** see Poole-Wilson PA *et al*
- Mast EG** see Brueren BRG *et al*
- Mastroroberto P** see Chello M *et al*
- Materazzo G** see Cipollone F *et al*
- Matsumori A** see Sato Y *et al*
- Matsuoka K** *et al.* Successful radiofrequency catheter ablation of "clockwise" and "counterclockwise" bundle branch re-entrant ventricular tachycardia in the absence of myocardial or valvular dysfunction without detecting bundle branch potentials, **e12**
- Matsuoka S** see Sumitomo N *et al*
- Matsu-Ura Y** see Kinjo K *et al*
- Matsuzawa Y** see Kojima S *et al*
- Maitu RK** see Trevelyan J *et al*
- Maunoury C** see Beygui F *et al*
- Mautner B** see Gurfinkel EP *et al*
- Mayet J** see Senior R *et al*
- Mayet J, Hughes A.** Cardiac and vascular pathophysiology in hypertension, **1104**
- Maynard SJ** *et al.* Body surface mapping improves early diagnosis of acute myocardial infarction in patients with chest pain and left bundle branch block, **998**
- McArdle H** *et al.* Emergency coronary stenting of unprotected critical left main coronary artery stenosis in acute myocardial infarction and cardiogenic shock, **e24**
- McCarron P** see Kinra S *et al*
- McDonagh S** see Mahmoudi M *et al*
- McDonagh T** see Wendelboe Nielsen O *et al*
- McDonagh TA** see Campbell S *et al*  
see Gardner RS *et al*
- McEwen J** see Kinra S *et al*
- McGuire A** see Stewart S *et al*
- McKenna CJ** see Banning AP *et al*
- McKenna WJ** see Firoozzi S *et al*  
see Sorajja P *et al*  
see Thaman R *et al*
- McKeown PP** see Horan PG *et al*
- McLenachan JM.** Who would I not give IIb/IIIa inhibitors to during percutaneous coronary intervention?, **477**
- McMahon AD** see Pell JP *et al*
- McMurray J** see Fisher C *et al*
- McMurray JJV** see Fisher C *et al*  
see Stewart S *et al*
- McMurray JV** see Senior R *et al*
- Medina A** see Román JAS *et al*
- Meek DMAS** see Hitchcock T *et al*
- Meerkin D** see Schiele TM *et al*
- Meier B** see Seiler C *et al*
- Meijboom FJ** see Roos-Hesselink JW *et al*
- Meijer A** see Bracke FA *et al*
- Melville MR** *et al.* Quality of life assessment using the short form 12 questionnaire is as reliable and sensitive as the short form 36 in distinguishing symptom severity in myocardial infarction survivors, **1445**
- Mencarelli R** see Dimopoulos K *et al*
- Menotti A, Lanti M.** Coronary risk factors predicting early and late coronary deaths, **19**
- Menown IBA** see Maynard SJ *et al*
- Mercurio B** see Sarubbi B *et al*
- Merletti F** see Bo S *et al*
- Messano L** see Lanza GA *et al*
- Metzger JP** see Beygui F *et al*
- Meyborg M** *et al.* Comparative follow up of patients with implanted cardioverter-defibrillators after induction of sustained monomorphic ventricular tachycardias or ventricular fibrillation by programmed stimulation, **629**
- Mezzetti A** see Cipollone F *et al*
- Michaelsen J** see Meyborg M *et al*
- Michalis LK** see Kolettis TM *et al*
- Michel-Behnke I** *et al.* Stenting of the ductus arteriosus and banding of the pulmonary arteries: basis for various surgical strategies in newborns with multiple left heart obstructive lesions, **645**
- Michels VV** *et al.* Progression of familial and non-familial dilated cardiomyopathy: long term follow up, **757**
- Mikich M.** Dissection of the aorta: a new approach, **6**
- Miller FA** see Michels VV *et al*
- Miller HC** see Oxenham H *et al*
- Mills P, Hall R.** Professor Michael Davies, British Heart Foundation Professor of Cardiac Pathology, Editor of *Heart* 1992–1999, **473**
- Mills PG** see Barakat K *et al*  
see Kennon S *et al*
- Mills PR** see Campbell S *et al*
- Mino M** see Lowe HC *et al*
- Mintz GS** see Finet G *et al*
- Mitchell ARJ** see Timperley J *et al*
- Mitchell ARJ** *et al.* Synergistic anticoagulation and transoesophageal echocardiographic surveillance for persistent left atrial appendage thrombus, **1022**
- Mitsunami K** see Sekikawa A *et al*
- Miura M** see Sumitomo N *et al*
- Mix M** see Schindler TH *et al*
- Miyamoto S** see Kojima S *et al*
- Miyamoto T** *et al.* A giant thrombus aspirated from a coronary artery, **131**
- Miyao Y** see Kojima S *et al*
- Miyata K** see Nohtomi Y *et al*

- Miyazaki T** *et al.* Adipocyte derived plasma protein, adiponectin, is associated with smoking status in patients with coronary artery disease, **663**
- Mizuno H** see Kinjo K *et al*
- Modai D** see Cohen N *et al*
- Mohanty A, Saxena A.** Submitral aneurysm: unusual echocardiographic features, **552**
- Mohiaddin R** see Westwood MA *et al*
- Mokuno H** see Miyazaki T *et al*
- Mollet N** see Cademartiri F *et al*
- Mollet NR** see Cademartiri F *et al*
- Monaghan MJ** Contrast echocardiography: from left ventricular opacification to myocardial perfusion. Are the promises to be realised?, **1389**  
Stress myocardial contrast echocardiography, **1391**
- Monin JL** see Garot P *et al*
- Montorfano M** see Airoldi F *et al*
- Moorman A** *et al.* Development of the heart: (1) Formation of the cardiac chambers and arterial trunks, **806**
- Moorman A** see Anderson RH *et al*
- Morello R** see Hamon M *et al*
- Moreno M** see Quiles J *et al*
- Moreno R** *et al.* Long term outcome of patients with postinfarction left ventricular pseudoaneurysm, **1144**
- Morf G** see Fischer G *et al*
- Morgan JM** see Webb TR *et al*
- Morgan-Hughes G** *et al.* Flash pulmonary oedema: accurate evaluation of the renal arteries with multislice computed tomography, **1251**
- Morgan-Hughes GJ** *et al.* Electrocardiographic gated multislice computed tomography of the thoracic aorta, **838**  
Three dimensional volume quantification of aortic valve calcification using multislice computed tomography, **1191**
- Mori T** see Hayashi T *et al*
- Morichetti MC** see Chello M *et al*
- Mortimer PS** see Antonios TFT *et al*
- Morton AC** see Gunn J *et al*
- Morton JJ** see Fisher C *et al*
- Moshage W** see Pohle K *et al*
- Moss R, Munt B.** Injection drug use and right sided endocarditis, **577**
- Mou D** see Greaves K *et al*
- Mueller C** *et al.* White blood cell count and long term mortality after non-ST elevation acute coronary syndrome treated with very early revascularisation, **389**
- Mueller M** see Michel-Behnke I *et al*
- Mulder HJGH** *et al.* DD ACE gene polymorphism is associated with increased coronary artery endothelial dysfunction: the PREFACE trial, **557**
- Mullen MJ.** Coarctation of the aorta in adults: do we need surgeons?, **3**
- Mullins CE** see McMahon CJ *et al*
- Munks K** see Pollard SD *et al*
- Munt B** see Moss R and Munt B
- Mura R** see Meyborg M *et al*
- Murata K** see Sekikawa A *et al*
- Murday A** Optimal management of acute ventricular septal rupture, **1462**
- Muro T** *et al.* Assessment of myocardial perfusion abnormalities by intravenous myocardial contrast echocardiography with harmonic power Doppler imaging: comparison with positron emission tomography, **145**
- Murohara T** see Kondo T *et al*
- Murphy N** see Stewart S *et al*
- Murphy R** see Thaman R *et al*
- Murphy RT** see Thaman R *et al*
- Murray L** see Yu S *et al*
- Murtagh G** see Horan PG *et al*
- Naber CK, Erbel R.** Diagnosis of culture negative endocarditis: novel strategies to prove the suspect guilty, **241**
- Nagai K** see Sato Y *et al*
- Nagarajan DV** *et al.* Pituitary apoplexy following anticoagulation for acute coronary syndrome, **10**
- Nagasawa K** see Nohtomi Y *et al*
- Nagashima M** see Sumitomo N *et al*
- Nagaya N** see Kotooka N *et al*
- Nagueh SF.** Fabry disease, **819**
- Nakamoto S** *et al.* Williams syndrome associated with complete atrioventricular septal defect, **e15**
- Nakamura K** see Shimoyama M *et al*
- Nakamura Y** see Sekikawa A *et al*  
see Shimada K *et al*  
see Sumitomo N *et al*
- Nakata Y** see Takaya N *et al*
- Nakatani D** see Kinjo K *et al*
- Nakatani S** see Ogata C *et al*
- Nakazato Y** see Yasuda M *et al*
- Nalysnyk L** *et al.* Adverse events in coronary artery bypass graft (CABG) trials: a systematic review and analysis, **767**
- Nanto S** see Kinjo K *et al*
- Naoshi K** see Gaku S *et al*
- Napoli C** *et al.* Microarray analysis: a novel research tool for cardiovascular scientists and physicians, **597**
- Narayan P** see Taylor FC *et al*
- Nashef SAM** see Petrou M *et al*
- Navia J** see Rodriguez A *et al*
- Needham EWA** see Trevelyan J *et al*
- Negri E** see Tavani A *et al*
- Neill BDM** see Lowe HC *et al*
- Nekolla SG** see Hauser M *et al*
- Neumann F-J** see Mueller C *et al*
- Newby DE** see Henriksen PA and Newby DE
- Newman CMH** see Gunn J *et al*
- Newman S.** The psychological perspective: a professional view, **ii16**
- Ng TP, Niti M.** Trends and ethnic differences in hospital admissions and mortality for congestive heart failure in the elderly in Singapore, 1991 to 1998, **865**
- Ng W** see Lee P-Y *et al*
- Nicolaides E** see Vinereanu D *et al*
- Nicolau I** see Ferreira I *et al*
- Nielsen H** see Bay M *et al*
- Nielsen TT** see Terkelsen CJ *et al*
- Nieman K** *et al.* Coronary anomaly imaging by multislice computed tomography in corrected tetralogy of Fallot, **664**
- Nieman K** see Cademartiri F *et al*
- Niemeyer M** see Heublein B *et al*
- Niimura I** see Sumitomo N *et al*
- Nikitin NP** see Witte KKA *et al*
- Nilsson JC** see Raymond I *et al*
- Niroomand F** see Meyborg M *et al*
- Nishimura RA** see Brilakis ES and Nishimura RA  
see Ommen SR *et al*  
see Ommen SR and Nishimura RA
- Niti M** see Ng TP and Niti M
- Nitzsche E** see Schindler TH *et al*
- Niwa A** see Miyamoto T *et al*
- Noh CI** see Lee JY *et al*
- Nohtomi Y** *et al.* Persistence of systolic coronary flow reversal predicts irreversible dysfunction after reperfused anterior myocardial infarction, **382**
- Nojima Y** *et al.* Cystic tumour of the atrioventricular node, **122**
- Nolan J** see Eccleshall SC *et al*
- Nonaka-Sarukawa M** see Arakawa H *et al*
- Nonaka-Sarukawa M** *et al.* Increased urinary 15-F<sub>2t</sub>-isoprostane concentrations in patients with non-ischaemic congestive heart failure: a marker of oxidative stress, **871**
- Nordt TK, Bode C** Thrombolysis: newer thrombolytic agents and their role in clinical medicine, **1358**
- Nørgaard BL** see Terkelsen CJ *et al*
- Northridge DB** see Shaw TRD *et al*
- Norton M** see Egred M *et al*
- Nzewi OC** see Slight RD *et al*
- Oakley GDG** see Pollard SD *et al*
- O'Brien E.** Ambulatory blood pressure monitoring in the management of hypertension, **571**
- Ogata C** *et al.* Fragile left atrial thrombus successfully treated with anticoagulants, **60**
- Ogawa H** see Kojima S *et al*
- Ogston SA** see Wong KYK *et al*
- Ohm O-J** see Schuster P *et al*
- Ohnishi Y** see Kinjo K *et al*
- Ohno M** see Kondo T *et al*
- Okabe M** see Hayashi T *et al*
- Okada H** see Sato Y *et al*
- Okamatsu S** see Nohtomi Y *et al*

- Okamura H** *et al.* Huge mass bordering on left atrium raises coronary artery, **138**
- Okamura T** *see* Sekikawa A *et al*
- Okasha M** *see* Kinra S *et al*
- Olenchock SA** *et al.* Improved postoperative outcomes with stentless aortic valve: a community hospital experience, **551**
- Olgunturk R** *see* Kula S *et al*
- Oliver S** *see* Akowuah EF *et al*
- Oliveri R** *see* Rodriguez A *et al*
- Oller-Martínez G** *see* Candell-Riera J *et al*
- Olschewski M** *see* Schindler TH *et al*
- Olson TM** *see* Michels VV *et al*
- Olswold CL** *see* Michels VV *et al*
- Omar R** *see* Al-Ruzzeh S *et al*
- Omelianuk M** *see* Basquiera AL *et al*
- Ommen SR** *et al.* Fabry disease: a mimic for obstructive hypertrophic cardiomyopathy?, **929**
- Ommen SR, Nishimura RA** A clinical approach to the assessment of left ventricular diastolic function by Doppler echocardiography: update 2003, **iii18**
- Omran H** *see* Illien S *et al*
- O'Neill W** *see* Rodriguez A *et al*
- O'Neill WW** *see* Greaves K *et al*
- Onose Y** *see* Soeki T *et al*
- Oono T** *see* Sumitomo N *et al*
- Opasich C** *see* Maggioni AP *et al*
- Oral D** *see* Gülec S *et al*
- Ormerod OJM** *see* Banning AP *et al*
- Orr W** *see* Banning AP *et al*
- Ortega JR** *see* Román JAS *et al*
- Ortlepp JR** *et al.* Cardiovascular risk factors in patients with aortic stenosis predict prevalence of coronary artery disease but not of aortic stenosis: an angiographic pair matched case-control study, **1019**
- Oshima S** *see* Sakurai S *et al*
- Osranek M** *et al.* Left main coronary artery fistula exiting into the right atrium, **656**
- O'Sullivan JJ** *see* Allcock RJ *et al*
- Otto CM.** Timing of surgery in mitral regurgitation, **100**
- Ouchi N** *see* Kojima S *et al*
- Owens PE** *see* Morgan-Hughes GJ *et al*
- Oxenham H** *et al.* Twenty year comparison of a Bjork-Shiley mechanical heart valve with porcine bioprostheses, **715**
- Pacho R** *see* Pruszczyk P *et al*
- Pacileo G** *see* Sarubbi B *et al*
- Padilla F** *see* Rodés-Cabau J *et al*
- Pagano G** *see* Bo S *et al*
- Pagnotta P** *see* Airoldi F *et al*
- Palacios IF** *see* Lowe HC *et al*  
*see* Rodriguez A *et al*  
*see* Sanchez PL *et al*
- Paladini D** *see* Volpe P *et al*
- Palka P** *et al.* Different presentation of hypertrophic cardiomyopathy in monozygotic twins, **751**
- Paloscia L** *see* Cipollone F *et al*
- Panaretou MP** *see* Dernelis JM and Panaretou MP
- Paphitis C** *see* Thanopoulos BD *et al*
- Papouchado M** *see* Nagarajan DV *et al*
- Parker G** *see* Greaves K *et al*
- Parker TG** *see* Woo A *et al*
- Parner J** *see* Bay M *et al*
- Parodi O** *see* Bigi R *et al*
- Pascal O** *see* Garot P *et al*
- Pascual DA** *see* Pascual M *et al*
- Pascual M** *et al.* Effects of isolated obesity on systolic and diastolic left ventricular function, **1152**
- Pasterkamp G** *see* van de Poll SWE *et al*
- Patel A** *see* Greaves K *et al*
- Patel SJ** *see* Perera D *et al*
- Pati PK** *see* Joseph G and Pati PK
- Patti G** *see* Chello M *et al*
- Paul V** *see* Thaman R *et al*
- Pavlicek M** *see* Rotter M *et al*
- Payne N** *see* Ionescu A *et al*  
*see* Vinereanu D *et al*
- Pedersen F** *see* Raymond I *et al*
- Pedersen KE** *see* Gaster AL *et al*
- Peebles CR.** Non-invasive coronary imaging: computed tomography or magnetic resonance imaging?, **591**
- Peikert T** *et al.* A rare cause of coronary obstruction and angina pectoris, **1120**
- Pell JP** *et al.* Family history of premature death from ischaemic heart disease is associated with an increased risk of delivering a low birth weight baby, **1249**  
Presentation, management, and outcome of out of hospital cardiopulmonary arrest: comparison by underlying aetiology, **839**
- Pell JP** The debate on public place defibrillators: charged but shockingly ill informed, **1375**
- Pellerin D** *et al.* Tissue Doppler, strain, and strain rate echocardiography for the assessment of left and right systolic ventricular function, **iii9**
- Pepper JR** *see* Massey R *et al*
- Pepper JR.** Risk assessment in coronary artery surgery, **1**
- Pereira CF** *see* Rodriguez A *et al*
- Perera D** *et al.* Catheter induced spasm: a trap for the unwary, **511**
- Perera D** *et al.* Images in cardiology: Ruptured thoracic aortic aneurysm resulting in cutaneous haematoma, **1382**
- Pérez-David E** *see* Quiles J *et al*
- Pereztoz-Valdés O** *see* Candell-Riera J *et al*
- Permanyer-Miralda G** *see* Ferreira I *et al*
- Perruchoud AP** *see* Mueller C *et al*
- Peruga JZ** *see* Kidawa M *et al*
- Petrou M** *et al.* The risk model of choice for coronary surgery in the UK, **98**
- Petty D.** Drugs and professional interactions: the modern day pharmacist, **ii31**
- Pfeiffer A** *see* Weidenbach M *et al*
- Pichard AD** *see* Finet G *et al*
- Pierard LA.** Assessing perfusion and function in acute myocardial infarction: how and when?, **701**
- Piessens JH** *see* Dens JA *et al*
- Piñero G** *see* Santopinto JJ *et al*
- Pini B** *see* Cipollone F *et al*
- Piobbici M** *see* Bo S *et al*
- Pisacane C** *see* Sarubbi B *et al*
- Pitscheider W** *see* Bosi G *et al*
- Plokker HWM** *see* Brueren BRG *et al*
- Plummer CJ, McComb JM.** An audit of the implications of implementing NICE guidance on the use of implantable cardioverter-defibrillators, **787**
- Pohl T** *see* Seiler C *et al*
- Pohle K** *et al.* Coronary calcifications in young patients with first, unheralded myocardial infarction: a risk factor matched analysis by electron beam tomography, **625**
- Poldermans D** *see* Bountiukos M *et al*  
*see* Kertai MD *et al*  
*see* Yourvouri EC *et al*
- Pollard SD** *et al.* Position and Mobilisation Post-Angiography Study (PAMPAS): a comparison of 4.5 hours and 2.5 hours bed rest, **447**
- Pollock JCS** *see* West M *et al*
- Pomerantsev E** *see* Sanchez PL *et al*
- Pongiglione G** *see* de Caro E *et al*
- Poole-Wilson P** *see* Mahmoudi M *et al*  
*see* Scoote M *et al*
- Poole-Wilson PA** *et al.* Mode of death in heart failure: findings from the ATLAS trial, **42**
- Porto I** *see* Galiuto L *et al*
- Poulter N.** Global risk of cardiovascular disease, **ii2**
- Poutanen T** *et al.* Left atrial and left ventricular function in healthy children and young adults assessed by three dimensional echocardiography, **544**
- Prendergast B** *see* Saha A *et al*  
*see* Shaw TRD *et al*
- Prendergast BD.** HIV and cardiovascular medicine, **793**
- Prescott RJ** *see* Oxenham H *et al*
- Price CP** *see* Kennon S *et al*
- Pringle M.** Current targets: where are we today?, **ii10**
- Prins J** *see* Khoury VK *et al*
- Proietti I** *see* Ando' G *et al*
- Proulx F** *see* Fouron J-C *et al*
- Pruszczyk P** *et al.* Short term clinical outcome of acute saddle pulmonary embolism, **335**
- Psarros E** *see* Kolettis TM *et al*

- Pullan M** see Al-Ruzzeh S *et al*  
**Pumphrey CW** see Yusuf S *et al*  
**Puppels GJ** see van de Poll SWE *et al*
- Queiroga A** *et al*. Ablate and pace revisited: long term survival and predictors of permanent atrial fibrillation, **1035**  
**Quek SC** see Wong MNL *et al*  
**Quiles J** see Avanzas P *et al*  
**Quiles J** *et al*. Portable spectral Doppler echocardiographic device: overcoming limitations, **1014**  
**Quirke TP** *et al*. The applicability of the Framingham coronary heart disease prediction function to black and minority ethnic groups in the UK, **785**  
**Qureshi SA** see Duke C *et al*
- Rajamannan NM** *et al*. Calcific aortic stenosis: from bench to the bedside—emerging clinical and cellular concepts, **801**  
**Rakhit RD** Learning on the web: Case 2: Patent foramen ovale (PFO) and paradoxical embolism, **1362**  
**Rakowski H** see Woo A *et al*  
**Rambaldi R** see Bountiokos M *et al*  
 see Coletta C *et al*  
**Ramdhany S** see Barakat K *et al*  
**Rammos S** see Apostolopoulou SC *et al*  
**Ranjadayalan K** see Foo K *et al*  
**Rao ACR** *et al*. Prospective evaluation of the role of routine cardiac troponin T measurement to identify left ventricular ejection fraction < 40% after first myocardial infarction, **559**  
**Rasheed A** *et al*. Neonatal ECG changes caused by suprathreshold flecainide following treatment for fetal supraventricular tachycardia, **470**  
**Rasmussen S** see Abildstrom SZ *et al*  
**Rattray FM** see Antonios TFT *et al*  
**Raviña TR** see Suárez MLR *et al*  
**Rawles J**. GREAT: 10 year survival of patients with suspected acute myocardial infarction in a randomised comparison of prehospital and hospital thrombolysis, **563**  
**Raymond I** *et al*. Prevalence of impaired left ventricular systolic function and heart failure in a middle aged and elderly urban population segment of Copenhagen, **1422**  
**Raymond I** *et al*. The influence of age, sex and other variables on the plasma level of N-terminal pro brain natriuretic peptide in a large sample of the general population, **745**  
**Rebuzzi AG** see Galiuto L *et al*  
**Redberg RF**. Are there sex differences in risk factors for coronary heart disease? Maternal versus paternal transmission, **817**  
**Reddy GM** *et al*. Spontaneous dissection of left atrium presenting as pulmonary oedema, **1178**  
**Redondo LR** see Suárez MLR *et al*  
**Redpath TW** see Egred M *et al*  
**Redwood SR** see Greaves K *et al*  
 see Perera D *et al*  
**Rees K** see Taylor FC *et al*  
**Reese A** see Williams SG *et al*  
**Reeves B** see Taylor F *et al*  
**Rega L** see Casolo G *et al*  
**Regar E** see Schiele TM *et al*  
**Regenfus M** see Pohle K *et al*  
**Reidy JF** see Bell RE and Reidy JF  
**Reiser M** see Leber AW *et al*  
**Rensing BJ** see Ernst JM and Rensing BJ  
**Rensing BJWM** see Brueren BRG *et al*  
**Renzi M** see Coletta C *et al*  
**Renzulli A** see Limongelli G *et al*  
**Rerkpattanapit P** *et al*. Improved detection of protruding apical thrombus with contrast echocardiography, **1297**  
**Res JC** see Kimman GP *et al*  
**Reuter S** see Bordachar P *et al*  
**Reyes E** see Loong CY *et al*  
**Reynolds MW** see Nalysnyk L *et al*  
**Riaz I** see Akowuah EF *et al*  
**Ricci R** see Coletta C *et al*  
**Richards N** see Dewilde S *et al*  
**Riley J**. The nurse as expert practitioner in global cardiovascular risk management, **ii33**  
**Rioufol G** see Finet G *et al*  
**Ristić AD** see Maisch B and Ristić AD
- Ritz E**. Minor renal dysfunction: an emerging independent cardiovascular risk factor, **963**  
**Rizzello V** see Bountiokos M *et al*  
**Robb SD** see Campbell S *et al*  
**Roberts D** see Hobbs WJ *et al*  
**Roberts PR** see Webb TR *et al*  
**Robles P**. Judicious use of transthoracic echocardiography in the diagnosis of infective endocarditis, **1283**  
**Rodés-Cabau J** *et al*. Intravascular ultrasound of the elastic pulmonary arteries: a new approach for the evaluation of primary pulmonary hypertension, **311**  
**Rodriguez A** *et al*. Coronary stenting versus coronary bypass surgery in patients with multiple vessel disease and significant proximal LAD stenosis: results from the ERACI II study, **184**  
**Rodriguez BL** see Sekikawa A *et al*  
**Roelandt JRTC** see Bountiokos M *et al*  
 see Hokken RB *et al*  
 see Kertai MD *et al*  
 see Yourvouri EC *et al*  
**Roelandt JRTC**. Ultrasound stethoscopy: a renaissance of the physical examination?, **971**  
**Rohde R** see Heublein B *et al*  
**Romagnoli E** see Lanza GA *et al*  
**Román A** see Rodés-Cabau J *et al*  
**Román JAS** *et al*. Diagnostic accuracy of a new shorter dobutamine infusion protocol in stress echocardiography, **1089**  
**Roobottom C** see Morgan-Hughes G *et al*  
**Roobottom CA** see Morgan-Hughes GJ *et al*  
**Roos-Hesselink JW** *et al*. Aortic valve and aortic arch pathology after coarctation repair, **1074**  
**Roos-Hesselink JW** see Nieman K *et al*  
**Ropers D** see Pohle K *et al*  
**Roques F** see Petrou M *et al*  
**Rosas M** see Zabal C *et al*  
**Rose AJ** see Rao ACR *et al*  
**Rosenthal E** see Duke C *et al*  
 see Rasheed A *et al*  
**Rosén M** see Abildstrom SZ *et al*  
**Ross S** see Nalysnyk L *et al*  
**Rossouw F** see Hitchcock T *et al*  
**Rotter M** *et al*. Aortic dissection extending to both carotid arteries, **5**  
**Routledge HC** *et al*. Why cardiologists should be interested in air pollution, **1383**  
**Rowland E** see Thaman R *et al*  
**Royle M** see Deepak SM *et al*  
**Russo MG** see Sarubbi B *et al*  
 see Volpe P *et al*  
**Rutsch W** see Schiele TM *et al*  
**Ruygrok PN** see West NEJ *et al*  
**Rydén L** see Poole-Wilson PA *et al*
- Sabharwal NK, Lahiri A** Role of myocardial perfusion imaging for risk stratification in suspected or known coronary artery disease, **1291**  
**Sachdev B** see Sorajja P *et al*  
 see Thaman R *et al*  
**Safi HJ, Taylor PR**. Open surgery for thoracic aortic disease, **825**  
**Saga T** see Nakamoto S *et al*  
**Sagkan O** *et al*. Left circumflex coronary artery arising as a terminal extension of the right coronary artery, **286**  
**Saha A** *et al*. Pacemaker lead fracture, **783**  
**Said HGE** see McMahon CJ *et al*  
**Sairanen H** see Poutanen T *et al*  
**Saito A** see Sumitomo N *et al*  
**Saito Y** see Watanabe N *et al*  
**Sajeev CG** *et al*. An unusual “right atrial mass” on echocardiography, **268**  
**Sakabe K** see Soeki T *et al*  
**Sakamaki F** see Tomita T *et al*  
**Sakamoto T** see Kojima S *et al*  
**Sakanoue Y** see Shimada K *et al*  
**Sakata K** *et al*. QT dispersion and left ventricular morphology in patients with hypertrophic cardiomyopathy, **882**  
**Sakurai S** *et al*. Brain natriuretic peptide facilitates severity classification of stable chronic heart failure with left ventricular dysfunction, **661**  
**Salmon AP** see Chakrabarti S *et al*  
**Salomone OA** see Basquiera AL *et al*

- Salustri A, Trambaiolo P.** The “ultrasonic stethoscope”: is it of clinical value?, **704**
- Samani NJ** see Khunti K and Samani NJ
- Sanchez PL.** Acute left ventricular rupture after myocardial infarction, **138**
- Sanchez PL et al.** Direct percutaneous left ventricular puncture, **1031**
- Sanderson JE** Diastolic heart failure: fact or fiction?, **1281**  
see Yu C-M et al
- Sanderson JE, Tse T-F.** Heart failure: a global disease requiring a global response, **585**
- Sangiorgi G, Colombo A.** Embolic protection devices, **990**
- Santana-Boado C** see Candell-Riera J et al
- Santopinto JJ et al.** Creatinine clearance and adverse hospital outcomes in patients with acute coronary syndromes: findings from the global registry of acute coronary events (GRACE), **1003**
- Santoro G** see Casolo G et al
- Santoro L** see Galiuto L et al
- Sarmento-Leite R et al.** Spontaneous coronary artery dissection: stent it or wait for healing?, **164**
- Sarubbi B et al.** Asymptomatic ventricular pre-excitation in children and adolescents: a 15 year follow up study, **215**
- Sarubbi B** see Limongelli G et al
- Sasaki N, Shimoyama M.** Acquired supravalvar type of left ventricular to right atrial communication following non-penetrating cardiac trauma caused by traffic accident, **341**
- Sasaki T** see Miyamoto T et al
- Satler LF** see Finet G et al
- Sato H** see Kinjo K et al
- Sato K** see Goto T et al
- Sato Y et al.** Measurements of cardiac troponin T in patients with hypertrophic cardiomyopathy, **659**
- Satoh T** see Tomita T et al
- Saxena A** see Mohanty A and Saxena A
- Saygili A** see Kula S et al
- Sayin T** see Gülec S et al
- Sbarouni E et al.** Myocardial bridge-like arterial graft compression by draining tube, **822**
- Scaglione L** see Bo S et al
- Scarcia S** see Bosi G et al
- Schaid DJ** see Michels VV et al
- Schalij MJ** see de Groot NMS et al  
see Mulder HJGH et al
- Schanzenbächer P, Bauersachs J.** Acquired right coronary artery fistula draining to the right ventricle: angiographic documentation of first appearance following reperfusion after acute myocardial infarction, with subsequent spontaneous closure, **e22**
- Schölzel BE** see Roos-Hesselink JW et al
- Schick EC** see Iskander AS et al
- Schiele TM et al.** Clinical and angiographic acute and follow up results of intracoronary  $\beta$  brachytherapy in saphenous vein bypass grafts: a subgroup analysis of the multicentre European registry of intraluminal coronary  $\beta$  brachytherapy (RENO), **640**
- Schilling RJ** see Markides V and Schilling RJ
- Schinde V** see Brooks A et al
- Schindler TH et al.** Regional myocardial perfusion defects during exercise, as assessed by three dimensional integration of morphology and function, in relation to abnormal endothelium dependent vasoreactivity of the coronary microcirculation, **517**
- Schinkel AFL** see Bountiokos M et al  
see Vourvouri EC et al
- Schmidt G** see Bauer A and Schmidt G
- Schmidt H** see Illien S et al
- Schmitt H** see Schwab JO et al
- Schmitt M** see Kuon E et al
- Schmitz F** see Ortlepp JR et al
- Schneider MBE et al.** First human use of a new PFM “Babystent”, **83**
- Schofield PM.** Indications for percutaneous and surgical revascularisation: how far does the evidence base guide us?, **565**
- Scholten M et al.** Comparison of monophasic and biphasic shocks for transthoracic cardioversion of atrial fibrillation, **1032**
- Scholten MF** see Kimman GP et al
- Schranz D** see Michel-Behnke I et al
- Schulz R** see Heusch G and Schulz R
- Schuster P et al.** Colour tissue velocity imaging can show resynchronisation of longitudinal left ventricular contraction pattern by biventricular pacing in patients with severe heart failure, **859**
- Schut A** see Lamfers EJP et al
- Schut TCB** see van de Poll SWE et al
- Schwab JO et al.** The relative contribution of the sinus and AV node to heart rate variability, **337**
- Schwaiger M** see Hauser M et al
- Scognamiglio G** see Sarubbi B et al
- Scoteo M et al.** The therapeutic potential of new insights into myocardial excitation–contraction coupling, **371**
- Seccareccia F** see Coletta C et al
- Seear R** see Ye S et al
- Seguchi O et al.** Multiple coronary artery fistulas visualised by three dimensional computed tomography, **1381**
- Seiler C** The human coronary collateral circulation, **1352**
- Seiler C et al.** Tumour necrosis factor  $\alpha$  concentration and collateral flow in patients with coronary artery disease and normal systolic left ventricular function, **96**
- Sekhri N** see Foo K et al
- Sekikawa A et al.** A “natural experiment” in cardiovascular epidemiology in the early 21st century, **255**
- Selvanayagam J** see Soon K et al
- Sembaj A** see Basquiera AL et al
- Simple SK** see Egred M et al
- Senior R** see Greaves K et al  
Role of myocardial contrast echocardiography in the clinical evaluation of acute myocardial infarction, **1398**
- Senior R et al.** Screening for left ventricular dysfunction in the community: role of hand held echocardiography and brain natriuretic peptides, **iii24**
- Serrador A** see Román JAS et al
- Serruys PW** see Lee CH et al
- Sestili A** see Coletta C et al
- Sestiito A** see Lanza GA et al
- Seward JB** see Osranek M et al
- Shah D** see Burri H et al
- Sharland GK** see Krapp M et al
- Sharma R** see Pellerin D et al
- Sharma S** see Firoozi S et al
- Sharma SK** see Doshi SN et al
- Sharples LD** see Petrou M et al
- Shaw TRD et al.** Clinical and haemodynamic profiles of young, middle aged, and elderly patients with mitral stenosis undergoing mitral balloon valvotomy, **1430**
- Shaw TRD et al.** Left atrial standstill in a patient with mitral stenosis and sinus rhythm: a risk of thrombus hidden by left and right atrial electrical dissociation, **1173**
- Shen XQ** see Tang JJ et al
- Shibata T** see Sumitomo N et al
- Shimada K et al.** Assessment of myocardial viability using coronary zero flow pressure after successful angioplasty in patients with acute anterior myocardial infarction, **71**
- Shimada K** see Arakawa H et al  
see Miyazaki T et al  
see Nonaka-Sarukawa M et al
- Shimizu M** see Sakata K et al
- Shimokata K** see Kondo T et al
- Shimomura H** see Hayashi T et al
- Shimoyama M et al.** Complete occlusion of the abdominal aorta with a solitary kidney, **76**
- Shimoyama M** see Sasaki N and Shimoyama M
- Shinohara H** see Soeki T et al
- Shinohara T** see Nakamoto S et al
- Shiotani I** see Kinjo K et al
- Shishkov M** see Bouma BE et al
- Shiu MF** see Constantinides SS et al
- Shrivastava V et al.** Coronary artery aneurysm with a fistulous connection to the right atrium mimicking a sinus of Valsalva aneurysm, **e4**
- Shteinshnaider M** see Cohen N et al
- Sica V** see Napoli C et al
- Sideris DA** see Kolettis TM et al
- Sidi D** see Agnoletti G et al  
see Butera G et al
- Siegel RJ** see Atar S et al
- Signy M** see Perera D et al
- Silber S** see Schiele TM et al
- Silverman ME** Maurice Campbell: first editor of *Heart*, **1379**

- Simmers T et al.** Catheter ablation of sinoatrial re-entry tachycardia in a 2 month old infant, **e1**
- Simmers TA, Kirkels JH.** Giant P waves, **1151**
- Simó M** see Candell-Riera J et al
- Simon M** see Garot P et al
- Simoons ML** see Roos-Hesselink JW et al
- Simpson IA** Echocardiography 2003, **iii1**  
see Wong YK et al
- Simpson IA, Hall R.** Heart mini-symposia, **980**
- Simpson J** see Rasheed A et al
- Simpson JM** see Krapp M et al
- Sinagra G** see Maggioni AP et al
- Singer DRJ** see Antonios TFT et al
- Singer H** see Koch A and Singer H
- Singh R** see Ackland F et al
- Sinvhal RM et al.** Enhanced external counterpulsation for refractory angina pectoris, **830**
- Sirel JM** see Pell JP et al
- Sivaprakasam R** see Slight RD et al
- Six AJ** see Brueren BRG et al
- Skene C, Timmis AD.** Non-haemorrhagic cardiac tamponade caused by a horse kick, **330**
- Skinner JS** see Awad-Elkarim AA et al
- Skjoldborg US** see Gaster AL et al
- Slight RD et al.** Cor triatriatum sinister presenting in the adult as mitral stenosis, **e26**
- Smedema JP** see van Kimmenade R et al
- Smilde TJ** see van Wissen S et al
- Smith D.** The CARDia trial protocol, **1125**
- Smith F** see Wong YK et al
- Smith GCS** see Pell JP et al
- Smith GD** see Kinra S et al
- Smith J et al.** Effect of temperature on the Brugada ECG, **272**
- Smith SCH** see Trevelyan J et al
- Soejima H** see Kojima S et al
- Soeki T et al.** Relation between circulating soluble Fas ligand and subsequent ventricular remodelling following myocardial infarction, **339**
- Sohmiya K** see Hayashi T et al
- Sole MJ** see Woo A et al
- Soler-Peter M** see Candell-Riera J et al
- Soler-Soler J** see Candell-Riera J et al  
see Ferreira I et al  
see Rodés-Cabau J et al
- Solomon H et al.** Erectile dysfunction and the cardiovascular patient: endothelial dysfunction is the common denominator, **251**  
Role of exercise treadmill testing in the management of erectile dysfunction: a joint cardiovascular/erectile dysfunction clinic, **671**
- Solzbach U** see Schindler TH et al
- Soon K et al.** Malposition of ventricular pacemaker lead as an incidental finding, **332**
- Sorajja P et al.** Cardiac abnormalities in patients with Leber's hereditary optic neuropathy, **791**
- Soria F** see Pascual M et al
- Sosin MD et al.**  $\beta$  Thalassaemia major and severe left ventricular dysfunction, **1162**  
Should you remove an implantable loop recorder after the diagnosis is made?, **1013**
- Sosner P** see Coisne D et al
- Spanos V** see Airoldi F et al
- Spitaels SEC** see Roos-Hesselink JW et al
- Spooner R** see Campbell S et al
- Squire IB** see Blackledge HM et al
- Sreeram N** see Simmers T et al
- Stalenhoef AFH** see van Wissen S et al
- Stankovic G** see Airoldi F et al
- Steensgaard-Hansen F** see Raymond I et al
- Stefanadis C** see Tousoulis D et al  
see Tsiamis E et al
- Steidel K** see Weidenbach M et al
- Steinbeck G** see Leber AW et al
- Stellmacher U** see Hoeper MM et al
- Stephens J** see Akowuah EF et al
- Stern EJ** see Heath M et al
- Stewart MJ.** Contrast echocardiography, **342**
- Stewart MJ** see Halmey N et al
- Stewart S et al.** Heart failure and the aging population: an increasing burden in the 21st century?, **49**  
The current cost of angina pectoris to the National Health Service in the UK, **848**
- Stieh J** see Fischer G et al
- Stiller B** see Hakami A et al
- Stolwijk PWJ** see Lamfers EJP et al
- Strijder C** see van de Poll SWE et al
- Struthers AD** see Wong KYK et al
- Stubbs PJ** see Collinson PO et al  
see Collinson PO and Stubbs PJ
- Stümper O et al.** Modified technique of stent fenestration of the atrial septum, **1227**
- Suárez MLR et al.** Aortic abscess, **316**
- Suefuji H** see Kojima S et al
- Sugeng L et al.** Left ventricular assessment using real time three dimensional echocardiography, **iii29**
- Sugiura T** see Goto T et al
- Sugiyama S** see Kojima S et al
- Suliman A** see Foo K et al
- Sumitomo N et al.** Catecholaminergic polymorphic ventricular tachycardia: electrocardiographic characteristics and optimal therapeutic strategies to prevent sudden death, **66**
- Sumiyoshi M** see Takaya N et al
- Sunagawa K** see Tomita T et al
- Sunthorn H** see Burri H et al
- Supanantaroek C** see Dens JA et al
- Suresh V, Levy R.** Vasospastic angina, **198**
- Sutaria N** see Shaw TRD et al
- Sutherland G.** Smoking: can we really make a difference?, **ii25**
- Sutton-Tyrrell K** see Sekikawa A et al
- Suttorp MJ** see Brueren BRG et al
- Suyama K** see Takagi M et al
- Swahn E** see Janzon M et al
- Swan L et al.** Exercise systolic blood pressures are of questionable value in the assessment of the adult with a previous coarctation repair, **189**
- Sweeney MG** see Sorajja P et al
- Sweetnam PM** see Yu S et al
- Sybrandy KC et al.** Diagnosing cardiac contusion: old wisdom and new insights, **485**
- Syed H et al.** Right atrial tumour mass of unusual origin, **1335**
- Syrris P** see Sorajja P et al
- Szezepanski I** see Agnoletti G et al
- Szili-Torok T** see Kimman GP et al  
see Scholten M et al
- Tacacs A** see Hoeper MM et al
- Taggart DP** see Gunn J and Taggart DP
- Taggart DP et al.** Neuroprotection during cardiac surgery: a randomised trial of a platelet activating factor antagonist, **897**
- Taguchi A** see Takagi M et al
- Tajana G** see Napoli C et al
- Takagi M et al.** Abnormal response to sodium channel blockers in patients with Brugada syndrome: augmented localised wall motion abnormalities in the right ventricular outflow tract region detected by electron beam computed tomography, **169**
- Takagi M** see Doi A et al
- Takagi M et al.** The "pop phenomenon" detected by phased array intracardiac echocardiography, **706**
- Takagi S** see Tomita T et al
- Takagi T** see Hozumi T et al
- Takaki H** see Tomita T et al
- Takamiya M** see Takagi M et al
- Takano H** see Nonaka-Sarukawa M et al
- Takase H** see Goto T et al
- Takatsu Y** see Sato Y et al
- Takaya N et al.** Prolonged cardiac arrest caused by glossopharyngeal neuralgia, **381**
- Takeda H** see Kinjo K et al
- Takeuchi K** see Doi A et al  
see Muro T et al  
see Shimada K et al
- Takeuchi M** see Nohtomi Y et al
- Takkenberg JJM** see Hokken RB et al
- Taliano C** see Bo S et al
- Tamura Y** see Soeki T et al
- Tan J** see Saha A et al

- Tan L-B** see Williams SG *et al*  
**Tanaka R** see Kotooka N *et al*  
**Tang JJ** *et al*. Transcatheter closure of large fistula between left main coronary artery and right atrium using Amplatzer duct occluder, **772**  
**Tang KKY** see Cheung EWY *et al*  
**Täng MS** see Bollano E *et al*  
**Taniguchi K** see Sakurai S *et al*  
**Taniguchi R** see Sato Y *et al*  
**Tanner MA, Ward D**. Percutaneous technique for the reduction of knotted coronary catheters, **1132**  
**Tardif JC** see Rodés-Cabau J *et al*  
**Tasker AD** see Groves AM and Tasker AD  
**Tavani A** *et al*. Carbohydrates, dietary glycaemic load and glycaemic index, and risk of acute myocardial infarction, **722**  
**Tavano D** see Airoldi F *et al*  
**Tavazzi L** see Maggioni AP *et al*  
**Taylor F** *et al*. Accuracy of reporting cardiac related events during long term follow up, **331**  
**Taylor FC** *et al*. Socioeconomic deprivation is a predictor of poor postoperative cardiovascular outcomes in patients undergoing coronary artery bypass grafting, **1062**  
**Taylor K** see Al-Ruzzeq S *et al*  
**Taylor KM**. The Edinburgh heart valve study, **697**  
**Taylor PR** see Safi HJ and Taylor PR  
**Tcheng JE** see Gurm HS *et al*  
**Tearney GJ** see Bouma BE *et al*  
**Tébar FJ** see Pascual M *et al*  
**Teiger E** see Garot P *et al*  
**ten Berg JM** see Brueren BRG *et al*  
**Tentolouris C** see Tousoulis D *et al*  
**Teragaki M** see Doi A *et al*  
**Terai H** see Sakata K *et al*  
**Terai M** see Funabashi N *et al*  
**Teramoto K** see Funabashi N *et al*  
**Terasaki F** see Hayashi T *et al*  
**Terashima M** see Seguchi O *et al*  
**Terkelsen CJ** *et al*. Are we underestimating the full potential of early thrombolytic treatment in patients with acute myocardial infarction?, **483**  
**Teruhiko A** see Gaku S *et al*  
**Thackray SDR** see Witte KKA *et al*  
**Thaman R** *et al*. Pregnancy related complications in women with hypertrophic cardiomyopathy, **752**  
 Restrictive transmural filling patterns predict improvements in left ventricular function after biventricular pacing, **1087**  
**Thanopoulos BD** *et al*. Transcatheter closure of perimembranous ventricular septal defects with the Amplatzer asymmetric ventricular septal defect occluder: preliminary experience in children, **918**  
**Thayssen P** see Gaster AL *et al*  
**Thayyil S** see Ackland F *et al*  
**Theuns DAMJ** see Kimman GP *et al*  
**Thiene G** see Basso C *et al*  
 see Dimopoulos K *et al*  
**Thilo C** see Leber AW *et al*  
**Thomas E** see Chakrabarti S *et al*  
**Thuesen L** see Falk E and Thuesen L  
**Thul J** see Michel-Behnke I *et al*  
**Thum P** see Chatterjee T *et al*  
**Thygesen K** see Poole-Wilson PA *et al*  
**Tiefenbacher C** see Meyborg M *et al*  
**Tikanoja T** see Poutanen T *et al*  
**Timmis AD** see Barakat K *et al*  
 see Foo K *et al*  
 see Kennon S *et al*  
 see Skene C and Timmis AD  
**Timmis AD**. Plaque stabilisation in acute coronary syndromes: clinical considerations, **1268**  
**Timperley J** *et al*. Contrast echocardiography for left ventricular opacification, **1394**  
**Timperley J** see Mitchell ARJ *et al*  
**Tio RA** see Wijpkema JS *et al*  
**Tirilomis T**. Heart research and ancient Greek medicine, **2**  
**Tüller D** see Wallmann D *et al*  
**Toda G** see Doi Y *et al*  
**Toda I** see Doi A *et al*  
 see Takagi M *et al*  
**Tognoni G** see Maggioni AP *et al*  
**Tomcsányi J** *et al*. Brugada-like acute myocardial infarction, **1199**  
**Tomita T** *et al*. Attenuation of hypercapnic carbon dioxide chemosensitivity after postinfarction exercise training: possible contribution to the improvement in exercise hyperventilation, **404**  
**Tomkowski W** see Pruszczyk P *et al*  
**Tomlinson J** see Blackledge HM *et al*  
**Tonge K** see Syed H *et al*  
**Topol EJ** see Casserly IP and Topol EJ  
 see Gurm HS *et al*  
**Topsakal R** *et al*. Acute myocardial infarction caused by gunshot wound, **326**  
**Torbicki A** see Pruszczyk P *et al*  
**Toriyama T** see Goto T *et al*  
**Tornos P** see Ferreira I *et al*  
**Tornos P**. Management of prosthetic valve endocarditis: a clinical challenge, **245**  
**Touboul P** see Burri H *et al*  
**Tousoulis D** *et al*. Effects of L-arginine on flow mediated dilatation induced by atrial pacing in diseased epicardial coronary arteries, **531**  
 Inflammatory and thrombotic mechanisms in coronary atherosclerosis, **993**  
**Toutouzas K** see Tsiamis E *et al*  
**Toutouzas P** see Tousoulis D *et al*  
**Townend JN** see Routledge HC *et al*  
**Townsend JN** see Khogali SS *et al*  
**Townsend M** see James M *et al*  
**Trambaiolo P** see Salustri A and Trambaiolo P  
**Trawinski J** see Bay M *et al*  
 see Raymond I *et al*  
**Tremble JM** see De Freitas S *et al*  
**Trevelyan J** *et al*. Sources of diagnostic inaccuracy of conventional versus new diagnostic criteria for myocardial infarction in an unselected UK population with suspected cardiac chest pain, and investigation of independent prognostic variables, **1406**  
**Trip MD** see van Wissen S *et al*  
**Trivedi U** see Al-Ruzzeq S *et al*  
**Troughton RW** *et al*. The role of echocardiography in atrial fibrillation and cardioversion, **1447**  
**Tsai MY** see Gülec S *et al*  
**Tsaousis GS** see Thanopoulos BD *et al*  
**Tse H-F, Ho H-H**. Sudden cardiac death caused by hypertrophic cardiomyopathy associated with midventricular obstruction and apical aneurysm, **178**  
**Tse T-F** see Sanderson JE and Tse T-F  
**Tsiamis E** *et al*. Spontaneous coronary artery dissection in a premenopausal woman presenting with transient ST segment elevation, **1326**  
**Tsui K-L** *et al*. Coronary rupture as a rare cause of acute myocardial ischaemia two months after angioplasty and stenting, **1315**  
**Tunaoglu SF** see Kula S *et al*  
**Tutar E** *et al*. Incidence of pericardial effusion during attacks of familial Mediterranean fever, **1257**  
**Tuxen C** see Raymond I *et al*  
**Tzeng B-H** see Williams SG *et al*  
**Uchida F** see Matsuoka K *et al*  
**Uebing A** see Fischer G *et al*  
**Ueda R** see Goto T *et al*  
**Ueda Y** see Hozumi T *et al*  
**Ueno S** see Arakawa H *et al*  
**Ueshima H** see Sekikawa A *et al*  
**Ukimura A** see Hayashi T *et al*  
**Underwood SR** see Loong CY *et al*  
**Ung T** *et al*. Long term warfarin associated with bilateral blindness in a patient with atrial fibrillation and macular degeneration, **985**  
**Urban P** see Schiele TM *et al*  
**Uretsky BF** see Poole-Wilson PA *et al*  
**Ushinohama H** see Sumitomo N *et al*  
**Ussia GP** see de Caro E *et al*  
**Vaccari M** see Bosi G *et al*  
**Valdés M** see Pascual M *et al*  
**Valente M** see Basso C *et al*



- van de Poll SWE et al.** On-line detection of cholesterol and calcification by catheter based Raman spectroscopy in human atherosclerotic plaque *ex vivo*, **1078**
- van den Berg MP et al.** Role of the autonomic nervous system in vagal atrial fibrillation, **333**
- van der Laarse A** *see* van de Poll SWE *et al*
- van der Loo B, Jenni R.** Acute aortic syndrome: proposal for a novel classification, **928**
- van der Wall EE** *see* de Groot NMS *et al*
- van Domburg RT** *see* Vourvouri EC *et al*
- van Geel PP** *see* Mulder HJGH *et al*
- van Gelder LM** *see* Bracke FA *et al*
- van Gilst WH** *see* Mulder HJGH *et al*
- van Herwerden LA** *see* Hokken RB *et al*
- van Hoe L** *see* Vanderheyden M *et al*
- van Kimmenade R et al.** Rheumatic carditis in an 18 year old man, **1066**
- van Suylen RJ** *see* van Kimmenade R *et al*
- van Urk H** *see* Kertai MD *et al*
- van Wissen S et al.** Long term statin treatment reduces lipoprotein(a) concentrations in heterozygous familial hypercholesterolaemia, **893**
- Vanderheyden M et al.** Partial anomalous pulmonary venous connection or scimitar syndrome, **761**
- Vano E.** Radiation exposure to cardiologists: how it could be reduced, **1123**
- Varnava A** *see* Thaman R *et al*
- Vasan RS.** Cardiac function and obesity, **1127**
- Vassallo M** *see* Volpe P *et al*
- Vecchia CL** *see* Tavani A *et al*
- Vecchiet J** *see* Cipollone F *et al*
- Velavan P, Chauhan A.** An unusual presentation of delayed cardiac perforation caused by atrial screw-in lead, **364**
- Veldtman GR et al.** Low pressure giant pulmonary artery aneurysms in the adult: natural history and management strategies, **1067**
- Venugopal** *see* Sajeev CG *et al*
- Verheugt FWA** *see* Lamfers EJP *et al*
- Vettukattil J** *see* Stümper O *et al*
- Vettukattil JJ** *see* Chakrabarti S *et al*
- Veyrat C** *see* Pellerin D *et al*
- Vicente T** *see* Pascual M *et al*
- Viganò M** *see* Cerveri I *et al*
- Vignati G** *see* Agnoletti G *et al*
- Villain E** *see* Butera G *et al*
- Vincent R.** Resuscitation, **673**
- Vinoreanu D et al.** Conduit arterial stiffness is associated with impaired left ventricular subendocardial function, **449**
- Virmani R et al.** Drug eluting stents: are human and animal studies comparable?, **133**
- Visser CA.** Left ventricular remodelling after myocardial infarction: importance of residual myocardial viability and ischaemia, **1121**
- Vletter WB** *see* Vourvouri EC *et al*
- Vogel D** *see* Rodriguez A *et al*
- Vogt P** *see* Michel-Behnke I *et al*
- Volpe P et al.** Common arterial trunk in the fetus: characteristics, associations, and outcome in a multicentre series of 23 cases, **1437**
- von Birgelen C** *see* Gaster AL *et al*
- von der Recke G** *see* Illien S *et al*
- Voudris V** *see* Cokkinos DV *et al*
- Vourvouri EC et al.** Clinical utility and cost effectiveness of a personal ultrasound imager for cardiac evaluation during consultation rounds in patients with suspected cardiac disease, **727**
- Vourvouri EC** *see* Bountiokos M *et al*
- Waagstein F** *see* Bollano E *et al*
- Waagstein L** *see* Herlitz J *et al*
- Wade DT** *see* Taggart DP *et al*
- Wainscoat JS** *see* Westwood MA *et al*
- Waiter GD** *see* Egred M *et al*
- Waldecker B** *see* Schwab JO *et al*
- Wales C** *see* Gunn J *et al*  
*see* Pollard SD *et al*
- Walker A** *see* Stewart S *et al*
- Walker NL** *see* Pell JP *et al*
- Wallmann D et al.** Frequent atrial premature contractions as a surrogate marker for paroxysmal atrial fibrillation in patients with acute ischaemic stroke, **1247**
- Walter RSM** *see* Wong KYK *et al*
- Walton S** *see* Egred M *et al*
- Wang T-L, Hung C-R.** Enhanced endothelin-1 degradation by intravenous morphine in patients with congestive heart failure: role of neutral endopeptidase 24.11, **211**
- Ward D** *see* Tanner MA and Ward D
- Warnes C** *see* Osranek M *et al*
- Warnes CA.** Bicuspid aortic valve and coarctation: two villains part of a diffuse problem, **965**
- Warnes CA** *see* Veldtman GR *et al*
- Watanabe H** *see* Muro T *et al*
- Watanabe N et al.** Intramyocardial coronary flow characteristics in patients with hypertrophic cardiomyopathy: non-invasive assessment by transthoracic Doppler echocardiography, **657**
- Webb DJ** *see* Apostolopoulos SC *et al*
- Webb G** *see* Swan L *et al*
- Webb GD.** Challenges in the care of adult patients with congenital heart defects, **465**
- Webb S** *see* Anderson RH *et al*  
*see* Moorman A *et al*
- Webb TR et al.** Epidural haematoma presenting as polymorphic ventricular tachycardia, **316**
- Weber S** *see* Schwab JO *et al*
- Weidenbach M et al.** Infective endocarditis with progressive periaortic abscess formation in a previously healthy girl, **730**
- Weinert L** *see* Sugeng L *et al*
- Weintraub RG** *see* Cheung MMH *et al*
- Weissman NJ** *see* Finet G *et al*
- Weitzenblum E.** Chronic cor pulmonale, **225**
- Welch A** *see* Egred M *et al*
- Wells Z** *see* Barakat K *et al*
- Wendelboe Nielsen O et al.** Survival differences between heart failure in general practices and in hospitals, **1298**
- West M et al.** Surgical resection of multiple right atrial masses in a child with  $\beta$  thalassaemia and receiving desferioxamine, **501**
- West NEJ et al.** Artefactual occlusion of the left subclavian artery during graft angiography, **1335**
- Westwood MA et al.** An incidental case of thrombus formation in a patient with a portacath inserted for regular blood transfusions, **244**
- Wheatley DJ** *see* Oxenham H *et al*
- Wheatley DJ.** Protecting the damaged heart during coronary surgery, **367**
- Whitbourn R** *see* Kennon S *et al*
- White C** *see* Leber AW *et al*
- White HD** *see* Hyde TA *et al*
- Whitlock RML** *see* Hyde TA *et al*
- Wigle ED** *see* Woo A *et al*
- Wijns W** *see* Schiele TM *et al*
- Wijkema JS et al.** Life threatening total occlusion of the left coronary artery after acetylcholine infusion, **1137**
- Wilkinson JL** *see* Cheung MMH *et al*
- Wilkoff BL** *see* Gimbel JR and Wilkoff BL
- Williams AJ** *see* Scoote M *et al*
- Williams B.** Drug treatment of hypertension: implications of ALLHAT, **589**
- Williams SG et al.** Safety and potential benefits of low dose diamorphine during exercise in patients with chronic heart failure, **1085**
- Witte KKA et al.** Pattern of ventilation during exercise in chronic heart failure, **610**  
The effects of  $\alpha$  and  $\beta$  blockade on ventilatory responses to exercise in chronic heart failure, **1169**
- Wittkamp F** *see* Simmers T *et al*
- Wong C-K** *see* Hyde TA *et al*
- Wong KYK et al.** Long QTc predicts future cardiac death in stroke survivors, **377**
- Wong MNL et al.** Persistent truncus arteriosus with absence of right pulmonary artery, **549**
- Wong YK et al.** Improving the positive predictive value of exercise testing in women, **1416**
- Woo A et al.** Mutations of the  $\beta$  myosin heavy chain gene in hypertrophic cardiomyopathy: critical functional sites determine prognosis, **1179**
- Wood ND** *see* Sorajja P *et al*
- Wren C et al.** Cardiovascular malformations in infants of diabetic mothers, **1217**
- Wright DJ** *see* Williams SG *et al*
- Wright JGC** *see* Chakrabarti S *et al*  
*see* Stümper O *et al*
- Yabushita H** *see* Bouma BE *et al*

- Yalçinkaya F** see Tutar E *et al*  
**Yamada A** see Nohtomi Y *et al*  
**Yamada T** see Sato Y *et al*  
**Yamada Y** see Kinjo K *et al*  
**Yamagishi H** see Muro T *et al*  
 see Shimada K *et al*  
**Yamagishi M** see Fujii H *et al*  
 see Nojima Y *et al*  
 see Ogata C *et al*  
**Yamaguchi M** see Sakata K *et al*  
**Yamamoto K** see Arakawa H *et al*  
 see Nonaka-Sarukawa M *et al*  
**Yamamuro A** see Hozumi T *et al*  
**Yamaura Y** see Watanabe N *et al*  
**Yamawaki T** see Nohtomi Y *et al*  
**Yano K** see Doi Y *et al*  
**Yap YG, Camm AJ** Drug induced QT prolongation and torsades de pointes, **1363**  
**Yarnell JWG** see Yu S *et al*  
**Yasuda M** *et al*. ICD lead implantation via persistent left superior vena cava, **1307**  
**Yasuda T** see Sumitomo N *et al*  
**Yasumura Y** see Tomita T *et al*  
**Yates RWM** see Andrews RE *et al*  
**Yazici M** see Sagkan O *et al*  
**Ye S** *et al*. Epistatic interaction between variations in the angiotensin I converting enzyme and angiotensin II type 1 receptor genes in relation to extent of coronary atherosclerosis, **1195**  
**Yilmaz M** *et al*. Right atrial thrombus following closure of an atrial septal defect, **726**  
**Yilmaz MB** *et al*. Persisting fever in a patient with brucella endocarditis: occult splenic abscess, **e20**  
**Yoshida K** see Funabashi N *et al*  
 see Hozumi T *et al*  
 see Watanabe N *et al*  
**Yoshikawa J** see Doi A *et al*  
 see Hozumi T *et al*  
 see Muro T *et al*  
 see Shimada K *et al*  
 see Takagi M *et al*  
**Yoshimura M** see Kojima S *et al*  
**Yoshiyama M** see Doi A *et al*  
 see Muro T *et al*  
 see Shimada K *et al*  
**Young T** see Melville MR *et al*  
**Yu C-M** *et al*. High prevalence of left ventricular systolic and diastolic asynchrony in patients with congestive heart failure and normal QRS duration, **54**  
**Yu S** *et al*. What level of physical activity protects against premature cardiovascular death? The Caerphilly study, **502**  
**Yun YS** see Lee JY *et al*  
**Yusuf S** *et al*. Left atrial thrombus caused by the primary antiphospholipid syndrome causing critical functional mitral stenosis, **262**  
**Zabal C** *et al*. The adult patient with native coarctation of the aorta: balloon angioplasty or primary stenting?, **77**  
**Zadik P** see Akowuch EF *et al*  
**Zaidenstein R** see Cohen N *et al*  
**Zamorano J** see Moreno R *et al*  
**Zamvar V** see Al-Ruzzeh S *et al*  
**Zeller M** see Woo A *et al*  
**Zhang Q** see Yu C-M *et al*  
**Zhao M-S** see Woo A *et al*  
**Zhao SZ** see Nalysnyk L *et al*  
**Zhou SH** see Tang JJ *et al*  
**Zsoldos A** see Tomcsányi J *et al*  
**Zwinderman AH** see Mulder HJGH *et al*