

Author index

- Abdul-Khalik H** see Dittrich H *et al*
- Abe Y, Kondo M.** Apical ballooning of the left ventricle: a distinct entity?, **974**
- Abildstrom SZ** *et al.* Trends in incidence and case fatality rates of acute myocardial infarction in Denmark and Sweden, **507**
- Achenbach S** see Pohle K *et al*
- Ackland F** *et al.* Flecainide induced ventricular fibrillation in a neonate, **1261**
- Adachi H** see Sakurai S *et al*
- Adachi Y** see Shimoyama M *et al*
- Adams PC** see Awad-Elkarim AA *et al*
- Adelmann GA** see Finet G *et al*
- Adgey AAJ** see Maynard SJ *et al*
- Adriaenssens BFM** see Desmet WJR *et al*
- Aggoun Y** see Agnoletti G *et al*
- Agnoletti G** *et al.* Fontan conversion to total cavopulmonary connection and arrhythmia ablation: clinical and functional results, **193**
- Agnoletti G** *et al.* Use of 3 French catheters for diagnostic and interventional procedures in newborns and small infants, **1350**
- Aguadé-Bruix S** see Candell-Riera J *et al*
- Aguerri AM** see Basquiera AL *et al*
- Ahmed N** see Gorog DA *et al*
- Aihara N** see Takagi M *et al*
see Tomita T *et al*
- Airoidi F** *et al.* Clinical and angiographic outcome of directional atherectomy followed by stent implantation in de novo lesions located at the ostium of the left anterior descending coronary artery, **1050**
- Ajani AE** see Finet G *et al*
- Akar N** see Gülec S *et al*
- Akasaka T** see Hozumi T *et al*
see Watanabe N *et al*
- Akintuerk H** see Michel-Behnke I *et al*
- Akiyama M** see Watanabe N *et al*
- Akowuah E** see Shrivastava V *et al*
- Akowuah EF** *et al.* Prosthetic valve endocarditis: early and late outcome following medical or surgical treatment, **269**
- Akyürek Ö** see Gülec S *et al*
- Al-Benna S** see Fisher C *et al*
- Albers CJ** see Awad-Elkarim AA *et al*
- Aldershvile J** see Bay M *et al*
- Aldington S** see James M *et al*
- Alemparte MR** see Rodriguez A *et al*
- Alfonso F** see Barrera-Ramirez CF *et al*
- Alkotob ML** see Tiong IY *et al*
- Allan LD** see Huggon IC *et al*
- Allan TF** see Quirke TP *et al*
- Allcock RJ** *et al.* Atrial septostomy for pulmonary arterial hypertension, **1344**
- Allen J** see Maynard SJ *et al*
- Almeida PB** see Quiles J *et al*
- Almeria C** see Moreno R *et al*
- Al-Mohammad A** see Eged M *et al*
- Almoznino-Sarafian D** see Cohen N *et al*
- Al-Nahhas A** see Malik IS *et al*
- Alon I** see Cohen N *et al*
- Alp NJ** *et al.* In-stent restenosis and atherosclerosis in a human saphenous vein graft, **132**
- Al-Ruzzeh S** *et al.* Validation of four different risk stratification systems in patients undergoing off-pump coronary artery bypass surgery: a UK multicentre analysis of 2223 patients, **432**
- Alwi M** see Duke C and Alwi M
- Ambler G** see Al-Ruzzeh S *et al*
- Ambrose JA** see Tousoulis D *et al*
- Amrani M** see Al-Ruzzeh S *et al*
- Andersen HR** see Terkelsen CJ *et al*
- Anderson JM** see Maynard SJ *et al*
- Anderson RH** *et al.* Development of the heart: (2) Septation of the atriums and ventricles, **949**
- Development of the heart: (3) Formation of the ventricular outflow tracts, arterial valves, and intrapericardial arterial trunks, **1110**
- Anderson RH** see Moorman A *et al*
- Anderson B** see Bollano E *et al*
arrhythmological implications, **1**
- Andrews R** see Gunatunga IP *et al*
- Andrews RE** *et al.* Concordance for hypoplastic left heart syndrome in a monozygotic twin pregnancy, **e13**
- Androne AS** *et al.* Acetylcholinesterase inhibition with pyridostigmine improves heart rate recovery after maximal exercise in patients with chronic heart failure, **854**
- Anivarro I** see Rodés-Cabau J *et al*
- Angel J** see Rodés-Cabau J *et al*
- Angelini A** see Dimopoulos K *et al*
- Angelini G** see Taylor F *et al*
- Angelini GD** see Taylor FC *et al*
- Ansari J** see Gunatunga IP *et al*
- Antonatos P** see Chrissos D *et al*
- Antonios TFT** *et al.* Rarefaction of skin capillaries in normotensive offspring of individuals with essential hypertension, **175**
- Antunes MJ** see Antunes PE *et al*
- Antunes PE** *et al.* Coronary surgery with non-cardioplegic methods in patients with advanced left ventricular dysfunction: immediate and long term results, **427**
- Aoki H** see Nonaka-Sarukawa M *et al*
- Apostolopoulou SC** *et al.* Acute endothelin A receptor antagonism improves pulmonary and systemic haemodynamics in patients with pulmonary arterial hypertension that is primary or autoimmune and related to congenital heart disease, **1221**
- Appel J** see Raymond I *et al*
- Aragaki Y** see Sumitomo N *et al*
- Arakawa H** *et al.* Decreased serum vascular endothelial growth factor concentrations in patients with congestive heart failure, **207**
- Aras Ö** see Gülec S *et al*
- Archbold RA, Curzen NP.** Off-pump coronary artery bypass graft surgery: the incidence of postoperative atrial fibrillation, **1134**
- Aretz HT** see Bouma BE *et al*
- Arimura K** see Nohtomi Y *et al*
- Armstrong PW.** Do guidelines influence practice?, **349**
- Arnold M** see Wallmann D *et al*
- Arnold RH** *et al.* Relation between heart rate, heart rhythm, and reverse left ventricular remodelling in response to carvedilol in patients with chronic heart failure: a single centre, observational study, **293**
- Arwady A** see Androne AS *et al*
- Ascione R** see Taylor F *et al*
see Taylor FC *et al*
- Asher CR** see Troughton RW *et al*
- Asimakopoulos G** see Al-Ruzzeh S *et al*
- Aspromonte N** see Coletta C *et al*
- Atalay S** see Tutar E *et al*
- Atar D** see Raymond I *et al*
- Atar S** *et al.* Mitral annular calcification: a marker of severe coronary artery disease in patients under 65 years old, **161**
- Athanasopoulos GD** see Karagiannis SE *et al*
- Atkinson EJ** see Michels VV *et al*
- Atmaca Y** see Gülec S *et al*
- Attie F** see Zabal C *et al*
- Auer J** *et al.* Left ventricular microaneurysms as a cause of apparently idiopathic ventricular fibrillation, **644**
- Augustin LS** see Tavani A *et al*
- Avanzas P** see Quiles J *et al*
- Avanzas P** *et al.* Echocardiographic detection of systemic air embolism during positive pressure ventilation, **1321**
- Averbukh Z** see Cohen N *et al*
- Avezum A** see Santopinto JJ *et al*
- Awad-Elkarim AA** *et al.* A prospective study of long term prognosis in young myocardial infarction survivors: the prognostic value of angiography and exercise testing, **843**
- Awano K** see Seguchi O *et al*
- Ayres JG** see Routledge HC *et al*

- Babu JK** see Reddy GM *et al*
- Bae EJ** see Lee JY *et al*
- Bagger JP** see Awad-Elkarim AA *et al*
- Bal ET** see Brueren BRG *et al*
- Baldi J** see Rodriguez A *et al*
- Baljí-Volkers C** see van den Berg MP *et al*
- Balli E** see Maggioni AP *et al*
- Bando K** see Okamura H *et al*
- Bång A** see Herlitz J *et al*
- Banks M** see Eccleshall SC *et al*
- Banning AP** see Mitchell ARJ *et al*
- Banning AP** *et al*. Same day discharge following elective percutaneous coronary intervention in patients with stable angina, **665**
- Bannister W** see Ye S *et al*
- Barakat K** *et al*. Bangladeshi patients present with non-classic features of acute myocardial infarction and are treated less aggressively in east London, UK, **276**
- Barral JM** see Basquiera AL *et al*
- Barrera-Ramirez CF** *et al*. Apical thrombus associated with left ventricular apical ballooning, **927**
- Bartlett C** *et al*. Women, older persons, and ethnic minorities: factors associated with their inclusion in randomised trials of statins 1990 to 2001, **327**
- Bashir Y** see Banning AP *et al*
see Lever N *et al*
- Basquiera AL** *et al*. Risk progression to chronic Chagas cardiomyopathy: influence of male sex and of parasitaemia detected by polymerase chain reaction, **1186**
- Basso C** *et al*. Primary cardiac valve tumours, **1259**
- Bateman AC** see Brooks A *et al*
- Bauer A, Schmidt G** Imitating ventricular tachycardia, **1382**
- Bauer J** see Michel-Behnke I *et al*
- Bauersachs J** see Schanzenbächer P and Bauersachs J
- Baumann G** see Borges AC *et al*
- Baumann M** see Raymond I *et al*
- Baumgart D** see Eggebrecht H *et al*
see Schiele TM *et al*
- Bax JJ** see Bigi R *et al*
see Bountiokos M *et al*
see Kertai MD *et al*
- Baxter GF** see D'Souza SP and Baxter GF
- Bay M** *et al*. NT-proBNP: a new diagnostic screening tool to differentiate between patients with normal and reduced left ventricular systolic function, **150**
- Beatt K** see Malik IS *et al*
- Becher H** see Timperley J *et al*
- Becker A** see Leber AW *et al*
- Becker C** see Leber AW *et al*
- Becker R** see Meyborg M *et al*
- Been M** see Bilku RS *et al*
see Constantinides SS *et al*
see Doshi SN *et al*
- Beghetti M** see Jaecklin T *et al*
- Belgore F** see Chung NA *et al*
- Bell RE, Reidy JF**. Endovascular treatment of thoracic aortic disease, **823**
- Bell W** see Fitchet A *et al*
- Bellinger DC**. Cardiac surgery and the brain: differences between adult and paediatric studies, **365**
- Benedik J** see Grijalva M *et al*
- Bengel FM** see Hauser M *et al*
- Bennett MR**. In-stent stenosis: pathology and implications for the development of drug eluting stents, **218**
- Beran G** *et al*. Improved myocardial viability following intramyocardial autologous bone marrow injection after acute myocardial infarction, **930**
- Berent R** see Auer J *et al*
- Berger A** see MacCarthy P *et al*
- Bergfeldt L**. Differential diagnosis of cardiogenic syncope and seizure disorders, **353**
- Bermejo J** see Quiles J *et al*
- Bernardi V** see Rodriguez A *et al*
- Berry C** see Fisher C *et al*
- Berthier F, Boulay F**. Lower myocardial infarction mortality in French men the day France won the 1998 World Cup of football, **555**
- Beygui F** *et al*. Myocardial viability, coronary flow reserve, and in-hospital predictors of late recovery of contractility following successful primary stenting for acute myocardial infarction, **179**
- Bhandari M** see McArdle H *et al*
- Bhatt DL** see Gurm HS *et al*
- Bigi R** see Coletta C *et al*
- Bigi R** *et al*. Prognostic and clinical correlates of angiographically diffuse non-obstructive coronary lesions, **1009**
- Bigras JL** see Fouron J-C *et al*
- Bilku RS** *et al*. Images in cardiology: Subclavian artery stenosis as a cause for recurrent angina after LIMA graft stenting, **1429**
- Billinger M** see Seiler C *et al*
- Bird D** see Nagarajan DV *et al*
- Birkel J** see Kuon E *et al*
- Birkhead J**. Where are we today? Early results from MINAP, the national audit of myocardial infarction project, **ii13**
- Birnie DH** see Smith J *et al*
- Birrell G** see Wren C *et al*
- Blackledge HM** *et al*. Prognosis for patients newly admitted to hospital with heart failure: survival trends in 12 220 index admissions in Leicestershire 1993–2001, **615**
- Blackman DJ, Channon KM**. Prevention of embolisation during percutaneous vein graft intervention using a Filter Wire distal protection device, **376**
- Blann AD** see Chung NA *et al*
see Kamath S *et al*
- Block M** see Bode-Schnurbus L *et al*
- Bloomfield P** see Oxenham H *et al*
- Blue L** see Fisher C *et al*
- Bo S** *et al*. Warfarin for non-valvar atrial fibrillation: still underused in the 21st century?, **553**
- Bochowicz A** see Pruszczyk P *et al*
- Böcker D** see Bode-Schnurbus L *et al*
- Bode C** see Nordt TK and Bode C
- Boden L** see Vinereanu D *et al*
- Bode-Schnurbus L** *et al*. QRS duration: a simple marker for predicting cardiac mortality in ICD patients with heart failure, **1157**
- Boersma E** see Kertai MD *et al*
see Roos-Hesselink JW *et al*
- Boesgaard S** see Bay M *et al*
- Bogers AJJC** see Hokken RB *et al*
see Roos-Hesselink JW *et al*
- Bollano E** *et al*. Different responses to dobutamine in the presence of carvedilol or metoprolol in patients with chronic heart failure, **621**
- Bonan R** see Schiele TM *et al*
- Bonato R** see Basso C *et al*
- Bonnet D** see Agnoletti G *et al*
see Butera G *et al*
- Bonow RO** see Rajamannan NM *et al*
- Bonsante E** see Bosi G *et al*
- Bordachar P** *et al*. Interventricular and intra-left ventricular electromechanical delays in right ventricular paced patients with heart failure: implications for upgrading to biventricular stimulation, **1401**
- Borges AC** see Koehler F *et al*
- Borges AC** *et al*. Isolated left ventricular non-compaction: cardiomyopathy with homogeneous transmural and heterogeneous segmental perfusion, **e21**
- Thirty years after percutaneous closure of patent ductus arteriosus, **650**
- Borggrefe M** see Bode-Schnurbus L *et al*
- Borghini A** see Agnoletti G *et al*
- Bosetti C** see Tavani A *et al*
- Bosi G** *et al*. Left ventricular remodelling, and systolic and diastolic function in young adults with β thalassaemia major: a Doppler echocardiographic assessment and correlation with haematological data, **762**
- Bottio T** see Basso C *et al*
- Boudjemline Y** see Agnoletti G *et al*
- Boulay F** see Berthier F and Boulay F
- Boulton B** see Banning AP *et al*
- Bouma BE** *et al*. Evaluation of intracoronary stenting by intravascular optical coherence tomography, **317**
- Bountiokos M** *et al*. Quantification of regional left ventricular function in Q wave and non-Q wave dysfunctional regions by tissue Doppler imaging in patients with ischaemic cardiomyopathy, **1322**
- Boutin C** see Fouron J-C *et al*

- Bouvy ML** *et al.* Predicting mortality in patients with heart failure: a pragmatic approach, **605**
- Bozoglu T** *see* Ortlepp JR *et al*
- Bozovich G** *see* Gurfinkel EP *et al*
- Bozsik B** *see* Tomcsányi J *et al*
- Bracke FA** *et al.* Symptomatic occlusion of the access vein after pacemaker or ICD lead extraction, **1348**
- Brassard M** *see* Fouron J-C *et al*
- Breithardt G** *see* Bode-Schnurbus L *et al*
- Bremner SA** *see* Dewilde S *et al*
- Briguori C** *see* Airolidi F *et al*
- Brilakis ES, Nishimura RA.** Severe pulmonary hypertension in a patient with hypertrophic cardiomyopathy: response to alcohol septal ablation, **790**
- Brink I** *see* Schindler TH *et al*
- Brooks A** *et al.* Interstitial fibrosis in the dilated non-ischaemic myocardium, **1255**
- Brophy JM.** Misplaced pacemaker wire as a cause of mitral regurgitation, **246**
- Brown A** *see* Olenchock SA *et al*
- Brown C** *see* Rerkpattanapit P *et al*
- Brown DL.** Deaths associated with platelet glycoprotein IIb/IIIa inhibitor treatment, **535**
- Brown MJ.** A rational basis for selection among drugs of the same class, **687**
- Brown N** *see* Melville MR *et al*
- Brown NA** *see* Anderson RH *et al*
see Moorman A *et al*
- Browne SM** *see* Taggart DP *et al*
- Brueren BRG** *et al.* Long term follow up after elective percutaneous coronary intervention for unprotected non-bifurcational left main stenosis: is it time to change the guidelines?, **1336**
- Bruneval P** *see* Durand E *et al*
- Bruschke AVG** *see* Mulder HJGH *et al*
- Bucciarelli T** *see* Cipollone F *et al*
- Budaj A** *see* Santopinto JJ *et al*
- Budts W** *see* Stümper O *et al*
- Buendía-Hernández A** *see* Zabal C *et al*
- Buettner HJ** *see* Mueller C *et al*
- Bührer C** *see* Dittrich H *et al*
- Bundy C** *see* Fitchet A *et al*
- Buonadonna AL** *see* Volpe P *et al*
- Burakowska B** *see* Pruszczyk P *et al*
- Burgersdijk C** *see* Sybrandy KC *et al*
- Burri H** *et al.* A diagnostic pitfall in a patient with an implantable cardioverter-defibrillator, **470**
- Burri H** *et al.* Images in cardiology: Complications of pacemaker leads, **1421**
- Burstow DJ** *see* Palka P *et al*
- Busch-Sorensen M** *see* Raymond I *et al*
- Butchart EG** *see* Ionescu A *et al*
- Butera G** *et al.* Heart rate variability in children with hypertrophic cardiomyopathy, **205**
- Bye P** *see* Greaves K *et al*
- Cademartiri F** *et al.* An unusual case of chest murmur demonstrated with three dimensional volume rendering with 16 row multislice spiral computed tomography, **586**
The dynamics of an ascending aorta dissection by 16 row multislice computed tomography, **970**
- Cadigan PJ** *see* Sosin MD *et al*
- Caeiro TF** *see* Basquiera AL *et al*
- Calabrò R** *see* Limongelli G *et al*
see Sarubbi B *et al*
- Cale A** *see* Al-Ruzzeh S *et al*
- Çalişkan M** *see* Topsakal R *et al*
- Camm AJ** *see* Yap YG and Camm AJ
- Campbell I.** The obesity epidemic: can we turn the tide?, **ii22**
- Campbell S** *et al.* The prevalence of haemochromatosis gene mutations in the West of Scotland and their relation to ischaemic heart disease, **1023**
- Candell-Riera J** *et al.* Usefulness of myocardial perfusion SPECT in patients with left bundle branch block and previous myocardial infarction, **1039**
- Canepa-Anson R** *see* Rao ACR *et al*
- Capewell S** *see* Stewart S *et al*
- Carey F** *see* Petrou M *et al*
- Carey IM** *see* Dewilde S *et al*
- Carlino M** *see* Airolidi F *et al*
- Carroll R** *see* Eccleshall SC *et al*
- Carter R** *see* Gardner RS *et al*
- Caruso G** *see* Volpe P *et al*
- Casarotto D** *see* Basso C *et al*
- Casolo G** *et al.* Anomalous origin of the circumflex artery and patent foramen ovale: a rare cause of myocardial ischaemia after percutaneous closure of the defect, **e23**
- Casserly IP, Topol EJ.** The primacy of clinical effectiveness for cost effectiveness analysis, **249**
- Castagna MT** *see* Finet G *et al*
- Castell-Conesa J** *see* Candell-Riera J *et al*
- Cate FJT** *see* Vourvouri EC *et al*
- Ceci V** *see* Coletta C *et al*
- Celermajer DS** *see* Greaves K *et al*
- Cerasuolo F** *see* Limongelli G *et al*
- Cerveri I** *et al.* Pulmonary thromboendarterectomy almost 50 years after the first surgical attempts, **369**
- Chachashvily S** *see* Cohen N *et al*
- Chakrabarti S** *et al.* Acquired combined immunodeficiency associated with protein losing enteropathy complicating Fontan operation, **1130**
Congenital coronary artery dilatation, **595**
- Chalmers R** *see* Sorajja P *et al*
- Chan GSW** *see* Lee CH *et al*
- Chan WM** *see* Lee CH *et al*
- Channer KS, Jones TH.** Cardiovascular effects of testosterone: implications of the "male menopause"?, **121**
- Channon K** *see* Banning AP *et al*
- Channon KM** *see* Alp NJ *et al*
see Blackman DJ and Channon KM
see Lever N *et al*
- Chatterjee T** *see* Miyamoto T *et al*
- Chatterjee T** *et al.* Successful brachytherapy of coronary vasospasm, **e25**
- Chaturvedi N.** Ethnic differences in cardiovascular disease, **681**
- Chau AKT** *see* Cheung EWY *et al*
see Hui L *et al*
- Chaudhari M** *see* Stümper O *et al*
- Chauhan A** *see* Hobbs WJ *et al*
see Velavan P and Chauhan A
- Chello M** *et al.* Simvastatin attenuates leucocyte-endothelial interactions after coronary revascularisation with cardiopulmonary bypass, **538**
- Chen W-H** *see* Lee P-Y *et al*
- Chen-Levy Z** *see* Cohen N *et al*
- Chessa M** *see* Stümper O *et al*
- Cheung EWY** *et al.* Pericardial effusion after open heart surgery for congenital heart disease, **780**
- Cheung MMH** *et al.* Long term somatic growth after repair of tetralogy of Fallot: evidence for restoration of genetic growth potential, **1340**
- Cheung YF** *see* Cheung EWY *et al*
see Hui L *et al*
- Chevalier P** *see* Burri H *et al*
- Chi JS, Kloner RA.** Stress and myocardial infarction, **475**
- Chiarelli F** *see* Cipollone F *et al*
- Chieffo A** *see* Airolidi F *et al*
- Chin BSP** *see* Kamath S *et al*
- Chiu CSW** *see* Cheung EWY *et al*
- Cho S-Y** *see* Ha J-W and Cho S-Y
- Chrissos D** *et al.* Transoesophageal echocardiography imaging of a large left atrium thrombus: a two and a half year follow up, **1061**
- Chung NA** *et al.* Angiogenesis, thrombogenesis, endothelial dysfunction and angiographic severity of coronary artery disease, **1411**
- Cianflone D** *see* Galiuto L *et al*
- Ciccione G** *see* Bo S *et al*
- Cipollone F** *et al.* High preprocedural non-HDL cholesterol is associated with enhanced oxidative stress and monocyte activation after coronary angioplasty: possible implications in restenosis, **773**
- Ciurzynski M** *see* Pruszczyk P *et al*
- Clark AL** *see* Witte KKA *et al*
- Clark SC** *see* Lord SW and Clark SC
- Clarke H** *see* Kennon S *et al*
- Cleland JGF** *see* Poole-Wilson PA *et al*
see Witte KKA *et al*
- Clementy J** *see* Bordachar P *et al*
- Clune M** *see* Queiroga A *et al*
- Coats AJS** *see* Williams SG *et al*

- Cobbe SM** see Pell JP *et al*
Coch M see Schwab JO *et al*
Cohen N *et al*. Serum magnesium aberrations in furosemide (frusemide) treated patients with congestive heart failure: pathophysiological correlates and prognostic evaluation, **411**
Cohen RA see Gowda RM *et al*
Cokkinos DV *et al*. Coronary flow: clinical considerations, **361**
Cokkinos DV see Apostolopoulou SC *et al*
 see Karagiannis SE *et al*
Coletta C *et al*. Influence of contractile reserve and inducible ischaemia on left ventricular remodelling after acute myocardial infarction, **1138**
Collinson Factors associated with coronary artery calcification in young female patients with SLE, **1284**
Collinson PO see Rao ACR *et al*
Collinson PO *et al*. Multicentre evaluation of the diagnostic value of cardiac troponin T, CK-MB mass, and myoglobin for assessing patients with suspected acute coronary syndromes in routine clinical practice, **280**
Collinson PO, Stubbs PJ Are troponins confusing?, **1285**
Colombo A see Airoidi F *et al*
 see Sangiorgi G and Colombo A
 see Schiele TM *et al*
Colombo P see Bigi R *et al*
Condon M see Thaman R *et al*
Connolly DL see Sosin MD *et al*
Constantinides SS *et al*. Predictors of mortality in patients with acute coronary syndrome undergoing percutaneous coronary intervention, **1245**
Cook AC see Andrews RE *et al*
Cook DG see Dewilde S *et al*
Cooke JE see Heath M *et al*
Cooper G see Akowuah EF *et al*
Cooper GJ see Shrivastava V *et al*
Cooper J see Foo K *et al*
 see Kennon S *et al*
Corbi P see Coisne D *et al*
Corris PA see Allcock RJ *et al*
Cortigiani L see Bigi R *et al*
Costantini F see Cipollone F *et al*
Cotrufo M see Limongelli G *et al*
Coussement P see Dens JA *et al*
Covino E see Chello M *et al*
Cowen M see Al-Ruzzeh S *et al*
Cowie MR. Estimating prognosis in heart failure: time for a better approach, **587**
Cracowski J-L. The putative role of isoprostanines in human cardiovascular physiology and disease: following the fingerprints, **821**
Crake T see Tousoulis D *et al*
Cramer J. Medicine partnerships, **ii19**
Cramer MJM see Sybrandy KC *et al*
Crea F see Galiuto L *et al*
 see Lanza GA *et al*
Crea F, Lanza GA. The elusive link between stenosis severity and prognosis in stable ischaemic heart disease, **961**
Crepaz R see Bosi G *et al*
Crijns HJGM see van den Berg MP *et al*
Crossman DC see Gunn J *et al*
 see Pollard SD *et al*
Crupi G see Agnoletti G *et al*
Cuccurullo F see Cipollone F *et al*
Cumberland DC see Gunn J *et al*
 see Pollard SD *et al*
Cunningham J see Oxenham H *et al*
Curb JD see Sekikawa A *et al*
Curzen NP see Archbold RA and Curzen NP
Dahm JB see Kuon E *et al*
Daida H see Miyazaki T *et al*
 see Yasuda M *et al*
D'Ambrosio A see Chello M *et al*
D'Andrea A see Limongelli G *et al*
Daniel WG see Pohle K *et al*
D'Annunzio E see Cipollone F *et al*
Dargie HJ see Campbell S *et al*
D'Armini AM see Cerveri I *et al*
Davey P see Bartlett C *et al*
Davies G see Tousoulis D *et al*
Davies GJ see Gorog DA *et al*
 see Tousoulis D *et al*
Davies W see Akowuah EF *et al*
Davis AM see Cheung MMH *et al*
Davis B see Kotschet E *et al*
Davis M. Current targets: where are we going?, **ii6**
Davis R see Sosin MD *et al*
Davutoglu V *et al*. Himalayan P waves in a patient with combined tricuspid and pulmonic stenosis, **1216**
Dawkins KD see Wong YK *et al*
Dawkins S see Wong YK *et al*
Day INM see Ye S *et al*
Day LB see Ye S *et al*
de Belder MA see Halmey N *et al*
de Boo T see van Wissen S *et al*
de Bruyne B see McCarthy P *et al*
de Candia E see Lanza GA *et al*
de Caro E *et al*. Transoesophageal atrial pacing combined with transthoracic two dimensional echocardiography: experience in patients operated on with arterial switch operation for transposition of the great arteries, **91**
de Castro CRP *et al*. Pulmonary arteriovenous fistula, **41**
de Cesare D see Cipollone F *et al*
de Feo M see Limongelli G *et al*
de Feyter PJ see Nieman K *et al*
De Freitas S *et al*. A case of rheumatic fever, **1405**
de Groot NMS *et al*. Area ablation of ventricular tachycardia in a patient with arrhythmogenic right ventricular cardiomyopathy, **703**
de Nigris F see Napoli C *et al*
de Oliveira JMF see Antunes PE *et al*
de Scheerder I see Diamantopoulos L *et al*
de Scheerder IK see Dens JA *et al*
Deaner A see Foo K *et al*
Dearani JA see Veldtman GR *et al*
Deepak SM *et al*. Congenitally corrected transposition of the great arteries (L transposition), **976**
Defigueiredo DB see Huggon IC *et al*
Delacasa A see Rodriguez A *et al*
Delacretaz E see Rotter M *et al*
 see Wallmann D *et al*
Demircan S see Sagkan O *et al*
Dendis M see Grijalva M *et al*
Denizet A see Hamon M *et al*
Dens JA *et al*. Long term effects of nisoldipine on the progression of coronary atherosclerosis and the occurrence of clinical events: the NICOLE study, **887**
Dens JAY see Desmet WJR *et al*
Dent Z see Perera D *et al*
Dernellis JM, Panaretou MP Effects of digoxin on left atrial function in heart failure, **1308**
Desideri A see Bigi R *et al*
Desmet WJ see Dens JA *et al*
Desmet WJR *et al*. Apical ballooning of the left ventricle: first series in white patients, **1027**
Desouza A see Al-Ruzzeh S *et al*
Deubner H see Heath M *et al*
Dewilde S *et al*. Evolution of statin prescribing 1994–2001: a case of agism but not of sexism?, **417**
Dhakam S, Jafary F. Pulmonary valve endocarditis, **480**
Dhillon S see Ye S *et al*
di Mario C see Airoidi F *et al*
 see Liistro F and di Mario C
di Sciascio G see Chello M *et al*
Diamantopoulos L *et al*. A thermal view of the arterial wall after coronary angioplasty, **604**
Didier D see Jaecklin T *et al*
Dieppe P see Bartlett C *et al*
Dimopoulos K *et al*. Multiple coronary rupture after blunt chest trauma, **594**
Dinckal MH see Davutoglu V *et al*
Dirsch O see Eggebrecht H *et al*
Dittrich H *et al*. Neurodevelopment at 1 year of age in infants with congenital heart disease, **436**
Dittrich S see Dittrich H *et al*

- Dixon AJ** see West NEJ *et al*
Dixon SR see Greaves K *et al*
Dobbie R see Pell JP *et al*
Doherty PJ see Fitchet A *et al*
Dohi Y see Goto T *et al*
Doi A *et al*. Real time quantification of low temperature radiofrequency ablation lesion size using phased array intracardiac echocardiography in the canine model: comparison of two dimensional images with pathological lesion characteristics, **923**
Doi Y *et al*. Sisters with atypical Fabry's disease with complete atrioventricular block, **e2**
Domingo E see Rodés-Cabau J *et al*
Dominiczak A see Pell JP *et al*
Dos L see Ferreira I *et al*
Doshi SN *et al*. Intermittent opening of a mitral valve tilting disc prosthesis 23 years after implantation caused by circumferential pannus, **1049**
Douglas D see Wong KYK *et al*
Douglas H see Gorog DA *et al*
Doyal L see Bartlett C *et al*
Driscoll DJ see Michels VV *et al*
D'Souza SP, Baxter GF. B Type natriuretic peptide: a good omen in myocardial ischaemia?, **707**
Dubois CL, Herijgers P. Imaging of a huge atrial myxoma, **99**
Dubois-Randé JL see Garot P *et al*
Dubrey S see Syed H *et al*
Dubrey SW see Mahmoudi M *et al*
 see O'Neil M *et al*
Ducceschi V see Limongelli G *et al*
Duke C *et al*. The efficacy and safety of stent redilatation in congenital heart disease, **905**
Duke C, Alwi M. Transcatheter closure of direct communication between right pulmonary artery and left atrium using Amplatzer device, **1210**
Dumont F see Kefer J *et al*
Dunleavy L see Ye S *et al*
Durand E *et al*. Cardiogenic shock in a young woman revealing juvenile haemochromatosis, **870**

Eber B see Auer J *et al*
Ebrahim S see Bartlett C *et al*
Eccleshall SC *et al*. Implementation of a diagnostic and interventional transradial programme: resource and organisational implications, **561**
Edmundowicz D see Sekikawa A *et al*
Edwards C see Hyde TA *et al*
Edwards WD see Ommen SR *et al*
Eeckhout E see Schiele TM *et al*
EGgebrecht H *et al*. Percutaneous balloon fenestration of the intimal flap for management of limb threatening ischaemia in acute aortic dissection, **973**
Egger M see Bartlett C *et al*
Egred M *et al*. Detection of scarred and viable myocardium using a new magnetic resonance imaging technique: blood oxygen level dependent (BOLD) MRI, **738**
Ehara S see Shimada K *et al*
Eichner G see Schwab JO *et al*
Ekim M see Tutar E *et al*
Elami A see Gotsman I *et al*
Eleftherakis NG see Thanopoulos BD *et al*
El-Gamel A see Al-Ruzzeh S *et al*
Elliott P see Pellerin D *et al*
Elliott PM see Sorajja P *et al*
 see Thaman R *et al*
Endoh S see Hayashi T *et al*
Engdahl J see Herlitz J *et al*
Erbel R see Eggebrecht H *et al*
 see Naber CK and Erbel R
Erbel R. Spontaneous and interventional coronary microembolisation, **986**
Erdogan F see Yilmaz M *et al*
Erne P see Chatterjee T *et al*
 see Miyamoto T *et al*
Ernst JM, Rensing BJ. Percutaneous closure of a false aneurysm of the superficial femoral artery under fluoroscopic guidance, **326**
Ernst JMPG see Brueren BRG *et al*
Eryol NK see Topsakal R *et al*
Esteban J see Santopinto JJ *et al*

Eykyn SJ see Lamas CC and Eykyn SJ

Fabri B see Al-Ruzzeh S *et al*
Faerestrland S see Schuster P *et al*
Fagard R Athlete's heart, **1455**
Fahrbach K see Nalysnyk L *et al*
Falk E, Thuesen L. Pathology of coronary microembolisation and no reflow, **983**
Farb A see Virmani R *et al*
Fazia M see Cipollone F *et al*
Federman J see Kotschet E *et al*
Feher MD. Lipid lowering to delay the progression of coronary artery disease, **451**
Fejka M see Greaves K *et al*
Ferguson JD see Lever N *et al*
Fernández-Avilés F see Román JAS *et al*
Fernandez-Ortiz A see Moreno R *et al*
Ferreira I *et al*. Experience with enoxaparin in patients with mechanical heart valves who must withhold acenocumarol, **527**
Filippi-Codaccioni E see Hamon M *et al*
Finet G *et al*. Mechanism of lumen enlargement with direct stenting versus predilatation stenting: influence of remodelling and plaque characteristics assessed by volumetric intracoronary ultrasound, **84**
Firoozi S see Thaman R *et al*
Firoozi S *et al*. Risk of competitive sport in young athletes with heart disease, **710**
Fischer G see Schneider MBE *et al*
Fischer G *et al*. Experience with transcatheter closure of secundum atrial septal defects using the Amplatzer septal occluder: a single centre study in 236 consecutive patients, **199**
Fischer Hansen J see Wendelboe Nielsen O *et al*
Fisher C *et al*. N-terminal pro B type natriuretic peptide, but not the new putative cardiac hormone relaxin, predicts prognosis in patients with chronic heart failure, **879**
 Transcardiac and transpulmonary gradients in the putative new cardiovascular hormone relaxin, **789**
Fisher M. Diabetes: can we stop the time bomb?, **ii28**
Fitchet A *et al*. Comprehensive cardiac rehabilitation programme for implantable cardioverter defibrillator patients: a randomised controlled trial, **155**
Fitzpatrick AP see Fitchet A *et al*
Foo K *et al*. A single serum glucose measurement predicts adverse outcomes across the whole range of acute coronary syndromes, **512**
 Effect of diabetes on serum potassium concentrations in acute coronary syndromes, **31**
Ford I see Pell JP *et al*
Forfar JC see Banning AP *et al*
Fortini M see Bosi G *et al*
Fotuhi PC see Koehler F *et al*
Fournier A see Fouron J-C *et al*
Fouron J-C *et al*. Management of fetal tachyarrhythmia based on superior vena cava/aorta Doppler flow recordings, **1211**
Fox KAA see Santopinto JJ *et al*
Fradin S see Hamon M *et al*
Francis CM see Shaw TRD *et al*
Francis DP see Gibson DG and Francis DP
Franke A see Hoffmann R *et al*
Frankton S see De Freitas S *et al*
Fraser AG see Ionescu A *et al*
 see Vinereanu D *et al*
Fraser D see Eccleshall SC *et al*
Fraser HW see Wong KYK *et al*
French JK see Hyde TA *et al*
Frenneaux MP see Thaman R *et al*
Fuhrer J see Wallmann D *et al*
Fujii E see Matsuoka K *et al*
Fujii H *et al*. Unusual morphologic changes in apical hypertrophic cardiomyopathy, **1290**
Fujimoto K see Kojima S *et al*
Fukuda D see Shimada K *et al*
Fukuda N see Soeki T *et al*
Fukui S see Kinjo K *et al*
Fukunami M see Kinjo K *et al*
Funabashi N *et al*. Fibromuscular dysplasia in renovascular hypertension demonstrated by multislice CT: comparison with conventional angiogram and intravascular ultrasound, **639**

- Multiple cystic aneurysms in aortitis demonstrated by three dimensional volume rendering images of multislice computed tomography, **257**
- Multi-vessel dissections in Marfan syndrome demonstrated by multislice computed tomography, **1146**
- Patency of coronary artery lumen surrounded by metallic stent evaluated by three dimensional volume rendering images using ECG gated multislice computed tomography, **388**
- Patency of multiple coronary artery bypass grafts demonstrated by multislice CT, **818**
- Thinned myocardial fibrosis with thrombus in the dilated form of hypertrophic cardiomyopathy demonstrated by multislice computed tomography, **858**
- Three dimensional images with ECG gated multislice computed tomography revealed stenosis of the descending aorta in 2 month old baby, **444**
- Funahashi T** see Kojima S *et al*
- Gaku S** *et al*. A case of bepridil induced interstitial pneumonitis, **1415**
- Galasko G** see Senior R *et al*
- Galati A** see Coletta C *et al*
- Galiuto L** *et al*. Temporal evolution and functional outcome of no reflow: sustained and spontaneously reversible patterns following successful coronary recanalisation, **731**
- Gallagher PJ** see Brooks A *et al*
- Gamache S** see Fouron J-C *et al*
- Gamberini MR** see Bosi G *et al*
- Gammage MD** see Queiroga A *et al*
- Garcia SL** see Sarmento-Leite R *et al*
- García-Fernández MÁ** see Quiles J *et al*
- García-Montes JA** see Zabal C *et al*
- García-Fernández MA** see Avanzas P *et al*
- García-Rubira JC** see Moreno R *et al*
- Gardner RS** *et al*. Importance of β blockade in the treatment of advanced heart failure, **1442**
- Garot J** see Garot P *et al*
- Garot P** *et al*. Impact of microvascular integrity and local viability on left ventricular remodelling after reperfused acute myocardial infarction, **393**
- Garratt CJ** see Fitchet A *et al*
- Garrigue S** see Bordachar P *et al*
- Garzia FM** see Olenchock SA *et al*
- Gaspardone A** see Ando' G *et al*
- Gaster AL** *et al*. Continued improvement of clinical outcome and cost effectiveness following intravascular ultrasound guided PCI: insights from a prospective, randomised study, **1043**
- Gatzoulis MA** see Swan L *et al*
- Gauthier DD** see Bouma BE *et al*
- Geitner P** see Pohle K *et al*
- Gembruch U** see Krapp M *et al*
- Gensini GF** see Casolo G *et al*
- Gentile M** see Volpe P *et al*
- George DK** see Campbell S *et al*
- Geraci E** see Maggioni AP *et al*
- Gerber B** see Kefer J *et al*
- Gerdas JC** see Terkelsen CJ *et al*
- Gersh B** see Rajamannan NM *et al*
- Gershlick A** see Schiele TM *et al*
- Gewillig M** see Stümper O *et al*
- Görge G, Kunz T**. Management of complex, two chamber false aneurysm by thrombin injections, **564**
- Ghaffari S** see Peikert T *et al*
see Tiong IY *et al*
- Gibson DG, Francis DP**. Clinical assessment of left ventricular diastolic function, **231**
- Giddings J** see Ionescu A *et al*
- Gieowarsingh S** see Constantinides SS *et al*
- Gill EA** see Heath M *et al*
- Gill PS** see Quirke TP *et al*
- Gimbel JR**. Novel use of an "insertable" loop recorder, **e18**
- Gimbel JR, Wilkoff BL**. Artefact mimicking tachycardia during magnetic resonance imaging in a patient with an implantable loop recorder, **e10**
- Gimeno JR** see Thaman R *et al*
- Gülec S** *et al*. Deletion polymorphism of the angiotensin I converting enzyme gene is a potent risk factor for coronary artery ectasia, **213**
- Gliech V** see Borges AC *et al*
- Glogar D** see Beran G *et al*
- Goethals M** see Vanderheyden M *et al*
- Goetze S** see Peikert T *et al*
- Goldberg RJ** see Santopinto JJ *et al*
- Goldsmith R** see Androne AS *et al*
- Golik A** see Cohen N *et al*
- Goode GK** see Deepak SM *et al*
- Gordillo E** see Moreno R *et al*
- Gore JM** see Santopinto JJ *et al*
- Gorelik O** see Cohen N *et al*
- Gorini M** see Maggioni AP *et al*
- Gorog DA** *et al*. Coronary angioplasty enhances platelet reactivity through von Willebrand factor release, **329**
- Goto T** *et al*. Circulating concentrations of cardiac proteins indicate the severity of congestive heart failure, **1303**
- Goto Y** see Tomita T *et al*
- Gotsman I** *et al*. Transoesophageal echocardiography of a large tricuspid valve vegetation: a perfect image of reality, **696**
- Goumas G** see Tousoulis D *et al*
- Gowda RM** see Sinval RM *et al*
- Gowda RM** *et al*. Toad venom poisoning: resemblance to digoxin toxicity and therapeutic implications, **e14**
- Goyal NK** see Kothari SS and Goyal NK
- Goyal S** see Swan L *et al*
- Gradaus R** see Bode-Schnurbus L *et al*
- Gray D** see Melville MR *et al*
- Gray RH** see Ung T *et al*
- Greaves K** *et al*. Clinical criteria and the appropriate use of transthoracic echocardiography for the exclusion of infective endocarditis, **273**
- Myocardial contrast echocardiography is superior to other known modalities for assessing myocardial reperfusion after acute myocardial infarction, **139**
- Prevalence of haemoptysis in adults with pulmonary atresia and ventricular septal defect, and the role of mammary artery collateral vessels, **937**
- Green A** see Raymond I *et al*
- Griffin S** see Al-Ruzzeh S *et al*
- Grijalva M** *et al*. Molecular diagnosis of culture negative infective endocarditis: clinical validation in a group of surgically treated patients, **263**
- Grimes R** see Wong YK *et al*
- Grimmer I** see Dittrich H *et al*
- Grinda JM** see Durand E *et al*
- Grocott-Mason R** see O'Neil M *et al*
- Groenning BA** see Raymond I *et al*
- Grollier G** see Hamon M *et al*
- Grona E** see Maggioni AP *et al*
- Groves AM, Tasker AD**. Computed tomography imaging of cardiac tamponade secondary to a posterior pericardial abscess, **364**
- Grunkemeier GL** see Ionescu A *et al*
- Guéret P** see Garot P *et al*
- Gulba D** see Santopinto JJ *et al*
- Gunatunga IP** *et al*. Acute anterior myocardial infarction obscured by diaphragmatic eventration, **556**
- Gunn J** *et al*. Drug eluting stents: maximising benefit and minimising cost, **127**
- Gunn J** see Alp NJ *et al*
see Pollard SD *et al*
- Gunn J, Taggart DP**. Revascularisation for acute coronary syndromes: PCI or CABG?, **967**
- Gunnarsson J** see Herlitz J *et al*
- Gurfinkel EP** see Santopinto JJ *et al*
- Gurfinkel EP** *et al*. International comparison of mortality rates in patients with non-ST elevation acute coronary events, **1083**
- Gurlertop Y** see Yilmaz M *et al*
- Gurm HS** *et al*. Impact of preprocedural white blood cell count on long term mortality after percutaneous coronary intervention: insights from the EPIC, EPILOG, and EPISTENT trials, **1200**
- Guzmán S** see Basquiera AL *et al*
- Ha J-W, Cho S-Y**. Prolonged sinus arrest after coronary artery spasm, **558**
- Ha SY** see Hui L *et al*
- Haager P** see Hoffmann R *et al*
- Haberl R** see Leber AW *et al*
- Hackett D** How many cath labs do we need?, **827**
- Hagel KJ** see Michel-Behnke I *et al*

- Hager A** see Hauser M *et al*
Haghtfelt TH see Gaster AL *et al*
Hainsworth R. Syncope: what is the trigger?, 123
Haïssaguerre M see Bordachar P *et al*
Hakami A *et al*. Unruptured congenital aneurysm of the left sinus of Valsalva in an adult with complex left heart malformations, e3
Halim M see Constantinides SS *et al*
Hall R. Cased based learning on the web, 979
Hall RJC see Awad-Elkarim AA *et al*
Halligan PW see Taggart DP *et al*
Halmey N *et al*. Femoral vein delivery of contrast improves transoesophageal detection of intracardiac shunting through a patent foramen ovale, 784
Halpern EF see Bouma BE *et al*
Haluska B see Khoury VK *et al*
Hamid MS see Thaman R *et al*
Hamid SM see Thaman R *et al*
Hammerstingl C see Illien S *et al*
Hamon M *et al*. Prospective evaluation of the effect of an angiotensin I converting enzyme gene polymorphism on the long term risk of major adverse cardiac events after percutaneous coronary intervention, 321
Hanania G. Which heart valve prosthesis for patients aged between 60 and 70 years?, 481
Handa S see Sosin MD *et al*
Hanna M see Sorajja P *et al*
Hannah A see Smith J *et al*
Hanrath P see Hoffmann R *et al*
 see Ortlepp JR *et al*
Hanson NQ see Gülec S *et al*
Hara Y see Tomita T *et al*
Harada K see Sumitomo N *et al*
Harare O see Malik IS *et al*
Hartung W see Heublein B *et al*
Hasan R see Al-Ruzzeh S *et al*
Hasegawa A see Sakurai S *et al*
Hassager C see Bay M *et al*
Hassink RJ see van den Berg MP *et al*
Hauser M. Exercise blood pressure in congenital heart disease and in patients after coarctation repair, 125
Hauser M *et al*. Impaired myocardial blood flow and coronary flow reserve of the anatomical right systemic ventricle in patients with congenitally corrected transposition of the great arteries, 1231
Haverich A see Heublein B *et al*
Hawthorne G see Wren C *et al*
Hayakawa S see Sumitomo N *et al*
Hayashi K see Sakata K *et al*
Hayashi T *et al*. Angiotensin II receptor blockade prevents microangiopathy and preserves diastolic function in the diabetic rat heart, 1236
Hayashi T see Sakata K *et al*
Hayward C see Arnold RH *et al*
Heath M *et al*. A 28 year old woman with ventricular tachycardia and an abnormal chest radiograph, e19
Hechter S see Swan L *et al*
Heerdink ER see Bouvy ML *et al*
Heijdra RJ see Roos-Hesselink JW *et al*
Heijdenbrok-Kal MH see Kertai MD *et al*
Heinecke A see Bode-Schnurbus L *et al*
Helft G see Beygui F *et al*
Henriksen PA, Newby DE. Therapeutic inhibition of tumour necrosis factor α in patients with heart failure: cooling an inflamed heart, 14
Herijgers P see Dubois CL and Herijgers P
Herlitz J *et al*. Factors associated with survival to hospital discharge among patients hospitalised alive after out of hospital cardiac arrest: change in outcome over 20 years in the community of Göteborg, Sweden, 25
Hernández AM see Pascual M *et al*
Hertzberger DP see Lamfers EJP *et al*
Hess J see Hauser M *et al*
Hetzer R see Hakami A *et al*
Heublein B *et al*. Biocorrosion of magnesium alloys: a new principle in cardiovascular implant technology?, 651
Heusch G. Coronary microembolisation: introduction, 980
Heusch G, Schulz R. Pathophysiology of coronary microembolisation, 981
Higashi M see Okamura H *et al*
Hildebrandt P see Raymond I *et al*
Hildebrandt PR see Raymond I *et al*
Hilden J see Wendelboe Nielsen O *et al*
Hilton SR see Dewilde S *et al*
Hirai M see Kondo T *et al*
Hirose M see Shimada K *et al*
Hishida E see Kinjo K *et al*
Hitchcock T *et al*. Observational study of prehospital delays in patients with chest pain, 1008
Hjalmarsen Å see Bollano E *et al*
Ho H-H see Tse H-F and Ho H-H
Ho SA see Cheung EWY *et al*
Hobbs WJ *et al*. Iatrogenic left coronary artery dissection, 886
Hoepfer MM *et al*. Lack of association between angiotensin converting enzyme (ACE) genotype, serum ACE activity, and haemodynamics in patients with primary pulmonary hypertension, 445
Hoes AW see Bouvy ML *et al*
Hoffmann R see Ortlepp JR *et al*
Hoffmann R *et al*. Relation of coronary flow pattern to myocardial blush grade in patients with first acute myocardial infarction, 1147
Hoffmann U see Fischer G *et al*
Hojo Y see Arakawa H *et al*
Hokamaki J see Kojima S *et al*
Hokken RB *et al*. Excessive pulmonary autograft dilatation causes important aortic regurgitation, 933
Homma S see Hozumi T *et al*
Honda T see Funabashi N *et al*
Hooghoudt TEH see Lamfers EJP *et al*
Hooper J see Kennon S *et al*
Horan PG *et al*. Single coronary artery: a familial clustering, e27
Hori M see Kinjo K *et al*
Horiuchi BY see Sekikawa A *et al*
Horváth R see Grijalva M *et al*
Hoshizaki H see Sakurai S *et al*
Houser SL see Bouma BE *et al*
 see Lowe HC *et al*
Hozumi T *et al*. Coronary flow velocity analysis during short term follow up after coronary reperfusion: use of transthoracic Doppler echocardiography to predict regional wall motion recovery in patients with acute myocardial infarction, 1163
Hozumi T see Muro T *et al*
Hryniewicz K see Androne AS *et al*
Hsia C see Swan L *et al*
Huggon IC *et al*. Tricuspid regurgitation in the diagnosis of chromosomal anomalies in the fetus at 11–14 weeks of gestation, 1071
Hughes A see Mayet J and Hughes A
Hui L *et al*. Early detection of left ventricular dysfunction in patients with β thalassaemia major by dobutamine stress echocardiography, 669
Hung C-R see Wang T-L and Hung C-R
Hunink MGM see Kertai MD *et al*
Hyde TA *et al*. Associations between ST depression, four year mortality, and in-hospital revascularisation in unselected patients with non-ST elevation acute coronary syndromes, 490
Iazzi A see Cipollone F *et al*
Iii JFR see Olenchock SA *et al*
Iino S see Kondo T *et al*
Ikari NM see de Castro CRP *et al*
Ikeda U see Arakawa H *et al*
 see Nonaka-Sarukawa M *et al*
Illien S *et al*. Atrial fibrillation: relation between clinical risk factors and transoesophageal echocardiographic risk factors for thromboembolism, 165
Inden Y see Kondo T *et al*
Ino H see Sakata K *et al*
Inoue I see Kurisu S *et al*
Inoue M see Sakata K *et al*
Ionescu A *et al*. Incidence of embolism and paravalvar leak after St Jude Silzone valve implantation: experience from the Cardiff Embolic Risk Factor Study, 1055
Ionescu A *et al*. Prevalence and clinical significance of incidental paraprosthetic valvar regurgitation: a prospective study using transoesophageal echocardiography, 1316
Ishibashi-Ueda H see Nojima Y *et al*
Iskander AS *et al*. Spontaneous pneumopericardium, 1250
Ito K see Funabashi N *et al*

lung B. Management of ischaemic mitral regurgitation, **459**

Jackson G see Solomon H *et al*

Jacobs S see Khan AM and Jacobs S

Jacobsen J see Raymond I *et al*

Jaecklin T *et al.* Levoatriocardinal vein without cardiac malformation and normal pulmonary venous return, **1444**

Jafary F see Dhakam S and Jafary F

Jaïs P see Bordachar P *et al*

James M *et al.* An unusual complication of transvenous temporary pacing, **448**

James M see Ung T *et al*

Jang I-K see Bouma BE *et al*

Janzon M *et al.* Cost effectiveness of extended treatment with low molecular weight heparin (dalteparin) in unstable coronary artery disease: results from the FRISC II trial, **287**

Jatene FB see de Castro CRP *et al*

Jaumdally R see Eccleshall SC *et al*

Jenkins DJA see Tavani A *et al*

Jenni R see van der Loo B and Jenni R

Jensen S see Gaster AL *et al*

Jeon DS see Atar S *et al*

Jessurun GAJ see Wijckema JS *et al*

Jia G see Gurm HS *et al*

Jimenez-Mazuecos JM see Barrera-Ramirez CF *et al*

John C see Rao ACR *et al*

Johnson J see Santopinto JJ *et al*

Johnston NR see Apostolopoulou SC *et al*

Jokinen E see Poutanen T *et al*

Jones CJH see Vinereanu D *et al*

Jones TH see Channer KS and Jones TH

Jordaens L see Scholten M *et al*

Jordaens LJ see Kimman GP *et al*

Joseph G, Pati PK. Transcatheter embolisation of a large unilateral pulmonary arteriovenous malformation, **737**

Joseph SP see Rao ACR *et al*

Jouo K see Sumitomo N *et al*

Juelke PD see Chatterjee T *et al*

Just H see Schindler TH *et al*

Kachaner J see Butera G *et al*

Kadowaki T see Sekikawa A *et al*

Kaemmerer H see Hauser M *et al*

Kaese V see Heublein B *et al*

Kaji S see Watanabe N *et al*

Kajiwara I see Kojima S *et al*

Kamakura S see Takagi M *et al*

Kamath S *et al.* Platelet activation, haemorrhage and thrombogenesis in acute atrial fibrillation: a comparison with permanent atrial fibrillation, **1093**

Kanzaki Y see Hozumi T *et al*

Karagiannis SE *et al.* Increased distance between mitral valve coaptation point and mitral annular plane: significance and correlations in patients with heart failure, **1174**

Karanasios E see Thanopoulos BD *et al*

Karatasakis GT see Karagiannis SE *et al*

Karlson BW see Herlitz J *et al*

Kashiwagi A see Sekikawa A *et al*

Kasprzak JD see Kidawa M *et al*

Kastelein JJP see van Wissen S *et al*

Kastelijin K see van de Poll SWE *et al*

Katalinic A see Krapp M *et al*

Katsouras CS see Kolettis TM *et al*

Katsuki T see Nonaka-Sarukawa M *et al*

Katz SD see Androne AS *et al*

Kauffman CR see Bouma BE *et al*

Kawagoe T see Kurisu S *et al*

Keavney B. Outcome following percutaneous coronary intervention: not so far, in our genes, **247**

Keenan D see Al-Ruzzeh S *et al*

Keeton BR see Chakrabarti S *et al*

Kefer J *et al.* Right atrium and testis tumour: is there a link?, **1129**

Kelbaek H see Lund J and Kelbaek H

Kennon S *et al.* C reactive protein for risk stratification in acute coronary syndromes? Verdict: unproven, **1288**

Kennon S *et al.* Cumulative risk assessment in unstable angina: clinical, electrocardiographic, autonomic, and biochemical markers, **36**

The central role of platelet activation in determining the severity of acute coronary syndromes, **1253**

Kent KM see Finet G *et al*

Keogh AM see Arnold RH *et al*

Keogh B see Petrou M *et al*

Kerdsinchai P see Dens JA *et al*

Kereiakes DJ see Gurm HS *et al*

Kern MJ. Assessment of myocardial viability: using coronary pressure and flow after acute myocardial infarction, **9**

Kertai MD *et al.* A meta-analysis comparing the prognostic accuracy of six diagnostic tests for predicting perioperative cardiac risk in patients undergoing major vascular surgery, **1327**

Kessler A-C see Collinson PO *et al*

Khan AM, Jacobs S. Trash feet after coronary angiography, **e17**

Khan IA see Gowda RM *et al*

see Sinval RM *et al*

Khogali SS see Bilku RS *et al*

Khogali SS *et al.* Ventricular tachycardia following head injury, **829**

Khoury VK *et al.* Effects of glucose-insulin-potassium infusion on chronic ischaemic left ventricular dysfunction, **61**

Khunti K, Samani NJ. Improving the delivery of coronary care for ethnic minorities, **479**

Kidawa M *et al.* Arterial dysfunction in syndrome X: results of arterial reactivity and pulse wave propagation tests, **422**

Kihara S see Kojima S *et al*

Kilinc M see Davutoglu V *et al*

Kim YJ see Lee JY *et al*

Kimman GP *et al.* Comparison of radiofrequency versus cryotherapy catheter ablation of septal accessory pathways, **1091**

Kinjo K *et al.* Variation during the week in the incidence of acute myocardial infarction: increased risk for Japanese women on Saturdays, **398**

Kinra S *et al.* Is maternal transmission of coronary heart disease risk stronger than paternal transmission?, **834**

Kinsman R see Petrou M *et al*

Kirk A see Fisher C *et al*

Kirk R see Wong MNL *et al*

Kirk V see Bay M *et al*

Kirkels JH see Simmers TA and Kirkels JH

Kisacik HL see Yilmaz MB *et al*

Kitagawa A see Kojima S *et al*

Kitakaze M see Fujii H *et al*

Kitaura Y see Hayashi T *et al*

Kitzman DW see Rerkpattanapipat P *et al*

Kivelitz D see Borges AC *et al*

Kiyama M see Sakata K *et al*

Kleiman NS see Gurm HS *et al*

Klein AL see Troughton RW *et al*

Kloner RA see Chi JS and Kloner RA

Klootwijk P see Scholten M *et al*

Knez A see Leber AW *et al*

Knight C see Foo K *et al*

see Kennon S *et al*

Knight CJ. Antiplatelet treatment in stable coronary artery disease, **1273**

Knight CJ see Lovell MJ and Knight CJ

Kobayashi Y see Shimada K *et al*

Koch A, Singer H. Normal values of B type natriuretic peptide in infants, children, and adolescents, **875**

Koehler F *et al.* Large B cell lymphoma with cardiac infiltration, **1282**

Kohl T see Krapp M *et al*

Kojima S *et al.* The variation of plasma concentrations of a novel, adipocyte derived protein, adiponectin, in patients with acute myocardial infarction, **667**

Kolettis TM *et al.* Haemodynamic and catecholamine response to simulated ventricular tachycardia in man: effect of baseline left ventricular function, **306**

Kolodgie FD see Virmani R *et al*

Komiyama N see Funabashi N *et al*

Komuro I see Funabashi N *et al*

Kondo M see Abe Y and Kondo M

Kondo S see Nohtomi Y *et al*

Kondo T *et al.* CD14 promoter polymorphism is associated with acute myocardial infarction resulting from insignificant coronary artery stenosis, **931**

Konishi S see Sumitomo N *et al*

Korkmaz S see Yilmaz MB *et al*

- Koroleva LY** see Vourvouri EC *et al*
Korsholm L see Gaster AL *et al*
Kostopoulos K see Dens JA *et al*
Kothari SS, Goyal NK Anomalous origin of the pulmonary artery from the left coronary artery, **1436**
Kotlyar E see Arnold RH *et al*
Kotooka N *et al*. Pulmonary artery sarcoma, **1388**
Kotschet E *et al*. Valved conduit from the left ventricular apex to ascending aorta for recurrent congenital subaortic stenosis: 25 years later, **666**
Koujiro M see Sumitomo N *et al*
Koutsogiannis N see Karagiannis SE *et al*
Koutsounis H see Soon K *et al*
Kovac J see McArdle H *et al*
Kramer HH see Fischer G *et al*
Krapp M *et al*. Review of diagnosis, treatment, and outcome of fetal atrial flutter compared with supraventricular tachycardia, **913**
Kremastinos DT see Apostolopoulou SC *et al* see Sbarouni E *et al*
Kreuder J see Michel-Behnke I *et al*
Krogsgaard K see Bay M *et al*
Krzeminska-Pakula M see Kidawa M *et al*
Kucher N see Wallmann D *et al*
Kuehn A see Hauser M *et al*
Kula S *et al*. Giant right atrial thrombosis associated with Hickman catheter, **1252**
Kuller LH see Sekikawa A *et al*
Kumar P see Massey R *et al*
Kumar SP see Reddy GM *et al*
Kuntz-Hehner S see Illien S *et al*
Kunz T see Gorge G and Kunz T
Kuon E *et al*. Radiation exposure benefit of a lead cap in invasive cardiology, **1205**
Kurabayashi M see Sakurai S *et al*
Kuribayashi S see Takagi M *et al*
Kurisu S *et al*. A novel form of spontaneous coronary vasospasm: bead-like vasospasm in an elderly man, **18**
Kurita T see Takagi M *et al*
Kurosaki K see Sumitomo N *et al*
Kurotobi T see Kinjo K *et al*
Kurzyna M see Pruszczyk P *et al*
Kusus M see Pohle K *et al*
Kuwata K see Nohtomi Y *et al*
Kyriakides ZS see Apostolopoulou SC *et al* see Kolettis TM *et al* see Sbarouni E *et al*
L' Italien GJ see Kertai MD *et al*
Lafitte S see Bordachar P *et al*
Lafont A. Basic aspects of plaque vulnerability, **1262**
Lafont A see Virmani R *et al*
Lahiri A see Sabharwal NK and Lahiri A
Laird JR see Finet G *et al*
Lam K-H see Tsui K-L *et al*
Lamarche J see Fourn J-C *et al*
Lamas CC, Eykyn SJ. Blood culture negative endocarditis: analysis of 63 cases presenting over 25 years, **258**
Lamers W see Anderson RH *et al* see Moorman A *et al*
Lamfers EJP *et al*. Abortion of acute ST segment elevation myocardial infarction after reperfusion: incidence, patients' characteristics, and prognosis, **496**
Landolfi R see Lanza GA *et al*
Lang IM see Beran G *et al*
Lang RM see Sugeng L *et al*
Lange A see Palka P *et al*
Lange PE see Dittrich H *et al* see Schneider MBE *et al*
Lanti M see Menotti A and Lanti M
Lanza GA see Crea F and Lanza GA
Lanza GA *et al*. Increased platelet sodium-hydrogen exchanger activity in patients with variant angina, **935**
Lara B see Rodés-Cabau J *et al*
Largen E see Agnoletti G *et al*
Lari MA see Melville MR *et al*
Larsen J see Gaster AL *et al*
Lassen JF see Terkelsen CJ *et al*
Lau C-P. Pacing for atrial fibrillation, **106**
le Feuvre C see Beygui F *et al*
Lebeau R see Ly QH and Lebeau R
Leber AW *et al*. Non-invasive intravenous coronary angiography using electron beam tomography and multislice computed tomography, **633**
Lee CH *et al*. Acquired coronary artery fistula leading to acute myocardial infarction after endomyocardial biopsy, **495**
 Unexplained recurrent pericardial effusion: a lethal warning?, **e11**
Lee JR see Lee JY *et al*
Lee JY *et al*. Preoperative left ventricular end systolic dimension as a predictor of postoperative ventricular dysfunction in children with mitral regurgitation, **1243**
Lee P-Y *et al*. Suspected bilateral renal artery stenosis, **1070**
Lee RJ see Oxenham H *et al*
Lefroy DC see Gorog DA *et al*
Lemos PA see Lee CH *et al*
Lepper W see Hoffmann R *et al*
Lerman A see Napoli C *et al*
Lerman LO see Napoli C *et al*
Leufkens HGM see Bouvy ML *et al*
Leung MP see Hui L *et al*
Lever N *et al*. Prolonged temporary cardiac pacing using subcutaneous tunnelled active-fixation permanent pacing leads, **209**
Levin AB see Iskander AS *et al*
Levin L see Janzon M *et al*
Levy R see Suresh V and Levy R
Li S-K see Tsui K-L *et al*
Lichtinghagen R see Hoepfer MM *et al*
Liew C-C see Woo A *et al*
Liew JC see Woo A *et al*
Liistro F see Airoldi F *et al*
Liistro F, di Mario C. Carotid artery stenting, **944**
Limongelli G see Sarubbi B *et al*
Limongelli G *et al*. Risk factors for pacemaker implantation following aortic valve replacement: a single centre experience, **901**
Lin H see Yu C-M *et al*
Lincoff AM see Gurm HS *et al*
Lindqvist J see Herlitz J *et al*
Lip GYH see Chung NA *et al* see Kamath S *et al*
Li-Saw-Hee FL see Chung NA *et al*
Liu X see Diamantopoulos L *et al*
Lombardo A see Galiuto L *et al*
Loong CY *et al*. Significant inducible perfusion abnormality in an asymptomatic patient with hypertrophic cardiomyopathy demonstrated by radionuclide myocardial perfusion imaging, **989**
Lord SW, Clark SC. Pacing the left ventricle through the coronary sinus in a patient with a prosthetic tricuspid valve replacement, **1444**
Loupa C see Chrissos D *et al*
Lovell MJ, Knight CJ. Invasive assessment of myocardial bridges, **699**
Lowe HC *et al*. Histopathology of coronary in-stent restenosis following γ brachytherapy, **11**
Lucci D see Maggioni AP *et al*
Lüderitz B see Illien S *et al*
Lund J, Kelbaek H. Coronary arterial sling operation, **744**
Luo H see Atar S *et al*
Ly QH, Lebeau R. Myocardial infarction with myocardial rupture, **1077**
Lydakis C see Chung NA *et al*
M^cComb JM see Plummer CJ and M^cComb JM
Mabuchi H see Sakata K *et al*
Macaya C see Moreno R *et al*
MacCallum PK see Kennon S *et al*
MacCarthy P *et al*. Low output, low gradient aortic stenosis, **474**
Macdonald PS see Arnold RH *et al*
Macey M see Kennon S *et al*
MacGregor GA see Antonios TFT *et al*
Machado PRM see Sarmiento-Leite R *et al*
MacIntyre K see Stewart S *et al*
MacNeill BD see Bouma BE *et al*
Madden BP see Yusuf S *et al*
Madoery RJ see Basquiera AL *et al*
Madsen M see Abildstrom SZ *et al*
Mäffert R see Pohle K *et al*

- Maggioni AP** *et al.* Treatment of chronic heart failure with β adrenergic blockade beyond controlled clinical trials: the BRING-UP experience, **299**
- Magosaki N** see Schindler TH *et al*
- Mahmoudi M** *et al.* Obstacles to the initiation of β blockers for heart failure in a specialised clinic within a district general hospital, **442**
- Mairesse GH, Marchand B.** Prolonged asymptomatic sinus pause indicated by implantable loop recording, **244**
- Maisch B, Ristić AD.** Practical aspects of the management of pericardial disease, **1096**
- Majó J** see Rodés-Cabau J *et al*
- Makiyama T** see Sato Y *et al*
- Malik GA** see West M *et al*
- Malik IS** *et al.* Takayasu's arteritis: management of left main stem stenosis, **e9**
- Man J** see Solomon H *et al*
- Man JW** see Solomon H *et al*
- Manginas A** see Cokkinos DV *et al*
- Mankad PS** see Slight RD *et al*
- Manoharan G** see Maynard SJ *et al*
- Mant JW** see Quirke TP *et al*
- Marasini M** see de Caro E *et al*
see Volpe P *et al*
- Marber MS** see Greaves K *et al*
- Marchand B** see Mairesse GH and Marchand B
- Mark EJ** see Lowe HC *et al*
- Markandu ND** see Antonios TFT *et al*
- Markides V, Schilling RJ.** Atrial fibrillation: classification, pathophysiology, mechanisms and drug treatment, **939**
- Maron BJ.** Contemporary considerations for risk stratification, sudden death and prevention in hypertrophic cardiomyopathy, **977**
- Maroto-Järvinen S** see Illien S *et al*
- Marquardt I** see Michel-Behnke I *et al*
- Marsden AK** see Pell JP *et al*
- Marshall AJ** see Morgan-Hughes GJ *et al*
- Marshall H** see Khogali SS *et al*
- Marshall AJ** see Morgan-Hughes G *et al*
see Morgan-Hughes GJ *et al*
- Marshall HJ** see Queiroga A *et al*
- Marshall P** see Williams SG *et al*
- Martin E** see Solomon H *et al*
- Martin W** see Gardner RS *et al*
- Martinelli P** see Volpe P *et al*
- Marwick TH** Clinical applications of tissue Doppler imaging: a promise fulfilled, **1377**
see Khoury VK *et al*
- Marwick TH.** Stress echocardiography, **113**
- Marwick TH** Techniques for comprehensive two dimensional echocardiographic assessment of left ventricular systolic function, **iii2**
- Marzullo A** see Volpe P *et al*
- Maseri A** see Galiuto L *et al*
see Lanza GA *et al*
- Mason J** see Malik IS *et al*
- Massey R** *et al.* Innocent victim of a localised outbreak: legionella endocarditis, **e16**
- Massie BM** see Poole-Wilson PA *et al*
- Mast EG** see Brueren BRG *et al*
- Mastroroberto P** see Chello M *et al*
- Materazzo G** see Cipollone F *et al*
- Matsumori A** see Sato Y *et al*
- Matsuoka K** *et al.* Successful radiofrequency catheter ablation of "clockwise" and "counterclockwise" bundle branch re-entrant ventricular tachycardia in the absence of myocardial or valvular dysfunction without detecting bundle branch potentials, **e12**
- Matsuoka S** see Sumitomo N *et al*
- Matsu-Ura Y** see Kinjo K *et al*
- Matsuzawa Y** see Kojima S *et al*
- Maitu RK** see Trevelyan J *et al*
- Maunoury C** see Beygui F *et al*
- Mautner B** see Gurfinkel EP *et al*
- Mayet J** see Senior R *et al*
- Mayet J, Hughes A.** Cardiac and vascular pathophysiology in hypertension, **1104**
- Maynard SJ** *et al.* Body surface mapping improves early diagnosis of acute myocardial infarction in patients with chest pain and left bundle branch block, **998**
- McArdle H** *et al.* Emergency coronary stenting of unprotected critical left main coronary artery stenosis in acute myocardial infarction and cardiogenic shock, **e24**
- McCarron P** see Kinra S *et al*
- McDonagh S** see Mahmoudi M *et al*
- McDonagh T** see Wendelboe Nielsen O *et al*
- McDonagh TA** see Campbell S *et al*
see Gardner RS *et al*
- McEwen J** see Kinra S *et al*
- McGuire A** see Stewart S *et al*
- McKenna CJ** see Banning AP *et al*
- McKenna WJ** see Firooz S *et al*
see Sorajja P *et al*
see Thaman R *et al*
- McKeown PP** see Horan PG *et al*
- McLenachan JM.** Who would I not give IIb/IIIa inhibitors to during percutaneous coronary intervention?, **477**
- McMahon AD** see Pell JP *et al*
- McMurray J** see Fisher C *et al*
- McMurray JJV** see Fisher C *et al*
see Stewart S *et al*
- McMurray JV** see Senior R *et al*
- Medina A** see Román JAS *et al*
- Meek DMAS** see Hitchcock T *et al*
- Meerkin D** see Schiele TM *et al*
- Meier B** see Seiler C *et al*
- Meijboom FJ** see Roos-Hesselink JW *et al*
- Meijer A** see Bracke FA *et al*
- Melville MR** *et al.* Quality of life assessment using the short form 12 questionnaire is as reliable and sensitive as the short form 36 in distinguishing symptom severity in myocardial infarction survivors, **1445**
- Mencarelli R** see Dimopoulos K *et al*
- Menotti R, Lanti M.** Coronary risk factors predicting early and late coronary deaths, **19**
- Menown IBA** see Maynard SJ *et al*
- Mercurio B** see Sarubbi B *et al*
- Merletti F** see Bo S *et al*
- Messano L** see Lanza GA *et al*
- Metzger JP** see Beygui F *et al*
- Meyborg M** *et al.* Comparative follow up of patients with implanted cardioverter-defibrillators after induction of sustained monomorphic ventricular tachycardias or ventricular fibrillation by programmed stimulation, **629**
- Mezzetti A** see Cipollone F *et al*
- Michaelsen J** see Meyborg M *et al*
- Michalis LK** see Kolettis TM *et al*
- Michel-Behnke I** *et al.* Stenting of the ductus arteriosus and banding of the pulmonary arteries: basis for various surgical strategies in newborns with multiple left heart obstructive lesions, **645**
- Michels VV** *et al.* Progression of familial and non-familial dilated cardiomyopathy: long term follow up, **757**
- Mikich M.** Dissection of the aorta: a new approach, **6**
- Miller FA** see Michels VV *et al*
- Miller HC** see Oxenham H *et al*
- Mills P, Hall R.** Professor Michael Davies, British Heart Foundation Professor of Cardiac Pathology, Editor of *Heart* 1992–1999, **473**
- Mills PG** see Barakat K *et al*
see Kennon S *et al*
- Mills PR** see Campbell S *et al*
- Mino M** see Lowe HC *et al*
- Mintz GS** see Finet G *et al*
- Mitchell ARJ** see Timperley J *et al*
- Mitchell ARJ** *et al.* Synergistic anticoagulation and transoesophageal echocardiographic surveillance for persistent left atrial appendage thrombus, **1022**
- Mitsunami K** see Sekikawa A *et al*
- Miura M** see Sumitomo N *et al*
- Mix M** see Schindler TH *et al*
- Miyamoto S** see Kojima S *et al*
- Miyamoto T** *et al.* A giant thrombus aspirated from a coronary artery, **131**
- Miyao Y** see Kojima S *et al*
- Miyata K** see Nohtomi Y *et al*

- Miyazaki T et al.** Adipocyte derived plasma protein, adiponectin, is associated with smoking status in patients with coronary artery disease, **663**
- Mizuno H** see Kinjo K *et al*
- Modai D** see Cohen N *et al*
- Mohanty A, Saxena A.** Submitral aneurysm: unusual echocardiographic features, **552**
- Mohiaddin R** see Westwood MA *et al*
- Mokuno H** see Miyazaki T *et al*
- Mollet N** see Cademartiri F *et al*
- Mollet NR** see Cademartiri F *et al*
- Monaghan MJ** Contrast echocardiography: from left ventricular opacification to myocardial perfusion. Are the promises to be realised?, **1389**
Stress myocardial contrast echocardiography, **1391**
- Monin JL** see Garot P *et al*
- Montorfano M** see Airoldi F *et al*
- Moorman A et al.** Development of the heart: (1) Formation of the cardiac chambers and arterial trunks, **806**
- Moorman A** see Anderson RH *et al*
- Morello R** see Hamon M *et al*
- Moreno M** see Quiles J *et al*
- Moreno R et al.** Long term outcome of patients with postinfarction left ventricular pseudoaneurysm, **1144**
- Morf G** see Fischer G *et al*
- Morgan JM** see Webb TR *et al*
- Morgan-Hughes G et al.** Flash pulmonary oedema: accurate evaluation of the renal arteries with multislice computed tomography, **1251**
- Morgan-Hughes GJ et al.** Electrocardiographic gated multislice computed tomography of the thoracic aorta, **838**
Three dimensional volume quantification of aortic valve calcification using multislice computed tomography, **1191**
- Mori T** see Hayashi T *et al*
- Morichetti MC** see Chello M *et al*
- Mortimer PS** see Antonios TFT *et al*
- Morton AC** see Gunn J *et al*
- Morton JJ** see Fisher C *et al*
- Moshage W** see Pohle K *et al*
- Moss R, Munt B.** Injection drug use and right sided endocarditis, **577**
- Mou D** see Greaves K *et al*
- Mueller C et al.** White blood cell count and long term mortality after non-ST elevation acute coronary syndrome treated with very early revascularisation, **389**
- Mueller M** see Michel-Behnke I *et al*
- Mulder HJGH et al.** DD ACE gene polymorphism is associated with increased coronary artery endothelial dysfunction: the PREFACE trial, **557**
- Mullen MJ.** Coarctation of the aorta in adults: do we need surgeons?, **3**
- Mullins CE** see McMahon CJ *et al*
- Munks K** see Pollard SD *et al*
- Munt B** see Moss R and Munt B
- Mura R** see Meyborg M *et al*
- Murata K** see Sekikawa A *et al*
- Murday A** Optimal management of acute ventricular septal rupture, **1462**
- Muro T et al.** Assessment of myocardial perfusion abnormalities by intravenous myocardial contrast echocardiography with harmonic power Doppler imaging: comparison with positron emission tomography, **145**
- Murohara T** see Kondo T *et al*
- Murphy N** see Stewart S *et al*
- Murphy R** see Thaman R *et al*
- Murphy RT** see Thaman R *et al*
- Murray L** see Yu S *et al*
- Murtagh G** see Horan PG *et al*
- Naber CK, Erbel R.** Diagnosis of culture negative endocarditis: novel strategies to prove the suspect guilty, **241**
- Nagai K** see Sato Y *et al*
- Nagarajan DV et al.** Pituitary apoplexy following anticoagulation for acute coronary syndrome, **10**
- Nagasawa K** see Nohtomi Y *et al*
- Nagashima M** see Sumitomo N *et al*
- Nagaya N** see Kotooka N *et al*
- Nagueh SF.** Fabry disease, **819**
- Nakamoto S et al.** Williams syndrome associated with complete atrioventricular septal defect, **e15**
- Nakamura K** see Shimoyama M *et al*
- Nakamura Y** see Sekikawa A *et al*
see Shimada K *et al*
see Sumitomo N *et al*
- Nakata Y** see Takaya N *et al*
- Nakatani D** see Kinjo K *et al*
- Nakatani S** see Ogata C *et al*
- Nakazato Y** see Yasuda M *et al*
- Nalysnyk L et al.** Adverse events in coronary artery bypass graft (CABG) trials: a systematic review and analysis, **767**
- Nanto S** see Kinjo K *et al*
- Naoshi K** see Gaku S *et al*
- Napoli C et al.** Microarray analysis: a novel research tool for cardiovascular scientists and physicians, **597**
- Narayan P** see Taylor FC *et al*
- Nashef SAM** see Petrou M *et al*
- Navia J** see Rodriguez A *et al*
- Needham EWA** see Trevelyan J *et al*
- Negri E** see Tavani A *et al*
- Neill BDM** see Lowe HC *et al*
- Nekolla SG** see Hauser M *et al*
- Neumann F-J** see Mueller C *et al*
- Newby DE** see Henriksen PA and Newby DE
- Newman CMH** see Gunn J *et al*
- Newman S.** The psychological perspective: a professional view, **ii16**
- Ng TP, Niti M.** Trends and ethnic differences in hospital admissions and mortality for congestive heart failure in the elderly in Singapore, 1991 to 1998, **865**
- Ng W** see Lee P-Y *et al*
- Nicolaides E** see Vinereanu D *et al*
- Nicolau I** see Ferreira I *et al*
- Nielsen H** see Bay M *et al*
- Nielsen TT** see Terkelsen CJ *et al*
- Nieman K et al.** Coronary anomaly imaging by multislice computed tomography in corrected tetralogy of Fallot, **664**
- Nieman K** see Cademartiri F *et al*
- Niemeyer M** see Heublein B *et al*
- Niimura I** see Sumitomo N *et al*
- Nikitin NP** see Witte KKA *et al*
- Nilsson JC** see Raymond I *et al*
- Niroomand F** see Meyborg M *et al*
- Nishimura RA** see Brilakis ES and Nishimura RA
see Ommen SR *et al*
see Ommen SR and Nishimura RA
- Niti M** see Ng TP and Niti M
- Nitzsche E** see Schindler TH *et al*
- Niwa A** see Miyamoto T *et al*
- Noh CI** see Lee JY *et al*
- Nohtomi Y et al.** Persistence of systolic coronary flow reversal predicts irreversible dysfunction after reperfused anterior myocardial infarction, **382**
- Nojima Y et al.** Cystic tumour of the atrioventricular node, **122**
- Nolan J** see Eccleshall SC *et al*
- Nonaka-Sarukawa M** see Arakawa H *et al*
- Nonaka-Sarukawa M et al.** Increased urinary 15-F_{2t}-isoprostane concentrations in patients with non-ischaemic congestive heart failure: a marker of oxidative stress, **871**
- Nordt TK, Bode C** Thrombolysis: newer thrombolytic agents and their role in clinical medicine, **1358**
- Nørgaard BL** see Terkelsen CJ *et al*
- Northridge DB** see Shaw TRD *et al*
- Norton M** see Egred M *et al*
- Nzewi OC** see Slight RD *et al*
- Oakley GDG** see Pollard SD *et al*
- O'Brien E.** Ambulatory blood pressure monitoring in the management of hypertension, **571**
- Ogata C et al.** Fragile left atrial thrombus successfully treated with anticoagulants, **60**
- Ogawa H** see Kojima S *et al*
- Ogston SA** see Wong KYK *et al*
- Ohm O-J** see Schuster P *et al*
- Ohnishi Y** see Kinjo K *et al*
- Ohno M** see Kondo T *et al*
- Okabe M** see Hayashi T *et al*
- Okada H** see Sato Y *et al*
- Okamatsu S** see Nohtomi Y *et al*

- Okamura H et al.** Huge mass bordering on left atrium raises coronary artery, **138**
- Okamura T** see Sekikawa A et al
- Okasha M** see Kinra S et al
- Olenchock SA et al.** Improved postoperative outcomes with stentless aortic valve: a community hospital experience, **551**
- Olgunturk R** see Kula S et al
- Oliver S** see Akowuah EF et al
- Oliveri R** see Rodriguez A et al
- Oller-Martínez G** see Candell-Riera J et al
- Olschewski M** see Schindler TH et al
- Olson TM** see Michels VV et al
- Olswold CL** see Michels VV et al
- Omar R** see Al-Ruzzeh S et al
- Omelianuk M** see Basquiera AL et al
- Ommen SR et al.** Fabry disease: a mimic for obstructive hypertrophic cardiomyopathy?, **929**
- Ommen SR, Nishimura RA** A clinical approach to the assessment of left ventricular diastolic function by Doppler echocardiography: update 2003, **iii18**
- Omran H** see Illien S et al
- O'Neill W** see Rodriguez A et al
- O'Neill WW** see Greaves K et al
- Onose Y** see Soeki T et al
- Oono T** see Sumitomo N et al
- Opasich C** see Maggioni AP et al
- Oral D** see Gülec S et al
- Ormerod OJM** see Banning AP et al
- Orr W** see Banning AP et al
- Ortega JR** see Román JAS et al
- Ortlepp JR et al.** Cardiovascular risk factors in patients with aortic stenosis predict prevalence of coronary artery disease but not of aortic stenosis: an angiographic pair matched case-control study, **1019**
- Oshima S** see Sakurai S et al
- Osranek M et al.** Left main coronary artery fistula exiting into the right atrium, **656**
- O'Sullivan JJ** see Allcock RJ et al
- Otto CM.** Timing of surgery in mitral regurgitation, **100**
- Ouchi N** see Kojima S et al
- Owens PE** see Morgan-Hughes GJ et al
- Oxenham H et al.** Twenty year comparison of a Bjork-Shiley mechanical heart valve with porcine bioprostheses, **715**
- Pacho R** see Pruszczyk P et al
- Pacileo G** see Sarubbi B et al
- Padilla F** see Rodés-Cabau J et al
- Pagano G** see Bo S et al
- Pagnotta P** see Airoldi F et al
- Palacios IF** see Lowe HC et al
see Rodriguez A et al
see Sanchez PL et al
- Paladini D** see Volpe P et al
- Palka P et al.** Different presentation of hypertrophic cardiomyopathy in monozygotic twins, **751**
- Paloscia L** see Cipollone F et al
- Panaretou MP** see Dernelis JM and Panaretou MP
- Paphitis C** see Thanopoulos BD et al
- Papouchado M** see Nagarajan DV et al
- Parker G** see Greaves K et al
- Parker TG** see Woo A et al
- Parner J** see Bay M et al
- Parodi O** see Bigi R et al
- Pascal O** see Garot P et al
- Pascual DA** see Pascual M et al
- Pascual M et al.** Effects of isolated obesity on systolic and diastolic left ventricular function, **1152**
- Pasterkamp G** see van de Poll SWE et al
- Patel A** see Greaves K et al
- Patel SJ** see Perera D et al
- Pati PK** see Joseph G and Pati PK
- Patti G** see Chello M et al
- Paul V** see Thaman R et al
- Pavlicek M** see Rotter M et al
- Payne N** see Ionescu A et al
see Vinereanu D et al
- Pedersen F** see Raymond I et al
- Pedersen KE** see Gaster AL et al
- Peebles CR.** Non-invasive coronary imaging: computed tomography or magnetic resonance imaging?, **591**
- Peikert T et al.** A rare cause of coronary obstruction and angina pectoris, **1120**
- Pell JP et al.** Family history of premature death from ischaemic heart disease is associated with an increased risk of delivering a low birth weight baby, **1249**
Presentation, management, and outcome of out of hospital cardiopulmonary arrest: comparison by underlying aetiology, **839**
- Pell JP** The debate on public place defibrillators: charged but shockingly ill informed, **1375**
- Pellerin D et al.** Tissue Doppler, strain, and strain rate echocardiography for the assessment of left and right systolic ventricular function, **iii9**
- Pepper JR** see Massey R et al
- Pepper JR.** Risk assessment in coronary artery surgery, **1**
- Pereira CF** see Rodriguez A et al
- Perera D et al.** Catheter induced spasm: a trap for the unwary, **511**
- Perera D et al.** Images in cardiology: Ruptured thoracic aortic aneurysm resulting in cutaneous haematoma, **1382**
- Pérez-David E** see Quiles J et al
- Perezto-Valdés O** see Candell-Riera J et al
- Permanyer-Miralda G** see Ferreira I et al
- Perruchoud AP** see Mueller C et al
- Peruga JZ** see Kidawa M et al
- Petrou M et al.** The risk model of choice for coronary surgery in the UK, **98**
- Petty D.** Drugs and professional interactions: the modern day pharmacist, **ii31**
- Pfeiffer A** see Weidenbach M et al
- Pichard AD** see Finet G et al
- Pierard LA.** Assessing perfusion and function in acute myocardial infarction: how and when?, **701**
- Piessens JH** see Dens JA et al
- Piñero G** see Santopinto JJ et al
- Pini B** see Cipollone F et al
- Piobbici M** see Bo S et al
- Pisacane C** see Sarubbi B et al
- Pitscheider W** see Bosi G et al
- Plokker HWM** see Brueren BRG et al
- Plummer CJ, McComb JM.** An audit of the implications of implementing NICE guidance on the use of implantable cardioverter-defibrillators, **787**
- Pohl T** see Seiler C et al
- Pohle K et al.** Coronary calcifications in young patients with first, unheralded myocardial infarction: a risk factor matched analysis by electron beam tomography, **625**
- Poldermans D** see Bountiokos M et al
see Kertai MD et al
see Yourvouri EC et al
- Pollard SD et al.** Position and Mobilisation Post-Angiography Study (PAMPAS): a comparison of 4.5 hours and 2.5 hours bed rest, **447**
- Pollock JCS** see West M et al
- Pomerantsev E** see Sanchez PL et al
- Pongiglione G** see de Caro E et al
- Poole-Wilson P** see Mahmoudi M et al
see Scoote M et al
- Poole-Wilson PA et al.** Mode of death in heart failure: findings from the ATLAS trial, **42**
- Porto I** see Galiuto L et al
- Poulter N.** Global risk of cardiovascular disease, **ii2**
- Poutanen T et al.** Left atrial and left ventricular function in healthy children and young adults assessed by three dimensional echocardiography, **544**
- Prendergast B** see Saha A et al
see Shaw TRD et al
- Prendergast BD.** HIV and cardiovascular medicine, **793**
- Prescott RJ** see Oxenham H et al
- Price CP** see Kennon S et al
- Pringle M.** Current targets: where are we today?, **ii10**
- Prins J** see Khoury VK et al
- Proietti I** see Ando' G et al
- Proulx F** see Fouron J-C et al
- Pruszczyk P et al.** Short term clinical outcome of acute saddle pulmonary embolism, **335**
- Psarros E** see Kolettis TM et al

- Pullan M** see Al-Ruzzeh S *et al*
Pumphrey CW see Yusuf S *et al*
Puppels GJ see van de Poll SWE *et al*
- Queiroga A et al.** Ablate and pace revisited: long term survival and predictors of permanent atrial fibrillation, **1035**
- Quek SC** see Wong MNL *et al*
Quiles J see Avanzas P *et al*
Quiles J et al. Portable spectral Doppler echocardiographic device: overcoming limitations, **1014**
- Quirke TP et al.** The applicability of the Framingham coronary heart disease prediction function to black and minority ethnic groups in the UK, **785**
- Qureshi SA** see Duke C *et al*
- Rajamannan NM et al.** Calcific aortic stenosis: from bench to the bedside—emerging clinical and cellular concepts, **801**
- Rakhit RD** Learning on the web: Case 2: Patent foramen ovale (PFO) and paradoxical embolism, **1362**
- Rakowski H** see Woo A *et al*
Rambaldi R see Bountiokos M *et al*
 see Coletta C *et al*
Ramdhany S see Barakat K *et al*
Rammos S see Apostolopoulou SC *et al*
Ranjadayalan K see Foo K *et al*
Rao ACR et al. Prospective evaluation of the role of routine cardiac troponin T measurement to identify left ventricular ejection fraction < 40% after first myocardial infarction, **559**
- Rasheed A et al.** Neonatal ECG changes caused by suprathreshold flecainide following treatment for fetal supraventricular tachycardia, **470**
- Rasmussen S** see Abildstrom SZ *et al*
Rattray FM see Antonios TFT *et al*
Raviña TR see Suárez MLR *et al*
Rawles J. GREAT: 10 year survival of patients with suspected acute myocardial infarction in a randomised comparison of prehospital and hospital thrombolysis, **563**
- Raymond I et al.** Prevalence of impaired left ventricular systolic function and heart failure in a middle aged and elderly urban population segment of Copenhagen, **1422**
- Raymond I et al.** The influence of age, sex and other variables on the plasma level of N-terminal pro brain natriuretic peptide in a large sample of the general population, **745**
- Rebuzzi AG** see Galiuto L *et al*
Redberg RF. Are there sex differences in risk factors for coronary heart disease? Maternal versus paternal transmission, **817**
- Reddy GM et al.** Spontaneous dissection of left atrium presenting as pulmonary oedema, **1178**
- Redondo LR** see Suárez MLR *et al*
Redpath TW see Egred M *et al*
Redwood SR see Greaves K *et al*
 see Perera D *et al*
Rees K see Taylor FC *et al*
Reese A see Williams SG *et al*
Reeves B see Taylor F *et al*
Rega L see Casolo G *et al*
Regar E see Schiele TM *et al*
Regenfus M see Pohle K *et al*
Reidy JF see Bell RE and Reidy JF
Reiser M see Leber AW *et al*
Rensing BJ see Ernst JM and Rensing BJ
Rensing BJWM see Brueren BRG *et al*
Renzi M see Coletta C *et al*
Renzulli A see Limongelli G *et al*
Rerkpattanapit P et al. Improved detection of protruding apical thrombus with contrast echocardiography, **1297**
- Res JC** see Kimman GP *et al*
Reuter S see Bordachar P *et al*
Reyes E see Loong CY *et al*
Reynolds MW see Nalysnyk L *et al*
Riaz I see Akowuah EF *et al*
Ricci R see Coletta C *et al*
Richards N see Dewilde S *et al*
Riley J. The nurse as expert practitioner in global cardiovascular risk management, **ii33**
- Rioufol G** see Finet G *et al*
Ristić AD see Maisch B and Ristić AD
- Ritz E.** Minor renal dysfunction: an emerging independent cardiovascular risk factor, **963**
- Rizzello V** see Bountiokos M *et al*
Robb SD see Campbell S *et al*
Roberts D see Hobbs WJ *et al*
Roberts PR see Webb TR *et al*
Robles P Judicious use of transthoracic echocardiography in the diagnosis of infective endocarditis, **1283**
- Rodés-Cabau J et al.** Intravascular ultrasound of the elastic pulmonary arteries: a new approach for the evaluation of primary pulmonary hypertension, **311**
- Rodriguez A et al.** Coronary stenting versus coronary bypass surgery in patients with multiple vessel disease and significant proximal LAD stenosis: results from the ERACI II study, **184**
- Rodriguez BL** see Sekikawa A *et al*
Roelandt JRTC see Bountiokos M *et al*
 see Hokken RB *et al*
 see Kertai MD *et al*
 see Yourvouri EC *et al*
Roelandt JRTC. Ultrasound stethoscopy: a renaissance of the physical examination?, **971**
- Rohde R** see Heublein B *et al*
Romagnoli E see Lanza GA *et al*
Román A see Rodés-Cabau J *et al*
Román JAS et al. Diagnostic accuracy of a new shorter dobutamine infusion protocol in stress echocardiography, **1089**
- Roobottom C** see Morgan-Hughes G *et al*
Roobottom CA see Morgan-Hughes GJ *et al*
Roos-Hesselink JW et al. Aortic valve and aortic arch pathology after coarctation repair, **1074**
- Roos-Hesselink JW** see Nieman K *et al*
Ropers D see Pohle K *et al*
Roques F see Petrou M *et al*
Rosas M see Zabal C *et al*
Rose AJ see Rao ACR *et al*
Rosenthal E see Duke C *et al*
 see Rasheed A *et al*
Rosén M see Abildstrom SZ *et al*
Ross S see Nalysnyk L *et al*
Rossouw F see Hitchcock T *et al*
Rotter M et al. Aortic dissection extending to both carotid arteries, **5**
- Routledge HC et al.** Why cardiologists should be interested in air pollution, **1383**
- Rowland E** see Thaman R *et al*
Royle M see Deepak SM *et al*
Russo MG see Sarubbi B *et al*
 see Volpe P *et al*
Rutsch W see Schiele TM *et al*
Ruygrok PN see West NEJ *et al*
Rydén L see Poole-Wilson PA *et al*
- Sabharwal NK, Lahiri A** Role of myocardial perfusion imaging for risk stratification in suspected or known coronary artery disease, **1291**
- Sachdev B** see Sorajja P *et al*
 see Thaman R *et al*
Safi HJ, Taylor PR. Open surgery for thoracic aortic disease, **825**
- Saga T** see Nakamoto S *et al*
Sagkan O et al. Left circumflex coronary artery arising as a terminal extension of the right coronary artery, **286**
- Saha A et al.** Pacemaker lead fracture, **783**
- Said HGE** see McMahon CJ *et al*
Sairanen H see Poutanen T *et al*
Saito A see Sumitomo N *et al*
Saito Y see Watanabe N *et al*
Sajeev CG et al. An unusual “right atrial mass” on echocardiography, **268**
- Sakabe K** see Soeki T *et al*
Sakamaki F see Tomita T *et al*
Sakamoto T see Kojima S *et al*
Sakanoue Y see Shimada K *et al*
Sakata K et al. QT dispersion and left ventricular morphology in patients with hypertrophic cardiomyopathy, **882**
- Sakurai S et al.** Brain natriuretic peptide facilitates severity classification of stable chronic heart failure with left ventricular dysfunction, **661**
- Salmon AP** see Chakrabarti S *et al*
Salomone OA see Basquiera AL *et al*

- Salustri A, Trambaiolo P.** The “ultrasonic stethoscope”: is it of clinical value?, **704**
- Samani NJ** see Khunti K and Samani NJ
- Sanchez PL.** Acute left ventricular rupture after myocardial infarction, **138**
- Sanchez PL et al.** Direct percutaneous left ventricular puncture, **1031**
- Sanderson JE.** Diastolic heart failure: fact or fiction?, **1281**
see Yu C-M et al
- Sanderson JE, Tse T-F.** Heart failure: a global disease requiring a global response, **585**
- Sangiorgi G, Colombo A.** Embolic protection devices, **990**
- Santana-Boado C** see Candell-Riera J et al
- Santopinto JJ et al.** Creatinine clearance and adverse hospital outcomes in patients with acute coronary syndromes: findings from the global registry of acute coronary events (GRACE), **1003**
- Santoro G** see Casolo G et al
- Santoro L** see Galiuto L et al
- Sarmento-Leite R et al.** Spontaneous coronary artery dissection: stent it or wait for healing?, **164**
- Sarubbi B et al.** Asymptomatic ventricular pre-excitation in children and adolescents: a 15 year follow up study, **215**
- Sarubbi B** see Limongelli G et al
- Sasaki N, Shimoyama M.** Acquired supravalvar type of left ventricular to right atrial communication following non-penetrating cardiac trauma caused by traffic accident, **341**
- Sasaki T** see Miyamoto T et al
- Satler LF** see Finet G et al
- Sato H** see Kinjo K et al
- Sato K** see Goto T et al
- Sato Y et al.** Measurements of cardiac troponin T in patients with hypertrophic cardiomyopathy, **659**
- Satoh T** see Tomita T et al
- Saxena A** see Mohanty A and Saxena A
- Saygili A** see Kula S et al
- Sayin T** see Gülec S et al
- Sbarouni E et al.** Myocardial bridge-like arterial graft compression by draining tube, **822**
- Scaglione L** see Bo S et al
- Scarcia S** see Bosi G et al
- Schaid DJ** see Michels VV et al
- Schalij MJ** see de Groot NMS et al
see Mulder HJGH et al
- Schanzenbächer P, Bauersachs J.** Acquired right coronary artery fistula draining to the right ventricle: angiographic documentation of first appearance following reperfusion after acute myocardial infarction, with subsequent spontaneous closure, **e22**
- Schölzel BE** see Roos-Hesselink JW et al
- Schick EC** see Iskander AS et al
- Schiele TM et al.** Clinical and angiographic acute and follow up results of intracoronary β brachytherapy in saphenous vein bypass grafts: a subgroup analysis of the multicentre European registry of intraluminal coronary β brachytherapy (RENO), **640**
- Schilling RJ** see Markides V and Schilling RJ
- Schinde V** see Brooks A et al
- Schindler TH et al.** Regional myocardial perfusion defects during exercise, as assessed by three dimensional integration of morphology and function, in relation to abnormal endothelium dependent vasoreactivity of the coronary microcirculation, **517**
- Schinkel AFL** see Bountiokos M et al
see Vourvouri EC et al
- Schmidt G** see Bauer A and Schmidt G
- Schmidt H** see Illien S et al
- Schmitt H** see Schwab JO et al
- Schmitt M** see Kuon E et al
- Schmitz F** see Ortlepp JR et al
- Schneider MBE et al.** First human use of a new PFM “Babystent”, **83**
- Schofield PM.** Indications for percutaneous and surgical revascularisation: how far does the evidence base guide us?, **565**
- Scholten M et al.** Comparison of monophasic and biphasic shocks for transthoracic cardioversion of atrial fibrillation, **1032**
- Scholten MF** see Kimman GP et al
- Schranz D** see Michel-Behnke I et al
- Schulz R** see Heusch G and Schulz R
- Schuster P et al.** Colour tissue velocity imaging can show resynchronisation of longitudinal left ventricular contraction pattern by biventricular pacing in patients with severe heart failure, **859**
- Schut A** see Lamfers EJP et al
- Schut TCB** see van de Poll SWE et al
- Schwab JO et al.** The relative contribution of the sinus and AV node to heart rate variability, **337**
- Schwaiger M** see Hauser M et al
- Scognamiglio G** see Sarubbi B et al
- Scoteo M et al.** The therapeutic potential of new insights into myocardial excitation–contraction coupling, **371**
- Seccareccia F** see Coletta C et al
- Seear R** see Ye S et al
- Seguchi O et al.** Multiple coronary artery fistulas visualised by three dimensional computed tomography, **1381**
- Seiler C** The human coronary collateral circulation, **1352**
- Seiler C et al.** Tumour necrosis factor α concentration and collateral flow in patients with coronary artery disease and normal systolic left ventricular function, **96**
- Sekhri N** see Foo K et al
- Sekikawa A et al.** A “natural experiment” in cardiovascular epidemiology in the early 21st century, **255**
- Selvanayagam J** see Soon K et al
- Sembaj A** see Basquiera AL et al
- Simple SK** see Egred M et al
- Senior R** see Greaves K et al
Role of myocardial contrast echocardiography in the clinical evaluation of acute myocardial infarction, **1398**
- Senior R et al.** Screening for left ventricular dysfunction in the community: role of hand held echocardiography and brain natriuretic peptides, **iii24**
- Serrador A** see Román JAS et al
- Serruys PW** see Lee CH et al
- Sestili A** see Coletta C et al
- Sestiito A** see Lanza GA et al
- Seward JB** see Osranek M et al
- Shah D** see Burri H et al
- Sharland GK** see Krapp M et al
- Sharma R** see Pellerin D et al
- Sharma S** see Firoozi S et al
- Sharma SK** see Doshi SN et al
- Sharples LD** see Petrou M et al
- Shaw TRD et al.** Clinical and haemodynamic profiles of young, middle aged, and elderly patients with mitral stenosis undergoing mitral balloon valvotomy, **1430**
- Shaw TRD et al.** Left atrial standstill in a patient with mitral stenosis and sinus rhythm: a risk of thrombus hidden by left and right atrial electrical dissociation, **1173**
- Shen XQ** see Tang JJ et al
- Shibata T** see Sumitomo N et al
- Shimada K et al.** Assessment of myocardial viability using coronary zero flow pressure after successful angioplasty in patients with acute anterior myocardial infarction, **71**
- Shimada K** see Arakawa H et al
see Miyazaki T et al
see Nonaka-Sarukawa M et al
- Shimizu M** see Sakata K et al
- Shimokata K** see Kondo T et al
- Shimomura H** see Hayashi T et al
- Shimoyama M et al.** Complete occlusion of the abdominal aorta with a solitary kidney, **76**
- Shimoyama M** see Sasaki N and Shimoyama M
- Shinohara H** see Soeki T et al
- Shinohara T** see Nakamoto S et al
- Shiotani I** see Kinjo K et al
- Shishkov M** see Bouma BE et al
- Shiu MF** see Constantinides SS et al
- Shrivastava V et al.** Coronary artery aneurysm with a fistulous connection to the right atrium mimicking a sinus of Valsalva aneurysm, **e4**
- Shteinshnaider M** see Cohen N et al
- Sica V** see Napoli C et al
- Sideris DA** see Kolettis TM et al
- Sidi D** see Agnoletti G et al
see Butera G et al
- Siegel RJ** see Atar S et al
- Signy M** see Perera D et al
- Silber S** see Schiele TM et al
- Silverman ME** Maurice Campbell: first editor of *Heart*, **1379**

- Simmers T** *et al.* Catheter ablation of sinoatrial re-entry tachycardia in a 2 month old infant, **e1**
- Simmers TA, Kirkels JH.** Giant P waves, **1151**
- Simó M** *see* Candell-Riera J *et al*
- Simon M** *see* Garot P *et al*
- Simoons ML** *see* Roos-Hesselink JW *et al*
- Simpson IA** Echocardiography 2003, **iii1**
see Wong YK *et al*
- Simpson IA, Hall R.** Heart mini-symposia, **980**
- Simpson J** *see* Rasheed A *et al*
- Simpson JM** *see* Krapp M *et al*
- Sinagra G** *see* Maggioni AP *et al*
- Singer DRJ** *see* Antonios TFT *et al*
- Singer H** *see* Koch A and Singer H
- Singh R** *see* Ackland F *et al*
- Sinvhal RM** *et al.* Enhanced external counterpulsation for refractory angina pectoris, **830**
- Sirel JM** *see* Pell JP *et al*
- Sivaprakasam R** *see* Slight RD *et al*
- Six AJ** *see* Brueren BRG *et al*
- Skene C, Timmis AD.** Non-haemorrhagic cardiac tamponade caused by a horse kick, **330**
- Skinner JS** *see* Awad-Elkarim AA *et al*
- Skjoldborg US** *see* Gaster AL *et al*
- Slight RD** *et al.* Cor triatriatum sinister presenting in the adult as mitral stenosis, **e26**
- Smedema JP** *see* van Kimmenade R *et al*
- Smilde TJ** *see* van Wissen S *et al*
- Smith D.** The CARDia trial protocol, **1125**
- Smith F** *see* Wong YK *et al*
- Smith GCS** *see* Pell JP *et al*
- Smith GD** *see* Kinra S *et al*
- Smith J** *et al.* Effect of temperature on the Brugada ECG, **272**
- Smith SCH** *see* Trevelyan J *et al*
- Soejima H** *see* Kojima S *et al*
- Soeki T** *et al.* Relation between circulating soluble Fas ligand and subsequent ventricular remodelling following myocardial infarction, **339**
- Sohmiya K** *see* Hayashi T *et al*
- Sole MJ** *see* Woo A *et al*
- Soler-Peter M** *see* Candell-Riera J *et al*
- Soler-Soler J** *see* Candell-Riera J *et al*
see Ferreira I *et al*
see Rodés-Cabau J *et al*
- Solomon H** *et al.* Erectile dysfunction and the cardiovascular patient: endothelial dysfunction is the common denominator, **251**
Role of exercise treadmill testing in the management of erectile dysfunction: a joint cardiovascular/erectile dysfunction clinic, **671**
- Solzbach U** *see* Schindler TH *et al*
- Soon K** *et al.* Malposition of ventricular pacemaker lead as an incidental finding, **332**
- Sorajja P** *et al.* Cardiac abnormalities in patients with Leber's hereditary optic neuropathy, **791**
- Soria F** *see* Pascual M *et al*
- Sosin MD** *et al.* β Thalassaemia major and severe left ventricular dysfunction, **1162**
Should you remove an implantable loop recorder after the diagnosis is made?, **1013**
- Sosner P** *see* Coisne D *et al*
- Spanos V** *see* Airoldi F *et al*
- Spitaels SEC** *see* Roos-Hesselink JW *et al*
- Spooner R** *see* Campbell S *et al*
- Squire IB** *see* Blackledge HM *et al*
- Sreeram N** *see* Simmers T *et al*
- Stalenhoef AFH** *see* van Wissen S *et al*
- Stankovic G** *see* Airoldi F *et al*
- Steenagaard-Hansen F** *see* Raymond I *et al*
- Stefanadis C** *see* Tousoulis D *et al*
see Tsiamis E *et al*
- Steidel K** *see* Weidenbach M *et al*
- Steinbeck G** *see* Leber AW *et al*
- Stellmacher U** *see* Hoeper MM *et al*
- Stephens J** *see* Akowuah EF *et al*
- Stern EJ** *see* Heath M *et al*
- Stewart MJ.** Contrast echocardiography, **342**
- Stewart MJ** *see* Halmey N *et al*
- Stewart S** *et al.* Heart failure and the aging population: an increasing burden in the 21st century?, **49**
The current cost of angina pectoris to the National Health Service in the UK, **848**
- Stieh J** *see* Fischer G *et al*
- Stiller B** *see* Hakami A *et al*
- Stolwijk PWJ** *see* Lamfers EJP *et al*
- Strijder C** *see* van de Poll SWE *et al*
- Struthers AD** *see* Wong KYK *et al*
- Stubbs PJ** *see* Collinson PO *et al*
see Collinson PO and Stubbs PJ
- Stümper O** *et al.* Modified technique of stent fenestration of the atrial septum, **1227**
- Suárez MLR** *et al.* Aortic abscess, **316**
- Suefuji H** *see* Kojima S *et al*
- Sugeng L** *et al.* Left ventricular assessment using real time three dimensional echocardiography, **iii29**
- Sugiura T** *see* Goto T *et al*
- Sugiyama S** *see* Kojima S *et al*
- Suliman A** *see* Foo K *et al*
- Sumitomo N** *et al.* Catecholaminergic polymorphic ventricular tachycardia: electrocardiographic characteristics and optimal therapeutic strategies to prevent sudden death, **66**
- Sumiyoshi M** *see* Takaya N *et al*
- Sunagawa K** *see* Tomita T *et al*
- Sunthorn H** *see* Burri H *et al*
- Supanantaroek C** *see* Dens JA *et al*
- Suresh V, Levy R.** Vasospastic angina, **198**
- Sutaria N** *see* Shaw TRD *et al*
- Sutherland G.** Smoking: can we really make a difference?, **ii25**
- Sutton-Tyrrell K** *see* Sekikawa A *et al*
- Suttorp MJ** *see* Brueren BRG *et al*
- Suyama K** *see* Takagi M *et al*
- Swahn E** *see* Janzon M *et al*
- Swan L** *et al.* Exercise systolic blood pressures are of questionable value in the assessment of the adult with a previous coarctation repair, **189**
- Sweeney MG** *see* Sorajja P *et al*
- Sweetnam PM** *see* Yu S *et al*
- Sybrandy KC** *et al.* Diagnosing cardiac contusion: old wisdom and new insights, **485**
- Syed H** *et al.* Right atrial tumour mass of unusual origin, **1335**
- Syrris P** *see* Sorajja P *et al*
- Szezepanski I** *see* Agnoletti G *et al*
- Szili-Torok T** *see* Kimman GP *et al*
see Scholten M *et al*
- Tacacs A** *see* Hoeper MM *et al*
- Taggart DP** *see* Gunn J and Taggart DP
- Taggart DP** *et al.* Neuroprotection during cardiac surgery: a randomised trial of a platelet activating factor antagonist, **897**
- Taguchi A** *see* Takagi M *et al*
- Tajana G** *see* Napoli C *et al*
- Takagi M** *et al.* Abnormal response to sodium channel blockers in patients with Brugada syndrome: augmented localised wall motion abnormalities in the right ventricular outflow tract region detected by electron beam computed tomography, **169**
- Takagi M** *see* Doi A *et al*
- Takagi M** *et al.* The "pop phenomenon" detected by phased array intracardiac echocardiography, **706**
- Takagi S** *see* Tomita T *et al*
- Takagi T** *see* Hozumi T *et al*
- Takaki H** *see* Tomita T *et al*
- Takamiya M** *see* Takagi M *et al*
- Takano H** *see* Nonaka-Sarukawa M *et al*
- Takase H** *see* Goto T *et al*
- Takatsu Y** *see* Sato Y *et al*
- Takaya N** *et al.* Prolonged cardiac arrest caused by glossopharyngeal neuralgia, **381**
- Takeda H** *see* Kinjo K *et al*
- Takeuchi K** *see* Doi A *et al*
see Muro T *et al*
see Shimada K *et al*
- Takeuchi M** *see* Nohtomi Y *et al*
- Takkenberg JJM** *see* Hokken RB *et al*
- Taliano C** *see* Bo S *et al*
- Tamura Y** *see* Soeki T *et al*
- Tan J** *see* Saha A *et al*

- Tan L-B** see Williams SG *et al*
Tanaka R see Kotooka N *et al*
Tang JJ *et al*. Transcatheter closure of large fistula between left main coronary artery and right atrium using Amplatzer duct occluder, **772**
Tang KKY see Cheung EWY *et al*
Täng MS see Bollano E *et al*
Taniguchi K see Sakurai S *et al*
Taniguchi R see Sato Y *et al*
Tanner MA, Ward D. Percutaneous technique for the reduction of knotted coronary catheters, **1132**
Tardif JC see Rodés-Cabau J *et al*
Tasker AD see Groves AM and Tasker AD
Tavani A *et al*. Carbohydrates, dietary glycaemic load and glycaemic index, and risk of acute myocardial infarction, **722**
Tavano D see Airoldi F *et al*
Tavazzi L see Maggioni AP *et al*
Taylor F *et al*. Accuracy of reporting cardiac related events during long term follow up, **331**
Taylor FC *et al*. Socioeconomic deprivation is a predictor of poor postoperative cardiovascular outcomes in patients undergoing coronary artery bypass grafting, **1062**
Taylor K see Al-Ruzzeq S *et al*
Taylor KM. The Edinburgh heart valve study, **697**
Taylor PR see Safi HJ and Taylor PR
Tcheng JE see Gurm HS *et al*
Tearney GJ see Bouma BE *et al*
Tébar FJ see Pascual M *et al*
Teiger E see Garot P *et al*
ten Berg JM see Brueren BRG *et al*
Tentolouris C see Tousoulis D *et al*
Teragaki M see Doi A *et al*
Terai H see Sakata K *et al*
Terai M see Funabashi N *et al*
Teramoto K see Funabashi N *et al*
Terasaki F see Hayashi T *et al*
Terashima M see Seguchi O *et al*
Terkelsen CJ *et al*. Are we underestimating the full potential of early thrombolytic treatment in patients with acute myocardial infarction?, **483**
Teruhiko A see Gaku S *et al*
Thackray SDR see Witte KKA *et al*
Thaman R *et al*. Pregnancy related complications in women with hypertrophic cardiomyopathy, **752**
 Restrictive transmural filling patterns predict improvements in left ventricular function after biventricular pacing, **1087**
Thanopoulos BD *et al*. Transcatheter closure of perimembranous ventricular septal defects with the Amplatzer asymmetric ventricular septal defect occluder: preliminary experience in children, **918**
Thayssen P see Gaster AL *et al*
Thayyil S see Ackland F *et al*
Theuns DAMJ see Kimman GP *et al*
Thiene G see Basso C *et al*
 see Dimopoulos K *et al*
Thilo C see Leber AW *et al*
Thomas E see Chakrabarti S *et al*
Thuesen L see Falk E and Thuesen L
Thul J see Michel-Behnke I *et al*
Thum P see Chatterjee T *et al*
Thygesen K see Poole-Wilson PA *et al*
Tiefenbacher C see Meyborg M *et al*
Tikanoja T see Poutanen T *et al*
Timmis AD see Barakat K *et al*
 see Foo K *et al*
 see Kennon S *et al*
 see Skene C and Timmis AD
Timmis AD. Plaque stabilisation in acute coronary syndromes: clinical considerations, **1268**
Timperley J *et al*. Contrast echocardiography for left ventricular opacification, **1394**
Timperley J see Mitchell ARJ *et al*
Tio RA see Wijpkema JS *et al*
Tirilomis T. Heart research and ancient Greek medicine, **2**
Tüller D see Wallmann D *et al*
Toda G see Doi Y *et al*
Toda I see Doi A *et al*
 see Takagi M *et al*
Tognoni G see Maggioni AP *et al*
Tomcsányi J *et al*. Brugada-like acute myocardial infarction, **1199**
Tomita T *et al*. Attenuation of hypercapnic carbon dioxide chemosensitivity after postinfarction exercise training: possible contribution to the improvement in exercise hyperventilation, **404**
Tomkowski W see Pruszczyk P *et al*
Tomlinson J see Blackledge HM *et al*
Tonge K see Syed H *et al*
Topol EJ see Casserly IP and Topol EJ
 see Gurm HS *et al*
Topsakal R *et al*. Acute myocardial infarction caused by gunshot wound, **326**
Torbicki A see Pruszczyk P *et al*
Toriyama T see Goto T *et al*
Tornos P see Ferreira I *et al*
Tornos P. Management of prosthetic valve endocarditis: a clinical challenge, **245**
Touboul P see Burri H *et al*
Tousoulis D *et al*. Effects of L-arginine on flow mediated dilatation induced by atrial pacing in diseased epicardial coronary arteries, **531**
 Inflammatory and thrombotic mechanisms in coronary atherosclerosis, **993**
Toutouzas K see Tsiamis E *et al*
Toutouzas P see Tousoulis D *et al*
Townend JN see Routledge HC *et al*
Townsend JN see Khogali SS *et al*
Townsend M see James M *et al*
Trambaiolo P see Salustri A and Trambaiolo P
Trawinski J see Bay M *et al*
 see Raymond I *et al*
Tremble JM see De Freitas S *et al*
Trevelyan J *et al*. Sources of diagnostic inaccuracy of conventional versus new diagnostic criteria for myocardial infarction in an unselected UK population with suspected cardiac chest pain, and investigation of independent prognostic variables, **1406**
Trip MD see van Wissen S *et al*
Trivedi U see Al-Ruzzeq S *et al*
Troughton RW *et al*. The role of echocardiography in atrial fibrillation and cardioversion, **1447**
Tsai MY see Gülec S *et al*
Tsaousis GS see Thanopoulos BD *et al*
Tse H-F, Ho H-H. Sudden cardiac death caused by hypertrophic cardiomyopathy associated with midventricular obstruction and apical aneurysm, **178**
Tse T-F see Sanderson JE and Tse T-F
Tsiamis E *et al*. Spontaneous coronary artery dissection in a premenopausal woman presenting with transient ST segment elevation, **1326**
Tsui K-L *et al*. Coronary rupture as a rare cause of acute myocardial ischaemia two months after angioplasty and stenting, **1315**
Tunaoglu SF see Kula S *et al*
Tutar E *et al*. Incidence of pericardial effusion during attacks of familial Mediterranean fever, **1257**
Tuxen C see Raymond I *et al*
Tzeng B-H see Williams SG *et al*
Uchida F see Matsuoka K *et al*
Uebing A see Fischer G *et al*
Ueda R see Goto T *et al*
Ueda Y see Hozumi T *et al*
Ueno S see Arakawa H *et al*
Ueshima H see Sekikawa A *et al*
Ukimura A see Hayashi T *et al*
Underwood SR see Loong CY *et al*
Ung T *et al*. Long term warfarin associated with bilateral blindness in a patient with atrial fibrillation and macular degeneration, **985**
Urban P see Schiele TM *et al*
Uretsky BF see Poole-Wilson PA *et al*
Ushinohama H see Sumitomo N *et al*
Ussia GP see de Caro E *et al*
Vaccari M see Bosi G *et al*
Valdés M see Pascual M *et al*
Valente M see Basso C *et al*

- van de Poll SWE et al.** On-line detection of cholesterol and calcification by catheter based Raman spectroscopy in human atherosclerotic plaque *ex vivo*, **1078**
- van den Berg MP et al.** Role of the autonomic nervous system in vagal atrial fibrillation, **333**
- van der Laarse A** *see* van de Poll SWE *et al*
- van der Loo B, Jenni R.** Acute aortic syndrome: proposal for a novel classification, **928**
- van der Wall EE** *see* de Groot NMS *et al*
- van Domburg RT** *see* Vourvouri EC *et al*
- van Geel PP** *see* Mulder HJGH *et al*
- van Gelder LM** *see* Bracke FA *et al*
- van Gilst WH** *see* Mulder HJGH *et al*
- van Herwerden LA** *see* Hokken RB *et al*
- van Hoe L** *see* Vanderheyden M *et al*
- van Kimmenade R et al.** Rheumatic carditis in an 18 year old man, **1066**
- van Suylen RJ** *see* van Kimmenade R *et al*
- van Urk H** *see* Kertai MD *et al*
- van Wissen S et al.** Long term statin treatment reduces lipoprotein(a) concentrations in heterozygous familial hypercholesterolaemia, **893**
- Vanderheyden M et al.** Partial anomalous pulmonary venous connection or scimitar syndrome, **761**
- Vano E.** Radiation exposure to cardiologists: how it could be reduced, **1123**
- Varnava A** *see* Thaman R *et al*
- Vasan RS.** Cardiac function and obesity, **1127**
- Vassallo M** *see* Volpe P *et al*
- Vecchia CL** *see* Tavani A *et al*
- Vecchiet J** *see* Cipollone F *et al*
- Velavan P, Chauhan A.** An unusual presentation of delayed cardiac perforation caused by atrial screw-in lead, **364**
- Veldtman GR et al.** Low pressure giant pulmonary artery aneurysms in the adult: natural history and management strategies, **1067**
- Venugopal** *see* Sajeev CG *et al*
- Verheugt FWA** *see* Lamfers EJP *et al*
- Vettukattil J** *see* Stümper O *et al*
- Vettukattil JJ** *see* Chakrabarti S *et al*
- Veyrat C** *see* Pellerin D *et al*
- Vicente T** *see* Pascual M *et al*
- Viganò M** *see* Cerveri I *et al*
- Vignati G** *see* Agnoletti G *et al*
- Villain E** *see* Butera G *et al*
- Vincent R.** Resuscitation, **673**
- Vinoreanu D et al.** Conduit arterial stiffness is associated with impaired left ventricular subendocardial function, **449**
- Virmani R et al.** Drug eluting stents: are human and animal studies comparable?, **133**
- Visser CA.** Left ventricular remodelling after myocardial infarction: importance of residual myocardial viability and ischaemia, **1121**
- Vletter WB** *see* Vourvouri EC *et al*
- Vogel D** *see* Rodriguez A *et al*
- Vogt P** *see* Michel-Behnke I *et al*
- Volpe P et al.** Common arterial trunk in the fetus: characteristics, associations, and outcome in a multicentre series of 23 cases, **1437**
- von Birgelen C** *see* Gaster AL *et al*
- von der Recke G** *see* Illien S *et al*
- Voudris V** *see* Cokkinos DV *et al*
- Vourvouri EC et al.** Clinical utility and cost effectiveness of a personal ultrasound imager for cardiac evaluation during consultation rounds in patients with suspected cardiac disease, **727**
- Vourvouri EC** *see* Bountiokos M *et al*
- Waagstein F** *see* Bollano E *et al*
- Waagstein L** *see* Herlitz J *et al*
- Wade DT** *see* Taggart DP *et al*
- Wainscoat JS** *see* Westwood MA *et al*
- Waiter GD** *see* Egred M *et al*
- Waldecker B** *see* Schwab JO *et al*
- Wales C** *see* Gunn J *et al*
see Pollard SD *et al*
- Walker A** *see* Stewart S *et al*
- Walker NL** *see* Pell JP *et al*
- Wallmann D et al.** Frequent atrial premature contractions as a surrogate marker for paroxysmal atrial fibrillation in patients with acute ischaemic stroke, **1247**
- Walter RSM** *see* Wong KYK *et al*
- Walton S** *see* Egred M *et al*
- Wang T-L, Hung C-R.** Enhanced endothelin-1 degradation by intravenous morphine in patients with congestive heart failure: role of neutral endopeptidase 24.11, **211**
- Ward D** *see* Tanner MA and Ward D
- Warnes C** *see* Osranek M *et al*
- Warnes CA.** Bicuspid aortic valve and coarctation: two villains part of a diffuse problem, **965**
- Warnes CA** *see* Veldtman GR *et al*
- Watanabe H** *see* Muro T *et al*
- Watanabe N et al.** Intramyocardial coronary flow characteristics in patients with hypertrophic cardiomyopathy: non-invasive assessment by transthoracic Doppler echocardiography, **657**
- Webb DJ** *see* Apostolopoulos SC *et al*
- Webb G** *see* Swan L *et al*
- Webb GD.** Challenges in the care of adult patients with congenital heart defects, **465**
- Webb S** *see* Anderson RH *et al*
see Moorman A *et al*
- Webb TR et al.** Epidural haematoma presenting as polymorphic ventricular tachycardia, **316**
- Weber S** *see* Schwab JO *et al*
- Weidenbach M et al.** Infective endocarditis with progressive periaortic abscess formation in a previously healthy girl, **730**
- Weinert L** *see* Sugeng L *et al*
- Weintraub RG** *see* Cheung MMH *et al*
- Weissman NJ** *see* Finet G *et al*
- Weitzenblum E.** Chronic cor pulmonale, **225**
- Welch A** *see* Egred M *et al*
- Wells Z** *see* Barakat K *et al*
- Wendelboe Nielsen O et al.** Survival differences between heart failure in general practices and in hospitals, **1298**
- West M et al.** Surgical resection of multiple right atrial masses in a child with β thalassaemia and receiving desferioxamine, **501**
- West NEJ et al.** Artefactual occlusion of the left subclavian artery during graft angiography, **1335**
- Westwood MA et al.** An incidental case of thrombus formation in a patient with a portacath inserted for regular blood transfusions, **244**
- Wheatley DJ** *see* Oxenham H *et al*
- Wheatley DJ.** Protecting the damaged heart during coronary surgery, **367**
- Whitbourn R** *see* Kennon S *et al*
- White C** *see* Leber AW *et al*
- White HD** *see* Hyde TA *et al*
- Whitlock RML** *see* Hyde TA *et al*
- Wigle ED** *see* Woo A *et al*
- Wijns W** *see* Schiele TM *et al*
- Wijkema JS et al.** Life threatening total occlusion of the left coronary artery after acetylcholine infusion, **1137**
- Wilkinson JL** *see* Cheung MMH *et al*
- Wilkoff BL** *see* Gimbel JR and Wilkoff BL
- Williams AJ** *see* Scoote M *et al*
- Williams B.** Drug treatment of hypertension: implications of ALLHAT, **589**
- Williams SG et al.** Safety and potential benefits of low dose diamorphine during exercise in patients with chronic heart failure, **1085**
- Witte KKA et al.** Pattern of ventilation during exercise in chronic heart failure, **610**
The effects of α and β blockade on ventilatory responses to exercise in chronic heart failure, **1169**
- Wittkamp F** *see* Simmers T *et al*
- Wong C-K** *see* Hyde TA *et al*
- Wong KYK et al.** Long QTc predicts future cardiac death in stroke survivors, **377**
- Wong MNL et al.** Persistent truncus arteriosus with absence of right pulmonary artery, **549**
- Wong YK et al.** Improving the positive predictive value of exercise testing in women, **1416**
- Woo A et al.** Mutations of the β myosin heavy chain gene in hypertrophic cardiomyopathy: critical functional sites determine prognosis, **1179**
- Wood ND** *see* Sorajja P *et al*
- Wren C et al.** Cardiovascular malformations in infants of diabetic mothers, **1217**
- Wright DJ** *see* Williams SG *et al*
- Wright JGC** *see* Chakrabarti S *et al*
see Stümper O *et al*
- Yabushita H** *see* Bouma BE *et al*

- Yalçinkaya F** see Tutar E *et al*
Yamada A see Nohtomi Y *et al*
Yamada T see Sato Y *et al*
Yamada Y see Kinjo K *et al*
Yamagishi H see Muro T *et al*
 see Shimada K *et al*
Yamagishi M see Fujii H *et al*
 see Nojima Y *et al*
 see Ogata C *et al*
Yamaguchi M see Sakata K *et al*
Yamamoto K see Arakawa H *et al*
 see Nonaka-Sarukawa M *et al*
Yamamuro A see Hozumi T *et al*
Yamaura Y see Watanabe N *et al*
Yamawaki T see Nohtomi Y *et al*
Yano K see Doi A *et al*
Yap YG, Camm AJ Drug induced QT prolongation and torsades de pointes, **1363**
Yarnell JWG see Yu S *et al*
Yasuda M *et al*. ICD lead implantation via persistent left superior vena cava, **1307**
Yasuda T see Sumitomo N *et al*
Yasumura Y see Tomita T *et al*
Yates RWM see Andrews RE *et al*
Yazici M see Sagkan O *et al*
Ye S *et al*. Epistatic interaction between variations in the angiotensin I converting enzyme and angiotensin II type 1 receptor genes in relation to extent of coronary atherosclerosis, **1195**
Yilmaz M *et al*. Right atrial thrombus following closure of an atrial septal defect, **726**
Yilmaz MB *et al*. Persisting fever in a patient with brucella endocarditis: occult splenic abscess, **e20**
Yoshida K see Funabashi N *et al*
 see Hozumi T *et al*
 see Watanabe N *et al*
Yoshikawa J see Doi A *et al*
 see Hozumi T *et al*
 see Muro T *et al*
 see Shimada K *et al*
 see Takagi M *et al*
Yoshimura M see Kojima S *et al*
Yoshiyama M see Doi A *et al*
 see Muro T *et al*
 see Shimada K *et al*
Young T see Melville MR *et al*
Yu C-M *et al*. High prevalence of left ventricular systolic and diastolic asynchrony in patients with congestive heart failure and normal QRS duration, **54**
Yu S *et al*. What level of physical activity protects against premature cardiovascular death? The Caerphilly study, **502**
Yun YS see Lee JY *et al*
Yusuf S *et al*. Left atrial thrombus caused by the primary antiphospholipid syndrome causing critical functional mitral stenosis, **262**
Zabal C *et al*. The adult patient with native coarctation of the aorta: balloon angioplasty or primary stenting?, **77**
Zadik P see Akowuch EF *et al*
Zaidenstein R see Cohen N *et al*
Zamorano J see Moreno R *et al*
Zamvar V see Al-Ruzzeh S *et al*
Zeller M see Woo A *et al*
Zhang Q see Yu C-M *et al*
Zhao M-S see Woo A *et al*
Zhao SZ see Nalysnyk L *et al*
Zhou SH see Tang JJ *et al*
Zsoldos A see Tomcsányi J *et al*
Zwinderman AH see Mulder HJGH *et al*