[gw22-e1024]

GENETICALLY ENGINEERED MESENCHYMAL STEM CELLS TO CREATE CARDIAC PACEMAKER CELLS

Ya-feng Zhou, Xiang-jun Yang, Hong-xia Li, Lian-hua Han, Wen-ping Jiang *Department of Cardiology, The First Affiliated Hospital of Soochow University, Suzhou City, Jiangsu Province, China*

10.1136/heartjnl-2011-300867.255

Objective The study was to test proof-of-principle if genetically engineered mesenchymal stem cells (MSCs) transfected with HCN2 genes can be modified to be cardiac pacemaker cells.

Methods (1) MSCs of rabbit were isolated from the posterior iliac crest of rabbit and were used from passages 2 to 4. (2) The self-inactivating HIV1-based lentiviral vector (LentiV) was used as transgene delivery, which was constructed with plasmid hHCN2/pcDNA3. (3) Total RNA was extracted from control MSCs and those transfected with hHCN2, and RT-PCR was performed. (4) Membrane proteins were extracted from control MSCs and those transfected with hHCN2. Western blot analysis was performed. (5) Whole-cell patch clamp was used to study membrane currents.

Results (1) In addition to expressing characteristic hHCN2 protein, mHCN2-transfected hMSCs also express an anticipated high level of hHCN2 gene by RT-PCR and Western blot analysis. (2) I_f was elicited using hyperpolarising steps in 10-mV increments from -40 to -140 mV, and it was significantly inhibited by 4 mM cesium chloride. (3) The coculture beating rate of cardiac myocytes was 87 ± 11 bpm when MSCs were transfected with control plasmid (expressing only GFP) and 149 ± 14 bpm when MSCs were expressing both GFP+hHCN2 ($p < 0.05$).

Conclusions The MSC expressing hHCN2 is a demonstration of feasibility of preparing MSC-based biological pacemaker cells. MSCs transfected with hHCN2 genes by LentiV are

capable of actively pacing ventricular cardiac myocytes and can be modified to be cardiac pacemaker cells.