

Web-only References

1. McKeigue PM, Ferrie JE, Pierpoint T, Marmot MG. Association of early onset coronary heart disease in South Asian men with glucose intolerance and hyperinsulinaemia. *Circulation* 1993;87:152-61.
2. Anand SS, Yusuf S, Vuksan V et al. Differences in risk factors, atherosclerosis, and cardiovascular disease between ethnic groups in Canada: the Study of Health Assessment and Risk in Ethnic groups (SHARE). *The Lancet* 2000;356:279-84.
3. Forouhi NG, Sattar N, McKeigue PM. Relation of C-reactive protein to body fat distribution and features of the metabolic syndrome in Europeans and South Asians. *Int J Obes Relat Metab Disord* 2001;25:1327-231.
4. Chambers JC, McGregor A, Jean-Marie J, Kooner, J.S. Abnormalities of vascular endothelial function may contribute to increased coronary heart disease risk in UK Indian Asians. *Heart* 1999;5:501-4.
5. Luc G, Bard J-M, Arveiler D et al. Lipoprotein(a) as a predictor of coronary heart disease: the PRIME Study. *Atherosclerosis* 2002;163:377-84.
6. Ascherio A, Cho E, Walsh K, Sacks FM, Willett WC, Faruqui A. Premature coronary deaths in Asians. *Br Med J* 1996;312:508.
7. Hughes LO, Wojciechowski AP, Raftery EP. Relationship between plasma cholesterol and coronary artery disease in Asians. *Atherosclerosis* 1990;83:15-20.
8. Shaikat N, de Bono DP, Cruickshank JK. Clinical features, risk factors, and referral delay in British patients of Indian and European origin with angina matched for age and extent of coronary atheroma. *Br Med J* 1993;307:717-8.
9. Chaturvedi N, Rai H, Ben-Shlomo Y. Lay diagnosis and health-care-seeking behaviour for chest pain in south Asians and Europeans. *Lancet* 1997;350:1578-83.

10. Lear JT, Lawrence IG, Pohl JE, Burden AC. Myocardial infarction and thrombolysis: a comparison of the Indian and European populations on a coronary care unit. *J R Coll Physicians Lond* 1994;28:143-7.
11. Fang J, Madhavan S, Alderman MH. The association between birthplace and mortality from cardiovascular causes among Black and White residents of New York City. *N Engl J Med* 1996;335:1545-51.
12. Zoratti R, Godsland IF, Chaturvedi N, Crook D, Stevenson JC, McKeigue PM. Relation of plasma lipids to insulin resistance, nonesterified fatty acid levels, and body fat in men from three ethnic groups: relevance to variation in risk of diabetes and coronary disease. *Metabolism* 2000;49:245-52.
13. Ayanian JZ, Udvarhelyi S, Gatsonis CA, Pashos CL, Epstein AM. Racial differences in the use of revascularisation procedures after angiography. *J Am Med Assoc* 1993;269:2642-6.
14. Chaturvedi N, Athanassopoulos G, McKeigue PM, Marmot MG, Nihoyannopoulos P. Echocardiographic measures of left ventricular structure and their relation with rest and ambulatory blood pressure in blacks and whites in the United Kingdom. *J Am Coll Cardiol* 1994;24:1499-505.
15. Grim CE, Luft FC, Miller JZ et al. Racial differences in blood pressure in Evans County, Georgia: relationship to sodium and potassium intake and plasma renin activity. *J Chronic Dis* 1980;33:87-94.
16. Lip GY, Beevers DG. Epidemiology of aortic aneurysm and peripheral vascular disease may show ethnic differences (letter). *Br Med J* 1996;313:173.
17. Mohan V, Premalatha G, Sastry NG. Peripheral vascular disease in non-insulin-dependent diabetes mellitus in south India. *Diabetes Res Clin Pract* 1995;27:235-40.
17. Premalatha G, Markovitz J, Shanthirani S, Mohan V, Deepa R. Prevalence and risk factors of peripheral vascular disease in a selected South Indian population. *Diabetes Care* 2000;23:1295-300.

18. McKeigue PM, Marmot MG, Adelstein AM et al. Diet and risk factors for coronary heart disease in Asians in north-west London. *Lancet* 1985;2:1086-90.

20. Lip GYH, Rathore VS, Katira R, et al. Do Indo-Asians have smaller coronary arteries? *Postgrad Med J* 1999;75:463-466.