

Web-only References

1. Aggeli C, Pitsavos C, Brili S, *et al.* Relevance of adenosine deaminase and lysozyme measurements in the diagnosis of tuberculous pericarditis. *Cardiology* 2000;**94**(2):81-5.
2. Bishiniotis TS, Antoniadou S, Katseas G, *et al.* Malignant cardiac tamponade in women with breast cancer treated by pericardiocentesis and intrapericardial administration of triethylenethiophosphoramidate (thiotepa). *Am J Cardiol* 2000;**86**(3):362-4.
3. Boonyaratavej S, Oh JK, Tajik AJ, Appleton CP, Seward JB. Comparison of mitral inflow and superior vena cava Doppler velocities in chronic obstructive pulmonary disease and constrictive pericarditis. *J Am Coll Cardiol* 1998;**32**(7):2043-8.
4. Burgess LJ, Reuter H, Carstens ME, *et al.* The use of adenosine deaminase and interferon-gamma as diagnostic tools for tuberculous pericarditis. *Chest* 2002;**122**(3):900-5.
5. Burgess LJ, Reuter H, Taljaard JJ, Doubell AF. Role of biochemical tests in the diagnosis of large pericardial effusions. *Chest* 2002;**121**(2):495-499.
6. Callahan JA, Seward JB. Pericardiocentesis guided by two-dimensional echocardiography. *Echocardiography* 1997;**14**:497-504.
7. D'Cruz IA, Rehman AU, Hancock HL. Quantitative echocardiographic assessment in pericardial disease. *Echocardiography* 1997;**14**(2):207-213.
8. Fijalkowska A, Szturmowicz M, Tomkowski W, *et al.* The value of measuring adenosine deaminase activity in pericardial effusion fluid for diagnosing the etiology of pericardial effusion. *Pneumonol Alergol Pol* 1996;**64**(Suppl. 2):174-179.
9. Garcia LW, Ducatman BS, Wang HH. The value of multiple fluid specimens in the cytological diagnosis of malignancy. *Mod Pathol* 1994;**7**(6):665-668.
10. Horneffer PJ, Miller RH, Pearson TA, *et al.* The effective treatment of postpericardiotomy syndrome after cardiac operations. A randomized placebo-controlled trial. *J Thorac Cardiovasc Surg* 1990;**100**(2):292-296.
11. Horowitz MS, Schultz CS, Stinson EB, *et al.* Sensitivity and specificity of echocardiographic diagnosis of pericardial effusion. *Circulation* 1974;**50**:239-247.
12. Hufnagel G, Pankuweit S, Richter A, *et al.* The European Study of Epidemiology and Treatment of Cardiac Inflammatory Diseases (ESETCID). First epidemiological results. *Herz* 2000;**25**(3):279-285.
13. Isselbacher EM, Cigarroa JE, Eagle KA. Cardiac tamponade complicating proximal aortic dissection: Is pericardiocentesis harmful? *Circulation* 1994;**90**:2375-2379.
14. Komsuoglu B, Goldeli O, Kulan K, *et al.* The diagnostic and prognostic value of adenosine deaminase in tuberculous pericarditis. *Eur Heart J* 1995;**16**:1126-1130.
15. Kudo Y, Yamasaki F, Doi Y, Sugiura T. Clinical correlates of PR-segment depression in asymptomatic patients with pericardial effusion. *J Am Coll Cardiol* 2002;**39**(12):2000-2004.
16. Ling LH, Oh JK, Schaff HV, *et al.* Constrictive pericarditis in the modern era: evolving clinical spectrum and impact on outcome after pericardiectomy. *Circulation* 1999;**100**(13):1380-1386.
17. Maisch B, Maisch S, Kochsiek K. Immune reactions in tuberculous and chronic constrictive pericarditis. *Am J Cardiol* 1982;**50**:1007-1013.
18. Maisch B, Pankuweit S, Brilla C, *et al.* Intrapericardial treatment of inflammatory and neoplastic pericarditis guided by pericardioscopy and epicardial biopsy - results from a pilot study. *Clin Cardiol* 1999;**22**(suppl 1):I17-I22.
19. Maisch B, Ristić AD, Pankuweit S, *et al.* Intrapericardial treatment of autoreactive myopericarditis with triamcinolone: successful administration in patients with minimal pericardial effusion. *Herz* 2000;**25**(8):781-786.
20. Maisch B, Ristic AD, Rupp H, *et al.* Pericardial access using the PerDUCER and flexible percutaneous pericardioscopy. *Am J Cardiol* 2001;**88**(11):1323-1326.
21. Maisch B, Ristić AD, Seferović PM. New directions in diagnosis and treatment of pericardial disease: An update by the Taskforce on pericardial disease of the World Heart Federation. *Herz* 2000;**25**(8):769-780.

22. Maisch B, Schonian U, Crombach M, *et al.* Cytomegalovirus associated inflammatory heart muscle disease. *Scand J Infect Dis* 1993;**88**(Suppl. 1):135-148.
23. Maisch B. Pericardial diseases, with a focus on etiology, pathogenesis, pathophysiology, new diagnostic imaging methods, and treatment. *Curr Opin Cardiol* 1994;**9**(3):379-388.
24. Oh JK, Tajik AJ, Appleton CP, *et al.* Preload reduction to unmask the characteristic Doppler features of constrictive pericarditis: a new observation. *Circulation* 1997;**95**:796-799.
25. Pankuweit S, Portig I, Eckhardt H, *et al.* Prevalence of viral genome in endomyocardial biopsies from patients with inflammatory heart muscle disease. *Herz* 2000;**25**(3):221-226.
26. Pankuweit S, Wadlich A, Meyer E, *et al.* Cytokine activation in pericardial fluids in different forms of pericarditis. *Herz* 2000;**25**(8):748-754.
27. Permanyer-Miralda G, Sagrista-Sauleda J, Soler-Soler J. Primary acute pericardial disease: A prospective series of 231 consecutive patients. *Am J Cardiol* 1985;**56**:623-630.
28. Rajagopalan N, Garcia MJ, Rodriguez L, *et al.* Comparison of new Doppler echocardiographic methods to differentiate constrictive pericardial heart disease and restrictive cardiomyopathy. *Am J Cardiol* 2001;**87**(1):86-94.
29. Rienmuller R, Tiling R. MR and CT for detection of cardiac tumors. *Thorac Cardiovasc Surg* 1990;**38**(Suppl 2):168-172.
30. Ristić AD, Maisch B, Hufnagel G, *et al.* Arrhythmias in acute pericarditis: An endomyocardial biopsy study. *Herz* 2000;**25**(8):729-733.
31. Sagrista-Sauleda J, Angel J, Permanyer-Miralda G, *et al.* Long-term follow-up of idiopathic chronic pericardial effusion. *N Engl J Med* 1999;**341**(27):2054-2059.
32. Sagrista-Sauleda J, Barrabes JA, Permanyer-Miralda G, *et al.* Purulent pericarditis: review of a 20-year experience in a general hospital. *J Am Coll Cardiol* 1993;**22**:1661-1665.
33. Sagrista-Sauleda J, Merce J, Permanyer-Miralda G, *et al.* Clinical clues to the causes of large pericardial effusions. *Am J Med* 2000;**109**(2):95-101.
34. Sagrista-Sauleda J, Permanyer-Miralda G, Soler-Soler J. Tuberculous pericarditis: ten year experience with a prospective protocol for diagnosis and treatment. *J Am Coll Cardiol* 1988;**11**(4):724-728.
35. Seferović PM, Maisch B, Spodick DH, eds. Maksimović R, Ristić AD, assoc. eds. Pericardiology: contemporary answers to continuing challenges. *Science*, Belgrade;2000.
36. Seferović PM, Ristić AD, Maksimović R, *et al.* Flexible percutaneous pericardioscopy: Inherent drawbacks and recent advances. *Herz* 2000;**25**(8):741-747.
37. Senni M, Redfield MM, Ling LH, *et al.* Left ventricular systolic and diastolic function after pericardiectomy in patients with constrictive pericarditis: Doppler echocardiographic findings and correlation with clinical status. *J Am Coll Cardiol* 1999;**33**(5):1182-1188.
38. Seo T, Ikeda Y, Onaka H, *et al.* Usefulness of serum CA125 measurement for monitoring pericardial effusion. *Jpn Circ J* 1993;**57**(6):489-494.
39. Shabetai R. Treatment of recurrent pericarditis. *UpToDate*, ver 10.3, 2002 available at: <http://www.uptodateonline.com>.
40. Soler-Soler J, Sagrista-Sauleda J, Permanyer-Miralda G. Management of pericardial effusion. *Heart* 2001;**86**:235-240.
41. Soler-Soler J, Sagristà-Sauleda J, Permanyer-Miralda G, Eds. Pericardial disease. Dordrecht/Boston/London: *Kluwer Academic Publishers*;1990
42. Spodick DH. Acute pericarditis: current concepts and practice. *JAMA* 2003;**289**(9):1150-1153.
43. Spodick DH. Frequency of arrhythmias in acute pericarditis determined by Holter monitoring. *Am J Cardiol* 1984;**53**(6):842-845.
44. Spodick DH. The Pericardium: A Comprehensive Textbook. New York, *Marcel Dekker*;1997
45. Tsang TS, Barnes ME, Hayes SN, *et al.* Clinical and echocardiographic characteristics of significant pericardial effusions following cardiothoracic surgery and outcomes of echo-guided pericardiocentesis for management: Mayo Clinic experience, 1979-1998. *Chest* 1999;**116**(2):322-331.

46. Tsang TS, Freeman WK, Barnes ME, *et al.* Rescue echocardiographically guided pericardiocentesis for cardiac perforation complicating catheter-based procedures. The Mayo Clinic experience. *J Am Coll Cardiol* 1998;**32**(5):1345-1350.
47. Tsang TS, Freeman WK, Sinak LJ, Seward JB. Echocardiographically guided pericardiocentesis: evolution and state-of-the-art technique. *Mayo Clin Proc* 1998;**73**(7):647-652.
48. Tsang TSM, Seward JB, Barnes ME. Outcomes of primary and secondary treatment of pericardial effusion in patients with malignancy. *Mayo Clin Proc* 2000;**75**:248-253.
49. Ustunsoy H, Celkan MA, Sivrikoz MC, *et al.* Intrapericardial fibrinolytic therapy in purulent pericarditis. *Eur J Cardiothorac Surg* 2002;**22**(3):373-376.
50. Ziskind AA, Palacios IF. Percutaneous balloon pericardiotomy for patients with pericardial effusion and tamponade. In: Topol EJ, ed. *Textbook of Interventional Cardiology*, 3rd Ed. Philadelphia, PA: *W.B. Saunders Co*;1999:869-877.