

Non-cardiac vascular disease
TWG Carrell and JHN Wolfe

Web-only References

Cambria RP, Brewster DC, Abbott WM, L'Italien GJ, Megerman JJ, LaMuraglia GM, Moncure AC, Zelt DT, Eagle K. The impact of selective use of dipyridamole-thallium scans and surgical factors on the current morbidity of aortic surgery. *Journal of Vascular Surgery* 1992;**15**:43-51

Choudhri AH, Cleland JG, Rowlands PC, Tran TL, McCarty M, al-Kutoubi MA. Unsuspected renal artery stenosis in peripheral vascular disease. *British Medical Journal* 1990;**301**:1197-8

Leng GC, Lee AJ, Fowkes FGR, Lowe GDO, Housley E. The relationship between cigarette smoking and cardiovascular risk factors in peripheral arterial disease compared with ischaemic heart disease. The Edinburgh Artery study. *European Heart Journal* 1995;**16**:1542-8

North American Symptomatic Carotid Endarterectomy Trial Collaborators. Beneficial effect of carotid endarterectomy in symptomatic patients with high-grade stenosis. *New England Journal of Medicine* 1991;**325**:445-53

European Carotid Surgery Trialists Group. MRC European Carotid Surgery Trial: Interim results for symptomatic patients with severe (70-99%) or with mild (0-29%) carotid stenosis. *Lancet* 1991;**337**:1235-43

Prati P, Vanuzzo D, Casaroli M, Di Chiara A, De Biasi F, Feruglio GA, Touboul PJ. Prevalence and determinants of atherosclerosis in a general population. *Stroke* 1992;**23**:1705-11

Gilling-Smith GL, Wolfe JHN. In: Greenhalgh RM, Hollier LH (Eds) *Surgery for Stroke*, 1993 WB Saunders:107-17

Hertzer N, Loop ND, Beven EG, O'Hara PJ, Krajewski LP. Surgical staging for simultaneous coronary and carotid disease: a study including prospective randomisation. *Journal of Vascular Surgery* 1989;**9**:455-63

Naylor AR, Bolia A, Abbott RJ, Pye IF, Smith J, Lennard N, Lloyd AJ, London NJ, Bell PR. Randomised trial of carotid endarterectomy versus carotid angioplasty: a stopped trial. *Journal of Vascular Surgery* 1998;**28**:326-34

Counsell C, Salinas R, Warlow CP, Naylor AR. The role of carotid artery shunting during carotid endarterectomy: a systematic review of the randomised trials of routine and selective shunting and the different methods of intra-operative monitoring. In: Warlow CP, van Gijn J, Sandercock P (Eds) *Stroke module of the Cochrane database of systematic reviews* 1996(2) London: BMJ Publishing Group

Forsell C, Bergqvist D, Bergentz SE. Peripheral nerve injuries in carotid artery surgery. In: Greenhalgh RM, Hollier LH (eds) *Surgery for stroke* 1993 London: WB Saunders 217-34

Leng GC, Fowkes FGR, Lee AJ, Dunbar J, Housley E, Ruckley CV. Use of ankle: brachial pressure index to predict cardiovascular events and death: a cohort study. *British Medical Journal* 1996;**313**:1440-4

Robeer GG, Brandsma JW, van den Heuvel SP, Smit B, Oostendorp RA, Wittens CH. Exercise therapy for intermittent claudication: a review of the quality of randomised clinical trials and evaluation of predictive factors. *European Journal of Vascular and Endovascular Surgery* 1998;**15**:36-43

Bradbury AW. The role of cilostazol (Pletal) in the management of intermittent claudication. *International Journal of Clinical Practice*. 2003;**57**:405-9

Vroegindeweyj D, Vos LD, Tielbeek AV, Buth J, van der Bosch HC. Balloon angioplasty combined with primary stenting versus balloon angioplasty alone in femoropopliteal obstructions: a comparative randomised study. *Cardiovascular Interventional Radiology* 1997;**20**:420-5

Scott RAP, Wilson NM, Ashton HA, Kay DN. Influence of screening on the incidence of ruptured abdominal aortic aneurysm: 5-year results of a randomised controlled study. *British Journal of Surgery* 1995;**82**:1066-1070

Graham M, Chan A. Ultrasound screening for clinically occult abdominal aortic aneurysm. *Canadian Medical Association Journal* 1988;**138**:627-9

Cronenwett JL. Variables that affect the expansion rate and rupture of abdominal aortic aneurysms. *Annals of the New York Academy of Sciences* 1996;**800**:56-67
1 Vardulaki KA, Prevost TC, Walker NM, Day NE, Wilkink AB, Quick CR, Ashton HA, Scott RA. Growth rates and risk of rupture of abdominal aortic aneurysms. *British Journal of Surgery* 1998;**85**:1674-80

Scott RAP, Wilson NM, Ashton HA, Kay DN. Influence of screening on the incidence of rupture abdominal aortic aneurysm: 5-year results of a randomized controlled study. *British Journal of Surgery* 1995;**82**:1066-1070

Parodi JC, Palmaz JC, Barone HD. Transfemoral intraluminal graft implantation for abdominal aortic aneurysm. *Annals of Vascular Surgery* 1991;**5**:491-9

Laheij RJF, van Marrewijk CJ, Buth J, Harris PL. The influence of team experience on outcomes of endovascular stenting of abdominal aortic aneurysms. *European Journal of Vascular and Endovascular Surgery* 2002;**24**:128-33