

Web reference list

w1 Matsukawa M, Kaikita K, Soejima K, et al. Serial changes in von Willebrand factor-cleaving protease (ADAMTS13) and prognosis after acute myocardial infarction. *Am J Cardiol* 2007 Sep 1;100(5):758-63.

w2 Merlini PA, Bauer KA, Oltrona L, et al. Persistent activation of coagulation mechanism in unstable angina and myocardial infarction. *Circulation* 1994 Jul;90(1):61-8.

w3 Weinreich DJ, Burke JF, Pauletto FJ. Left ventricular mural thrombi complicating acute myocardial infarction. Long-term follow-up with serial echocardiography. *Ann Intern Med* 1984 Jun;100(6):789-94.

w4 Nihoyannopoulos P, Smith GC, Maseri A, et al. The natural history of left ventricular thrombus in myocardial infarction: a rationale in support of masterly inactivity. *J Am Coll Cardiol* 1989 Oct; 14(4):903-11.

w5 Pizzetti G, Belotti G, Margonato A, et al. Thrombolytic therapy reduces the incidence of left ventricular thrombus after anterior myocardial infarction. Relationship to vessel patency and infarct size. *Eur Heart J* 1996 Mar;17(3):421-8.

w6 Zielinska M, Kaczmarek K, Tytkowski M. Predictors of left ventricular thrombus formation in acute myocardial infarction treated with successful primary angioplasty with stenting. *Am J Med Sci* 2008 Mar;335(3):171-6.

w7 Osherov AB, Borovik-Raz M, Aronson D, et al. Incidence of early left ventricular thrombus after acute anterior wall myocardial infarction in the primary coronary intervention era. *Am Heart J* 2009 Jun;157(6):1074-80.

w8 Neskovic AN, Marinkovic J, Bojic M, et al. Predictors of left ventricular thrombus formation and disappearance after anterior wall myocardial infarction. *Eur Heart J* 1998 Jun;19(6):908-16.

w9 Johannessen KA, Nordrehaug JE, von der LG. Increased occurrence of left ventricular thrombi during early treatment with timolol in patients with acute myocardial infarction. *Circulation* 1987 Jan;75(1):151-5.

w10 Blondheim DS, Jacobs LE, Kotler MN, et al. Dilated cardiomyopathy with mitral regurgitation: decreased survival despite a low frequency of left ventricular thrombus. *Am Heart J* 1991 Sep;122(3 Pt 1):763-71.

w11 Maze SS, Kotler MN, Parry WR. Flow characteristics in the dilated left ventricle with thrombus: qualitative and quantitative Doppler analysis. *J Am Coll Cardiol* 1989 Mar 15;13(4):873-81.

w12 Solheim S, Arnesen H, Lunde K, et al. Prothrombotic markers in patients with acute myocardial infarction and left ventricular thrombus formation treated with dual antiplatelet therapy. Abstract European Society of Cardiology. 2011.

- w13 Okuyan E, Okcun B, Dinckal MH, et al. Risk factors for development of left ventricular thrombus after first acute anterior myocardial infarction-association with anticardiolipin antibodies. *Thromb J* 2010;8:15.
- w14 Stratton JR, Ritchie JL, Hammermeister KE, et al. Detection of left ventricular thrombi with radionuclide angiography. *Am J Cardiol* 1981 Sep;48(3):565-72.
- w15 Ezekowitz MD, Wilson DA, Smith EO, et al. Comparison of Indium-111 platelet scintigraphy and two-dimensional echocardiography in the diagnosis of left ventricular thrombi. *N Engl J Med* 1982 Jun 24;306(25):1509-13.
- w16 Barbera S, Hillis LD. Echocardiographic Recognition of Left Ventricular Mural Thrombus. *Echocardiography* 1999 Apr;16(3):289-95.
- w17 Asinger RW, Mikell FL, Sharma B, et al. Observations on detecting left ventricular thrombus with two dimensional echocardiography: emphasis on avoidance of false positive diagnoses. *Am J Cardiol* 1981 Jan;47(1):145-56.
- w18 Visser CA, Kan G, David GK, et al. Two dimensional echocardiography in the diagnosis of left ventricular thrombus. A prospective study of 67 patients with anatomic validation. *Chest* 1983 Feb;83(2):228-32.
- w19 Pepi M, Evangelista A, Nihoyannopoulos P, et al. Recommendations for echocardiography use in the diagnosis and management of cardiac sources of embolism: European Association of Echocardiography (EAE) (a registered branch of the ESC). *Eur J Echocardiogr* 2010 Jul;11(6):461-76.
- w20 Shaw LJ. Impact of contrast echocardiography on diagnostic algorithms: pharmacoeconomic implications. *Clin Cardiol* 1997 Oct;20(10 Suppl 1):I39-I48.
- w21 Thanigaraj S, Schechtman KB, Perez JE. Improved echocardiographic delineation of left ventricular thrombus with the use of intravenous second-generation contrast image enhancement. *J Am Soc Echocardiogr* 1999 Dec;12(12):1022-6.
- w22 Mansencal N, Nasr IA, Pilliere R, et al. Usefulness of contrast echocardiography for assessment of left ventricular thrombus after acute myocardial infarction. *Am J Cardiol* 2007 Jun 15;99(12):1667-70.
- w23 Pearson AC. Transthoracic echocardiography versus transesophageal echocardiography in detecting cardiac sources of embolism. *Echocardiography* 1993 Jul;10(4):397-403.
- w24 Chen C, Koschyk D, Hamm C, et al. Usefulness of transesophageal echocardiography in identifying small left ventricular apical thrombus. *J Am Coll Cardiol* 1993 Jan;21(1):208-15.
- w25 Tomoda H, Hoshiai M, Furuya H, et al. Evaluation of left ventricular thrombus with computed tomography. *Am J Cardiol* 1981 Sep;48(3):573-7.

- w26 Barkhausen J, Hunold P, Eggebrecht H, et al. Detection and characterization of intracardiac thrombi on MR imaging. *AJR Am J Roentgenol* 2002 Dec;179(6):1539-44.
- w27 Weir RA, Martin TN, Petrie CJ, et al. Cardiac and extracardiac abnormalities detected by cardiac magnetic resonance in a post-myocardial infarction cohort. *Cardiology* 2009;113(1):1-8.
- w28 Fuster V, Halperin JL. Left ventricular thrombi and cerebral embolism. *N Engl J Med* 1989 Feb 9;320(6):392-4.
- w29 Domenicucci S, Chiarella F, Bellotti P, et al. Early appearance of left ventricular thrombi after anterior myocardial infarction: a marker of higher in-hospital mortality in patients not treated with antithrombotic drugs. *Eur Heart J* 1990 Jan;11(1):51-8.
- w30 Visser CA, Kan G, Meltzer RS, et al. Embolic potential of left ventricular thrombus after myocardial infarction: a two-dimensional echocardiographic study of 119 patients. *J Am Coll Cardiol* 1985 Jun;5(6):1276-80.
- w31 Cabin HS, Roberts WC. Left ventricular aneurysm, intraaneurysmal thrombus and systemic embolus in coronary heart disease. *Chest* 1980 May;77(5):586-90.
- w32 Meltzer RS, Visser CA, Kan G, et al. Two-dimensional echocardiographic appearance of left ventricular thrombi with systemic emboli after myocardial infarction. *Am J Cardiol* 1984 Jun 1;53(11):1511-3.
- w33 Kremer P, Fiebig R, Tilsner V, et al. Lysis of left ventricular thrombi with urokinase. *Circulation* 1985 Jul;72(1):112-8.
- w34 Randomised controlled trial of subcutaneous calcium-heparin in acute myocardial infarction. The SCATI (Studio sulla Calciparina nell'Angina e nella Trombosi Ventricolare nell'Infarto) Group. *Lancet* 1989 Jul 22;2(8656):182-6.
- w35 Heik SC, Kupper W, Hamm C, et al. Efficacy of high dose intravenous heparin for treatment of left ventricular thrombi with high embolic risk. *J Am Coll Cardiol* 1994 Nov 1;24(5):1305-9.
- w36 Kontny F, Dale J, Abildgaard U, et al. Randomized trial of low molecular weight heparin (dalteparin) in prevention of left ventricular thrombus formation and arterial embolism after acute anterior myocardial infarction: the Fragmin in Acute Myocardial Infarction (FRAMI) Study. *J Am Coll Cardiol* 1997 Oct;30(4):962-9.
- w37 Friedman MJ, Carlson K, Marcus FI, et al. Clinical correlations in patients with acute myocardial infarction and left ventricular thrombus detected by two-dimensional echocardiography. *Am J Med* 1982 Jun;72(6):894-8.
- w38 Keating EC, Gross SA, Schlamowitz RA, et al. Mural thrombi in myocardial infarctions. Prospective evaluation by two-dimensional echocardiography. *Am J Med* 1983 Jun;74(6):989-95.

w39 Kouvaras G, Chronopoulos G, Soufras G, et al. The effects of long-term antithrombotic treatment on left ventricular thrombi in patients after an acute myocardial infarction. *Am Heart J* 1990 Jan;119(1):73-8.

w40 Van de Werf F, Bax J, Betriu A, et al. Management of acute myocardial infarction in patients presenting with persistent ST-segment elevation: the Task Force on the Management of ST-Segment Elevation Acute Myocardial Infarction of the European Society of Cardiology. *Eur Heart J* 2008 Dec;29(23):2909-45.