
Supplementary figure 1. Funnel Plot of Studies Examining the Primary $\operatorname{Endpoint}$



	Angiography-guided PCI		FFR-guided PCI		Odds Ratio		Odds Ratio		
Study or Subgroup	Events	Total	Events	Total	Weight	M-H, Fixed, 95% C	M-H, F	ixed, 95% CI	
3.1.1 Prospective stu	ıdies								
Koo 2008	4	108	5	108	1.1%	0.79 [0.21, 3.03]			
Pijls 2010	111	496	91	509	16.3%	1.32 [0.97, 1.81]		-	
Wongpraparut 2005	19	70	5	53	1.0%	3.58 [1.24, 10.33]			
Subtotal (95% CI)		674		670	18.4%	1.41 [1.06, 1.88]		•	
Total events	134		101						
Heterogeneity: Chi2 = 3	3.82, df = 2 (P = 0.15	5); I ² = 48%)						
Test for overall effect:	Z = 2.34 (P = 0.02)								
3.1.2 Retrospective s	studies								
Di Serafino 2013	77	158	18	65	3.1%	2.48 [1.33, 4.64]			
Li 2013	2292	6268	311	1090	78.6%	1.44 [1.25, 1.66]			
Subtotal (95% CI)		6426		1155	81.6%	1.48 [1.29, 1.70]		♦	
Total events	2369		329						
Heterogeneity: Chi ² = 2	2.73, df = 1 (P = 0.10); I ² = 63%)						
Test for overall effect:	Z = 5.61 (P < 0.0000)	1)							
Total (95% CI)		7100		1825	100.0%	1.47 [1.30, 1.66]		*	
Total events	2503		430						
Heterogeneity: Chi2 = 0	6.69, df = 4 (P = 0.15	5); I ² = 40%)					+ +	400
Test for overall effect:	Z = 6.08 (P < 0.0000)	1)				Fav	0.01 0.1	1 10	100
Test for subaroup diffe			0.76). I ² =	0%		Fav	ors angiography-guide	d Favors FFR-gui	aea